Incidencija i mortalitet od dijabetesa u Srbiji

Incidence and mortality of diabetes in Serbia

2006

Registar za dijabetes u Srbiji
Serbian Diabetes Registry

Izveštaj br. 1
Report N°. 1

Institut za javno zdravlje Srbije ,,Dr Milan Jovanović Batut"
Institute of Public Health of Serbia "Dr Milan Jovanovic Batut"

Novo Nordisk je danska farmaceutska kompanija, svetski lider u oblasti dijabetesa. Kompletnom ponudom savremenih insulina i insulinskih brizgalica Novo Nordisk je jedina kompanija sa zaokruženom ponudom preparata za lečenje dijabetesa. Kompanija ima bogatu istoriju sa više od 80 godina iskustva na polju lečenja dijabetesa.

Cilj kompanije je da pobedi sve aspekte dijabetesa. Stečena znanja i bogato iskustvo pružili su nam osnovu za stvaranje novih vrsta savremenih insulina sa karakteristikama koje odgovaraju potrebama pacijenata. Novo Nordisk ima vodeću ulogu u razvoju novih lekova za regulaciju koncentracije šećera u krvi. Istovremeno radimo na razvoju novih načina za primenu insulinske terapije, uključujući i inhalatorne insuline. Borimo se protiv dijabetesa, a naša istraživanja usmerena su na procese koji su uzrok propadanja ćelija koje stvaraju insulin i dovode do pojave dijabetesa.

Novo Nordisk is a healthcare company and a world leader in diabetes care. The company has the broadest diabetes product portfolio in the industry, including the most advanced products within the area of insulin delivery systems. Novo Nordisk has a strong background in diabetes care, with more than 80 years of experience in this field.

Novo Nordisk is looking into ways to defeat diabetes at all stages of its progression. Our detailed knowledge of the structure and function of the hormone insulin has provided us with a basis for the design of new types of insulin – modern insulin (insulin analogues) with attributes that meet the individual needs of people with diabetes. Novo Nordisk plays a leading role in the development of new compounds that can be used to reduce glucose production. At the same time we are developing new delivery systems for insulin – including a pulmonary administration system that will allow precise dosing of insulin by inhalation. Our long-term goal is to defeat diabetes and our research includes the search for factors responsible for the destruction of the insulin-producing beta cells.

Koordinatori okružnih Registara za dijabetes / Coordinators of Diabetes Registries by administrative districts in Serbia:

Zavod za javno zdravlje Subotica / Institute of Public Health Subotica
Dr Dragica Kovačević Berić, specijalista epidemiolog / Dragica Kovacevic–Beric, MD, specialist in epidemiology
Tatjana Bobić, viši sanitarni tehničar / Tatjana Bobic, senior sanitary technician
Jelica Temunović, medicinska sestra / Jelica Temunovic, nurse

Zavod za javno zdravlje Zrenjanin / Institute of Public Health Zrenjanin
Dr Melita Dimitrić, specijalista epidemiolog / Melita Dimitric, MD, specialist in epidemiology
Dr Radivoj Filipov, specijalista epidemiolog / Radivoj Filipov, MD, specialist in epidemiology

Zavod za javno zdravlje Kikinda / Institute of Public Health Kikinda
Dr Sanja Brusin Beloš, specijalista higijene / Sanja Brusin Belos, MD, specialist in hygiene
Snežana Kukić, medicinska sestra / Snezana Kukic, nurse

Zavod za javno zdravlje Pančevo / Institute of Public Health Pancevo
Dr Tanja Todorović, specijalista epidemiolog / Tanja Todorovic, MD, specialist in epidemiology
Nenad Sokolović, viši sanitarni tehničar / Nenad Sokolovic, senior sanitary technician

Zavod za javno zdravlje Sombor / Institute of Public Health Sombor
Dr Nataša Drča specijalista socijalne medicine / Natasa D t rca, MD, specialist in social medicine
Davorka Bosnić, operater / Davorka Bosnic, IT technician

Zavod za javno zdravlje Novi Sad / Institute of Public Health Novi Sad
Mr sc. med. Miodrag Arsić, specijalista socijalne medicine / Miodrag Arsic, MD, M. Sc. specialist in social medicine
Jela Majkić, viši sanitarni tehničar / Jela Majkic, senior sanitary technician

Zavod za javno zdravlje Sremska Mitrovica / Institute of Public Health Sremska Mitrovica
Dr Nada Zec Petković, specijalista socijalne medicine / Nada Zec Petkovic, MD, specialist in social medicine
Nikola Sapun, dipl. informatičar / Nikola Sapun, IT engineer
Snežana Belušević, medicinska sestra / Snezana Belusevic, nurse

Zavod za javno zdravlje Šabac / Institute of Public Health Sabac
Dr Branka Gajić, specijalista epidemiolog / Branka Gajic, MD, specialist in epidemiology
Vesna Maksimović, viši sanitarni tehničar / Vesna Maksimovic, senior sanitary technician

Zavod za javno zdravlje Valjevo / Institute of Public Health Valjevo
Dr Katarina Vasiljević Pantelić, specijalista socijalne medicine / Katarina Vasiljevic Pantelic, MD, specialist in social medicine
Slađan Stanković, viši sanitarni tehničar / Sladjan Stankovic, senior sanitary technician

Zavod za javno zdravlje Požarevac / Institute of Public Health Pozarevac
Dr Snežana Plećević Jović, lekar opšte prakse / Snezana Plecevic Jovic, MD, GP
Nataša Peurača, dipl. biolog / Natasa Peuraca, graduate biologist
Srđan Klimek, viši sanitarni tehničar / Srdjan Klimek, senior sanitary technician

Institut za javno zdravlje Kragujevac / Institute of Public Health Kragujevac
Prof. dr Vesna Pantović, specijalista epidemiologije / Prof. Vesna Pantovic, MD, PhD, specialist in epidemiology
Ass. dr Gordana Đorđević, specijalista epidemiologije / Ass. Prof. Gordana Djordjevic, MD, PhD, specialist in epidemiology
Gordana Gavrilović, sanitarni tehničar / Gordana Gavrilovic, sanitary technician

Zavod za javno zdravlje Ćuprija / Institute of Public Health Cuprija
Dr Vesna Stefanović, specijalista epidemiolog / Vesna Stefanovic, MD, specialist in epidemiology
Vladan Tanasković, operater / Vladan Tanaskovic, IT technician

Zavod za javno zdravlje Zaječar / Institute of Public Health Zajecar
Dr Svetlana Živković, specijalista epidemiolog / Svetlana Zivkovic, MD, specialist in epidemiology

Zavod za javno zdravlje Užice / Institute of Public Health Uzice
Dr Aleksandra Andrić, specijalista epidemiolog / Aleksandra Andric, MD, specialist in epidemiology
Marija Dulović, sanitarni tehničar / Marija Dulovic, sanitary technician

Zavod za javno zdravlje Čačak / Institute of Public Health Cacak
Dr Aksentije Tošić, specijalista epidemiolog / Aksentije Tosic, MD, specialist in epidemiology
Duško Đalović, viši sanitarni tehničar / Dusko Djalovic, senior sanitary technician

Zavod za javno zdravlje Kraljevo / Institute of Public Health Kraljevo
Dr Vladan Šaponjić, specijalista epidemiolog / Vladan Saponjic, MD, specialist in epidemiology
Dr Verica Đukić, specijalista epidemiolog / Verica Djukic, MD, specialist in epidemiology
Bora Ivanović, viši sanitarni tehničar / Bora Ivanovic, senior sanitary technician

Zavod za javno zdravlje Kruševac / Institute of Public Health Krusevac
Dr Mirjana Avramović, specijalista epidemiolog / Mirjana Avramovic, MD, specialist in epidemiology
Verica Mijailović, viši sanitarni tehničar / Verica Mijailovic, senior sanitary technician

Insitut za javno zdravlje Niš / Institute of Public Health Nis
Mr sc. med. Zorana Deljanin, specijalista epidemiolog / Zorana Deljanin, MD, M. Sc. specialist in epidemiology
Bojan Stojadinović, sanitarno ekološki tehničar / Bojan Stojadinovic, sanitary–environmental technician

Zavod za javno zdravlje Pirot / Institute of Public Health Pirot
Dr Radmila Zec, specijalista epidemiolog / Radmila Zec, MD, specialist in epidemiology
Sonja Petrov, viši sanitarni tehničar / Sonja Petrov, senior sanitary technician

Zavod za javno zdravlje Leskovac / Institute of Public Health Leskovac
Prim. dr sc. med. Miroslava Dimitrijević, specijalista socijalne medicine / Prim. Miroslava Dimitrijevic, MD, PhD, specialist in social medicine
Rosica Pejčić, viši sanitarni tehničar / Rosica Pejcic, senior sanitary technician

Zavod za javno zdravlje Vranje / Institute of Public Health Vranje
Dr Svetlana Stojanović, specijalista socijalne medicine / Svetlana Stojadinovic, MD, specialist in social medicine
Petar Veličković, zdravstveni statističar / Petar Velickovic, health statistician

Gradski zavod za javno zdravlje Beograd / Institute of Public Health Beograd
Mr sc. med. Ljubinka Marčetić, specijalista socijalne medicine / Ljubinka Marcetic, MD, M. Sc. specialist in social medicine
Dr Svetlana Trtica, specijalista socijalne medicine / Svetlana Trtica, MD, specialist in social medicine
Olja Vučković, medicinska sestra / Olja Vuckovic, nurse

RECENZIJA

Izveštaj o prvim obrađenim rezultatima dobijenim u okviru populacionog Registra za dijabetes u Srbiji, čiji je izdavač Institut za javno zdravlje Srbije „Dr Milan Jovanović Batut", sada je kompletiran i to je povod da se istaknu i mnoge značajne novine i dostignuća koje ovo izdanje donosi u našoj sredini.

Dijabetes se, nažalost, širi u obliku pandemije i u svetu i kod nas. U tom smislu, ova narastajuća opasnost ima veliki i klinički i javno–zdravstveni značaj. U suprotstavljanju ovoj opasnosti, poznavanje incidencije i prevalencije dijabetesa u Srbiji, kako ukupno, tako i po regionima, ima izuzetno veliko značenje. S druge strane, u našoj zemlji do sada nije postojao organizovan populacioni registar iz koga bi se mogli analizirati navedeni parametri i procenjivati stanje i razvoj dijabetesa, kao i efikasnost mera dijabetološke zaštite.

Autori iz Instituta za javno zdravlje Srbije–Odeljenja za prevenciju i kontrolu nezaraznih oboljenja, u saradnji sa 22 Instituta/Zavoda na regionalnom nivou, sa cele teritorije Srbije, preduzeli su veliki napor i poduhvatili se odgovornog zadatka organizovanja populacionog Registra za dijabetes. U ostvarivanju ovoga posla, prvi podaci dobijeni u inicijalnoj primeni Registra obrađeni su u ovom Izveštaju, i privući će, sasvim izvesno, veliku pažnju stručne javnosti. Tekst Izveštaja detaljno je ilustrovan sa 10 slika i 23 tabela koje pružaju iscrpan uvid u originalne podatke o parametrima oboljenja prema teritorijalnoj lokaciji, kao i o uzrasnoj i rodnoj distribuciji. Analizirajući obrađene podatke, mnoge nove činjenice o ispoljavanju dijabetesa u Srbiji, postaju sada prvi put dostupne stručnoj javnosti. Poseban značaj u tom smislu ima potpuno nova slika incidencije kako tipa 1, tako i tipa 2 dijabetesa, koja relativizuje dosadašnje raširene stavove o razlici u incidenciji između severa i juga Srbije i ukazuje da je ova distribucija mnogo složenija, tako da zahteva posebno praćenje u svakom od regiona naše zemlje. Takođe treba istaći da je kako u toku uvođenja Registra, tako i u formiranju Izveštaja, postojala odlična saradnja sa Republičkom stručnom komisijom za dijabetes i Programom izrade registra-elektronskog kartona pacijenta, koji Republička komisija sprovodi.

Rezultati prikazani u Izveštaju biće adekvatna i strukturisana osnova za dalje praćenje čiji će rezultati biti publikovani jednom godišnje. U istom smislu, dobijeni podaci biće od izuzetne koristi za koncipiranje i sprovođenje Nacionalnog programa Rane detekcije i prevencije tipa 2 dijabetesa koji je upravo u toku. Istovremeno, podjednako je važna činjenica da podaci Izveštaja mogu biti polazna platforma za proveru troškova dijabetološke zaštite kako na nacionalnom tako i na regionalnom nivou.

U celini, mišljenja sam da Izveštaj predstavlja ne samo izuzetno značajnu i korisnu publikaciju nego i pionirski poduhvat u ovoj oblasti u Srbiji. Zbog toga stručna javnost duguje zahvalnost timu iz Instituta za javno zdravlje Srbije koji je imao dovoljno snage i odlučnosti da u postojećim uslovima prikupi relevantne podatke, načini njihovu analizu i kompletira ovaj Izveštaj. Takođe, publikovanje ovog Izveštaja obavezuje sve koji rade u oblasti dijabetološke zaštite da podrže i nastavak rada na adekvatnom prikupljanju podataka i njihovom redovnom analiziranju, što predstavlja imperativ daljeg razvoja u ovoj oblasti.

Beograd, 25.10.2007. godine   Profesor dr Nebojša M. Lalić

Veliko je bogatstvo kada jedna zemlja ima ljude koji su sposobni da Srbiju predstave Evropi i svetu kao zemlju koja prepoznaje značaj vođenja Registra za dijabetes i koja otvara put budućim epidemiološkim i kliničkim istraživanjima u cilju prevencije ovog oboljenja.

Autori su pokazali veliko poznavanje problematike i na jasan i sistematizovan način prikazali podatke o obolevanju i umiranju od dijabetesa.

Ova publikacija ima veliki javno-zdravstveni značaj i treba da bude vodič ka utemeljivanju kontinuiranog praćenja kretanja obolevanja i umiranja ne samo od dijabetesa, nego i od drugih hroničnih nezaraznih poremećaja zdravlja u Srbiji.

Beograd, 23.10.2007.   Prof. dr Sandra Šipetić–Grujičić

REVIEW

The report on the initial processed results obtained within the Population–based Diabetes Registry of Serbia, the publisher of which is the "Dr Milan Jovanovic Batut" Institute of Public Health of Serbia, is now complete and this is the occasion to highlight many important innovations and achievements this publication brings to our community.

Diabetes is, unfortunately, spreading in the form of a pandemic both in our country and worldwide. Thus, this growing threat is associated with major clinical and public–health impact. In an effort to combat this threat, knowledge of the incidence and prevalence of diabetes in Serbia, both the overall, and by regions, has a particularly great importance. On the other hand, in our country up to now an organized population–based registry has not been available to provide the specified parameters for analysis, evaluate the state and growth of diabetes or the efficiency of the measures of diabetes care.

The authors from the Institute of Public Health of Serbia – the Department of Prevention and Control of Noncommunicable Diseases, in cooperation with 22 Institutes on the regional level, from the entire territory of Serbia, have made a great effort undertaking the responsible task of setting up the Population–based Diabetes Registry. Accordingly, the first data obtained in the initial use of the Registry are analyzed in this Report, and they will, quite certainly, draw a great deal of attention of the professional community. The text of the Report is abundantly illustrated with 10 figures and 23 tables, providing a detailed insight in the original data on the parameters of the disease broken down by the regions, including the age and gender distribution as well. Analysis of the processed data has, for the first time, provided many new facts on the incidence of diabetes in Serbia to the professional community. In that sense, a completely new picture of the incidence of both type 1 and type 2 diabetes is particularly important challenging the stereotypes on the difference between the north and south of Serbia and indicating that this distribution is much more complex and, hence requires a special monitoring in each of the regions of our country. Excellent cooperation with the National Expert Commission for Diabetes and the Program of Registry Setup (electronic medical records), implemented by the National Commission. both in the course of introducing the Registry and in composing the Report, should also be pointed out.

The results presented in the Report will provide an adequate and structured basis for further monitoring, the results of which will be published once a year. Therefore, the obtained data will contribute immensely to design and implementation of the National Program of Early

Detection and Prevention of Type 2 Diabetes, which is currently under way. At the same time, it is equally important that the data from the Report may provide a solid foundation to check the costs of diabetes care both on the national and on the regional levels.

Finally, I believe that the Report represents not only a particularly important and useful publication but also a pioneering project in this area in Serbia. Because of that, the professional community is grateful to the team of the Institute of Public Health of Serbia, which showed sufficient strength and determination to gather the relevant data under the present conditions, analyze them, and complete this Report. Moreover, publication of this Report commits all those working in the field of diabetes care to support continuation of the activities on an adequate acquisition of data and their regular analysis, which is the imperative of further development in this area.

Belgrade, October 25, 2007   Professor Nebojsa M. Lalic, MD, PhD

It is precious when a country has the people who are capable of presenting Serbia to Europe and the rest of the world as the country that recognizes the importance of keeping the Diabetes Registry and paves the way for the future epidemiological and clinical studies aimed at prevention of this disease.

The authors have demonstrated thorough knowledge of the problem area and presented the data on the diabetes morbidity and mortality in a clear and systematic manner.

This publication has major public health significance and it should be the guide towards establishing a continuous monitoring of the trends in the morbidity and mortality not only related to diabetes, but also to other chronic noncommunicable health disorders in Serbia.

Belgrade, October 23, 2007   Professor Sandra Sipetic–Grujicic MD, PhD

SARDŽAJ / TABLE OF CONTENTS

I Uvod
I Introduction

Dijabetes je jedno od najčešćih hroničnih nezaraznih oboljenja i predstavlja veliki javno-zdravstveni problem. Svetska zdravstvena organizacija (World Health Organization – WHO) i Međunarodna federacija za dijabetes (International Diabetes Federation – IDF) procenjuju da 2007. godine u svetu od dijabetesa boluje 246 miliona ljudi, a da će se broj obolelih od dijabetesa do 2025. godine povećati na 380 miliona. Iako se najviše stope incidencije registruju u razvijenim zemljama, najveći porast obolelih očekuje se u zemljama u razvoju, gde spada i naša zemlja (1).

Prema istim izvorima, u Republici Srbiji bez Kosova i Metohije (u daljem tekstu Srbija) od dijabetesa boluje približno 500.000 osoba ili 6,7% populacije (1). Broj osoba sa dijabetesom tipa 2 je mnogostruko veći (95%) u odnosu na osobe sa dijabetesom tipa 1 (1). Pri tom, prema procenama domaćih eksperata i na osnovu rezultata međunarodnih studija, najmanje polovina osoba sa dijabetesom tipa 2 nema postavljenu dijagnozu i ne zna za svoju bolest (2,3,4).

Prevalencija dijabetesa raste sa godinama starosti, i procenjuje se da je gotovo polovina obolelih starija od 65 godina (5). Kod starijih osoba dijabetes tipa 2 otkriva se relativno kasno, kada su već prisutne brojne kardiovaskularne komplikacije. U Srbiji, kao i u razvijenim zemljama sveta, dijabetes je peti vodeći uzrok smrtnosti (6) i peti uzrok opterećenja bolešću (7).

U našoj zemlji od ove bolesti godišnje umre oko 2500 osoba (6). U 2006. godini, Srbija je na osnovu standardizovane stope mortaliteta od 23,2 na 100.000 stanovnika, pripadala grupi evropskih zemalja sa najvišim stopama umiranja od ove bolesti (8). Pri tom, treba imati u vidu da je broj umrlih daleko veći, zbog grešaka prilikom šifriranja uzroka smrti i evidentiranja dijabetesa kao prethodnog, umesto osnovnog uzroka smrti, naročito kod umrlih od infarkta, šloga i hronične bubrežne insuficijencije (9,10).

Dugi niz godina, jedine podatke o obolevanju od dijabetesa u Srbiji obezbeđivala je rutinska statistika izveštavanjem o korišćenju vanbolničke i bolničke zdravstvene zaštite.

Međutim, kako se navedenim izveštajima evidentiraju dijagnoze pri svakom dolasku osobe u zdravstvenu ustanovu, bez prethodne provere, nije bilo moguće proceniti broj novoobolelih od dijabetesa. Nemogućnost kvalitetnog sagledavanja opterećenosti našeg društva ovim oboljenjem, bila je samo jedan od razloga za organizaciju populacionog Registra kojim bi se obezbedili podaci o broju novootkrivenih osoba sa dijabetesom.

Populacioni registar za dijabetes osnovni je deo svakog racionalnog programa za kontrolu ove bolesti. U Registar se unose podaci o svakom novootkrivenom slučaju dijabetesa na

teritoriji Srbije. Sam proces registracije podrazumeva organizovano prikupljanje, unos, čuvanje, analizu i interpretaciju podataka o novoobolelim osobama od dijabetesa.

Osnovna uloga populacionog Registra je da omogući:

- Utvrđivanje incidencije dijabetesa po uzrastu, polu, mestu obolevanja i tipu dijabetesa;
- Kontinuirano praćenje kretanja stopa incidencije tokom vremena;
- Analizu stope preživljavanja pacijenata sa dijabetesom;
- Izračunavanje izgubljenih godina života (years of life lost, YLL) i godina života sa nesposobnošću (years of life with disability, YLD);
- Utvrđivanje direktnih i indirektnih troškova lečenja dijabetesa, nastalih zbog privremene ili trajne onesposobljenosti ili prevremene smrti.

Ovakav način posmatranja i praćenja dijabetesa ima ogroman javno-zdravstveni značaj, jer obezbeđuje:

- Procenu *opterećenja društva dijabetesom* na nacionalnom nivou;
- Stručni pristup u *planiranju zdravstvene zaštite stanovništva* (opreme, kadrova i prostora potrebnih za dijagnostiku, lečenje i rehabilitaciju obolelih);
- *Izradu preventivnih strategija i programa prevencije* u cilju sprečavanja/odlaganja nastanka dijabetesa i njegovih komplikacija, modifikacijom načina života i napuštanjem zdravstveno štetnih navika (informisanje, zdravstvena edukacija, skrining);
- *Evaluaciju* sprovedenih preventivnih programa;
- Formulisanje *zdravstvene politike* i unapređenje organizacije dijabetološke zdravstvene zaštite, i
- Polaznu osnovu za epidemiološka i klinička *istraživanja*.

Registar za dijabetes osnovan je u Srbiji 1980. godine na osnovu Plana statističkih istraživanja od interesa za Republiku (Sl. glasnik SRS br. 32/69). Međutim, neadekvatan set podataka na obrascu prijave, neprecizno metodološko uputstvo, nedovoljna edukacija kadra za vođenje Registra, kao i nedostatak informatičke podrške, imali su za posledicu subregistraciju novootkrivenih slučajeva dijabetesa. Do kraja 90- tih godina prošlog veka, broj prijavljenih lica sa dijabetesom u Srbiji bio je višestruko manji od prosečnog broja umrlih i bar 20 puta manji od očekivanog broja obolelih od ove bolesti (6).

U cilju unapređenja evidentiranja dijabetesa, zakonodavac je u Srbiji propisao kao obavezu prijavljivanje ove bolesti kroz više zakonskih i podzakonskih akata:

– Saveznim zakonom o statističkim istraživanjima i Programom statističkih istraživanja u oblasti zdravstva (Sl. list SRJ, br. 46/98);

– Saveznim zakonom o evidencijama u oblasti zdravstva (Sl. list SRJ, br. 12/98);

– Pravilnikom o sredstvima za vođenje evidencija u oblasti zdravstva (Sl. list SRJ, br. 6/2000);

Polazeći od nacionalnog značaja Registra za dijabetes i zakonskih regulativa, tim stručnjaka iz Instituta za javno zdravlje Srbije „Dr Milan Jovanović Batut" u saradnji sa ekspertima za prevenciju i lečenje dijabetesa Medicinskog fakulteta u Beogradu i članovima Republičke stručne komisije za šećernu bolest, tokom 2006. godine pokrenuli su inicijativu za reorganizaciju populacionog Registra za dijabetes.

Nova organizacija populacionog Registra za dijabetes u Srbiji podrazumevala je njegovu decentralizaciju. Regionalni Registri vode se na nivou okruga i nalaze se u institutima/zavodima za javno zdravlje. Bazu podataka za celu Srbiju vodi Institut za javno zdravlje Srbije ,,Dr Milan Jovanović Batut". Njegova uloga nije samo da koordinira rad regionalnih Registara, nego i da kontinuirano edukuje zdravstvene radnike koji rade na Registru, analizira i evaluira kvalitet podataka i publikuje godišnje izveštaje.

U izveštaju pored apsolutnog broja novoobolelih (tabele 4–7) i umrlih osoba od dijabetesa prema uzrastu i polu (tabele 13–17), prikazane su sirove i standardizovane stope incidencije (tabele 8–11) i mortaliteta (tabele 18–23).

Diabetes is one of the most frequent chronic noncommunicable diseases and it is a major public health problem. The World Health Organization – WHO and the International Diabetes Federation – IDF, estimate that in 2007, 246 million people worldwide suffer from diabetes, and that the number of diabetics will increase up to 380 million by the year 2025. Although the highest incidence rates are registered in the developed counties, the largest increase of people with diabetes is expected in the developing countries, to which our country actually belongs (1).

According to the same sources, in the Republic of Serbia without Kosovo and Metohia (hereinafter: Serbia) approximately 500 000 persons or 6.7% of the population suffer from diabetes (1). The number of persons with diabetes type 2 is much higher (95%) than of those with diabetes type 1 (1). Thereby, according to the estimation of the domestic experts and on the basis of the results of international studies, at least a half of the persons with diabetes type 2 have not been diagnosed and are not aware of their disease (2, 3, 4).

Diabetes prevalence grows with age, and it is estimated that almost a half of diabetic patients are over 65 years of age (5). In the elderly, diabetes type 2 is diagnosed relatively late, when numerous cardiovascular complications are already present. In Serbia, as in the developed countries worldwide, diabetes is the fifth leading cause of death (6) and the fifth cause of the burden of the disease (7).

In our country, approximately 2500 persons (6) die from this disease each year. In 2006, on the basis of a standardized mortality rate of 23.2 per 100 000 population, Serbia belonged to the group of European countries with the highest diabetes mortality rates (8). Accordingly, it should be born in mind that the number of deaths is by far higher, because of the errors in coding the causes of death and recording the diabetes as underlying, instead of the main cause of death, particularly in those who died from infarction, stroke, and chronic renal failure (9, 10).

For many years, the only data about diabetic patients in Serbia were provided by the routine statistics from the outpatient and in-patient reports.

However, in view of the fact that the specified reports register diagnoses at each visit of a person to a healthcare institution, without previous verification, it has not been possible to estimate the number of new cases of diabetes in Serbia. Inability to analyze the burden of this disease was just one of the reasons to set up of the Population–based Registry which would provide the data on the number of the newly diagnosed persons with diabetes.

The Population–based Diabetes Registry is an essential part of any rational programme of diabetes control. The data on each newly diagnosed case of diabetes in the territory of Serbia are entered in the Registry. The actual process of registration implies organized collection, entry, saving, analysis, and interpretation of data on the new cases of diabetes.

The main role of Population–based Diabetes Registry is to enable:

- Calculation of diabetes incidence by age, sex, place of resistance at the time of diagnosis, and type of diabetes;
- Continuous monitoring of the trends of incidence rates over time;
- Analysis of the survival rate of diabetic patients;
- Calculation of the years of life lost (YLL) and years of life with disability (YLD);
- Assessment the direct and indirect costs of treatment of diabetes, due to temporary or permanent disability or early death.

This kind of diabetes observation and monitoring has a huge public health importance, because it provides:

- Assessment of the *burden of diabetes* on the national level;
- Expert approach in *planning of the population health care* (equipment, personnel, and space required for diagnostics, treatment, and rehabilitation of the patients);
- *Development of prevention strategies and prevention programs* aimed to prevent/ postpone the onset of diabetes and its complications, by modification of the lifestyles and by abandoning the habits harmful to health (dissemination of information, healthcare education, screening);
- *Evaluation of the implemented* preventive programs;
- Formulation of the *healthcare policy* and upgrading of the organization of diabetes health care, and
- The crucial basis for the epidemiological and clinical *studies*.

The Diabetes Registry was set up in Serbia in 1980 further to the Plan of Statistic Research of Interest for the Republic (Official Herald of the SRS No. 32/69). However, the inadequate set of data on the registration form, imprecise methodological instructions, insufficient education of the staff for keeping the Registry, as well as the lack of IT support, resulted in under-registration of the newly detected cases of diabetes. By the end of the nineties in the last century, the number of the registered persons with diabetes in Serbia was multiply lower than the average number of the deceased and at least 20 times lower than the expected number of those suffering from this disease (6).

With the aim to improve diabetes recording, the legislator in Serbia stipulated the mandatory reporting on this disease through several laws and bylaws:

- The Federal Law on Statistical Studies and Program of Statistical Studies in the Area of Healthcare (Official Gazette of the SRY, No. 46/98);
- The Federal Law on Records in the Area of Healthcare (Official Gazette of the SRY, No. 12/98);
- The Rulebook on Resources for Keeping Records in the Area of Healthcare (Official Gazette of the SRY, No. 6/2000);

On the basis of the national importance of the Diabetes Registry and statutory regulations, in the course of 2006 a team of experts from the ″Dr Milan Jovanovic Batut″ Institute of Public of Health Serbia in cooperation with the experts for diabetes prevention and treatment of the School of Medicine in Belgrade and the members of the National Expert Commission for Diabetes, initiated the reorganization of the Population–based Diabetes Registry of Serbia.

The new setup of the Population–based Diabetes Registry of Serbia implied its decentralization. The regional Registries are kept on the level of the administrative districts and are located at the Institutes of Public Health. The database for the entire Serbia is managed by the "Dr Milan Jovanovic Batut" Institute of Public Health of Serbia. Its role is not only to coordinate the work of the regional Registries, but also to continuously educate the healthcare workers operating the Registry, analyze and evaluate the quality of data and to publish annual reports.

In addition to the absolute number of the new cases (Tables 4–7) and deaths from diabetes by age and sex (Tables 13–17) , this Report also presents the crude and standardized incidence (Tables 8–11) and mortality rates (Tables 18–23).

II Metod

Populacioni Registar za dijabetes u Srbiji sadrži podatke o: zdravstvenoj ustanovi koja je prijavila dijabetes, demografskim karakteristikama novoobolelih lica od dijabetesa, tipu dijabetesa, datumu postavljanja dijagnoze dijabetesa, ishodu bolesti i datumu prijave.

U cilju postizanja što boljeg kvaliteta podataka i njihove internacionalne komparabilnosti, za klasifikaciju i šifriranje svakog entiteta i modaliteta varijabli koje se prate Registrom, korišćeni su međunarodni dijagnostički kriterijumi, klasifikacije i šifarnici (11,12,13,14,15).

Kriterijumi za dijagnozu dijabetesa i poremećaja tolerancije glukoze

Nov pristup u dijagnostici dijabetesa i poremećaja tolerancije glukoze (13), zasniva se na određivanju dve neuzastopne vrednosti glikemije ujutru našte (bar 8 sati od poslednjeg obroka) u razmaku od dva do tri dana. U slučaju nekonzistentnosti prethodno dobijenih rezultata, vrednosti glikemije se proveravaju oralnim testom opterećenja glukozom (oral glucose tolerance test, OGTT). Ovakvim kombinovanim pristupom za dijagnozu dijabetesa osoba se svrstava u jednu od dijagnostičkih kategorija datih na tabeli 1.

Tabela 1. Kriterijumi za dijagnozu dijabetesa i poremećaja tolerancije glukoze (13)

Na osnovu pojedinačnih vrednosti glikemija (2 glikemije u 2 različita dana):	Na osnovu vrednosti glikemija u toku OGTT-a:
Normalna glikemija našte Glikemija našte < 6,1 mmol/L (<110 mg/dL)	**Normalna tolerancija glukoze** Glikemija u toku OGTT-a u 120. minutu < 7,8 mmol/L (<140 mg/dL)
Povišena glikemija našte Glikemija našte 6,1 mmol/L (110 mg/dL) ili više ali manja od 7,0 mmol/L (126 mg/dL)	**Smanjena tolerancija glukoze** Glikemija u toku OGTT-a u 120. minutu između 7,8 mmol/L (140 mg/dL) i 11,1 mmol/L (200mg/dL)
Dijabetes Glikemija našte ≥7,0 mmol/L (126 mg/dL) ili Glikemija u bilo kom slučajnom uzorku krvi (bez obzira na obroke) ≥ 11,1 mmol/L (200 mg/dL) uz prisustvo tipičnih dijabetesnih simptoma (poliurija, polidipsija, gubitak u težini)	**Dijabetes** Glikemija u toku OGTT-a u 120. minutu ≥ 11,1mmol/L (200 mg/dL)

Izvori podataka o obolelima od dijabetesa

U skladu sa međunarodnim preporukama za vođenje populacionog Registra za dijabetes (16), kao najvažniji izvor podataka o obolevanju od dijabetesa korišćen je aktuelni obrazac prijave ove bolesti (17). Na osnovu preporuka iz „Nacionalnog vodiča za lekare u primarnoj zdravstvenoj

zaštiti – Prevencija tipa 2 dijabetesa" (13), lekari u primarnoj zdravstvenoj zaštiti obavezni su da određuju glikemiju našte svim osobama starijim od 45 godina na svake tri godine.

Osobe sa povećanim rizikom za dijabetes podvrgavaju se skriningu pre 45 godine, a intervali između testiranja se skraćuju.

Pored prijave dijabetesa u primarnoj zdravstvenoj zaštiti, koriste se kao sekundarni izvori informacija i podaci iz:

- izveštaja o hospitalizaciji,
- elektronskog kartona pacijenata,
- privatnih ordinacija/klinika
- apotekarskih ustanova, i
- fonda zdravstvenog osiguranja.

Populacionim Registrom za dijabetes evidentiraju se novoobolele osobe sa dijabetesom tipa 1 (X revizija Međunarodne klasifikacije bolesti, MKB–10, šifra E10), dijabetesom tipa 2 (MKB–10, šifra E11) i drugim specifičnim oblicima dijabetesa (MKB–10, šifre E12–E14, O24).

Izvori podataka o umrlima od dijabetesa

Podaci o umrlim osobama od dijabetesa (MKB–9, šifra 250 i MKB–10, šifre E10–E14), preuzeti su iz nepublikovanog materijala Republičkog zavoda za statistiku, za period 1986–2006. godine.

Analiza podataka

U cilju sagledavanja strukture obolevanja i umiranja od dijabetesa u odnosu na sve uzroke smrti korišćene su proporcije (16).

Za izračunavanje stopa incidencije i mortaliteta, korišćene su procene stanovništva Srbije za 2006. godinu po okruzima Republičkog zavoda za statistiku.

Stope incidencije od dijabetesa tipa 1 (MKB–10: E10) izračunate su za uzraste 0–14 i 0–29 godina, a za dijabetes tipa 2 (MKB–10: E11) za uzraste 0–14, 0–29 i 0–75+ godina.

Stope mortaliteta od dijabetesa tipa 1 (MKB–10: E10), dijabetesa tipa 2 (MKB–10: E11) i svih tipova ove bolesti (MKB–10: E10–E14) izračunate su za uzraste 0–29 i 0–75+ godina.

Standardizovane stope dobijene su metodom direktne standardizacije, gde je kao standardna populacija korišćena populacija Evrope (Age standardized rate – Europe, ASR–E) i sveta (Age standardized rate – World, ASR–W) (19).

U prikazivanju kretanja stopa mortaliteta u Srbiji za period 1986–2006 korišćena je jednačina linearnog trenda.

Informatičku podršku Registru pružila je aplikacija RDS koju je razvio Institut za javno zdravlje Srbije.

The Population–based Diabetes Registry of Serbia comprises data on the diabetes reporting healthcare institution, demographic features of newly-diagnosed cases of diabetes, type of diabetes, date of diagnosis, outcome of the disease, and the registration date.

In order to achieve the best possible quality of data and their international comparability, the international diagnostic criteria, classifications and codebooks (11,12,13,14,15) were used for classification and coding of each entity and modality of the variables covered by the Registry.

Diagnostic criteria for diabetes and related stages of impaired glucose homeostasis

The new approach in diagnosis of diabetes and related stages of impaired glucose homeostasis (13) is based on determination of two non-consecutive fasting plasma glucose values (at least 8 hours from the last meal) two to three days apart. In case of inconsistency of the previously obtained results, the values of glycemia are checked by the Oral Glucose Tolerance Test (OGTT). The combined approach in diagnosis of diabetes is used for classification of persons into one of the diagnostic categories, Table 1.

Table 1. Diagnostic criteria for diabetes and related stages of impaired glucose homeostasis (13)

Based on subsequent values of glycemia (2 values of glycemia in 2 subsequent days):	Based on the value of glycemia during an OGTT:
Normal fasting plasma glucose concentration Fasting plasma glucose concentration < 6,1 mmol/L (<110 mg/dL)	**Normal glucose tolerance** Plasma glucose concentration during an OGTT in the 120th minute < 7,8 mmol/L (<140 mg/dL)
Impaired Fasting Glycaemia (IFG) Fasting plasma glucose concentration $\geq$ 6,1 mmol/L (110 mg/dL) and < 7,0 mmol/L (126 mg/dL)	**Impaired Glucose Tolerance (IGT)** Plasma glucose concentration during an OGTT in the 120th minute between 7,8 mmol/L (140 mg/dL) and 11,1 mmol/L (200mg/dL)
Diabetes Mellitus Fasting plasma glucose concentration $\geq$7,0 mmol/L (126 mg/dL) or glycemia in any random blood sample (regardless of meals) $\geq$ 11,1 mmol/L (200 mg/dL) with the presence of typical diabetes symptoms (polyuria, polydipsia, weight loss)	**Diabetes Mellitus** Plasma glucose concentration during an OGTT in the 120th minute $\geq$ 11,1mmol/L (200 mg/dL)

Sources of data on the newly-diagnosed cases of diabetes

In compliance with the international recommendations to keep the Population-based Diabetes Registry (16), the actual registration form (17) was used as the main source of information for newly-diagnosed cases of diabetes. On the basis of the recommendations from the „National Guidelines for Doctors in the Primary Health Care – Prevention of type 2 diabetes" (13), the doctors in the primary health care are obliged to determine fasting plasma glucose test in all the persons above 45 years of age in three-year intervals.

The persons at increased risk of diabetes undergo screening before the age of 45, and the intervals between the tests are shortened.

In addition to the registration of diabetes in the primary health care, the data are also collected from the secondary sources of information, as follows:

- Discharge notification forms,
- Electronic medical records,
- Private offices/clinics,
- Drug dispensing records of pharmacies, and
- Social Security Fund.

The Population-based Diabetes Registry records the new cases of persons with diabetes type 1 (X revision of the International Classification of Diseases, ICD–10, code E10), diabetes type 2 (ICD–10, code E11) and other specific forms of diabetes (ICD–10, codes E12–E14, O24).

Sources of data on diabetes related deaths

The data on diabetes related deaths (ICD–9, code 250 and ICD –10, codes E10–E14), have been taken over from the unpublished material of the Statistical Office of Serbia, for the period 1986–2006.

Data analysis

In order to analyze the percentage of new cases of diabetes and mortality caused by diabetes with respect to all-cause mortality, the proportions were used (16).

For calculation of incidence and mortality rates, we used the assessment of the population of Serbia for 2006 by administrative districts from the Statistical Office of Serbia.

Incidence rates of diabetes type 1 (ICD–10: E10) were calculated for the age groups 0–14 and 0–29, and for the diabetes type 2 (ICD–10: E11) for the age groups 0–14, 0–29 and 0–75+.

Mortality rates of diabetes type 1 (ICD–10: E10), diabetes type 2 (ICD–10: E11), and all types of the disease (ICD–10: E10–E14) were calculated for the age groups 0–29 and 0–75+.

Standardized rates were calculated by means of the direct method, using the population of Europe (Age-standardized rate – Europe, ASR–E) and the population of the world as standard (Age-standardized rate – World, ASR–W) (19).

Trend analysis of mortality rates in Serbia for the period of 1986–2006 was performed using the linear trend equation.

The IT support to the Registry was provided by the RDS application developed by the Institute of Public Health of Serbia.

III Definicije

III Definitions

Dijabetes melitus je heterogena grupa metaboličkih bolesti koje se karakterišu hroničnom hiperglikemijom nastalom kao posledica defekta u sekreciji insulina, njegovom dejstvu ili usled postojanja oba ova poremećaja (12). Ranija klasifikacija dijabetesa, prema kliničkim karakteristikama i vrsti terapije, danas je zamenjena etiološkom klasifikacijom (tabela 2).

Tabela 2. Klasifikacija dijabetesa (12)

I Tip 1 dijabetesa (destrukcija beta ćelija koja vodi potpunom nedostatku insulinske sekrecije)
  Posredovan imunoloskim procesom
  Idiopatski

II Tip 2 dijabetesa (može se rangirati od dominantne insulinske rezistencije do dominantnog deficita sekrecije insulina koji je udružen sa insulinskom rezistencijom)

III Drugi Specifični Tipovi Dijabetesa
  A. Genetski deficiti funkcije beta ćelija
  B. Genetski uslovljeni defekti u dejstvu insulina
  C. Dijabetes melitus usled bolesti egzokrinog pankreasa
  D. Dijabetes melitus u okviru drugih endokrinih bolesti
  E. Dijabetes melitus indukovan lekovima ili hemikalijama
  F. Dijabetes melitus indukovan infekcijama
  G. Retki oblici imunološki posredovanog dijabetes melitusa
  H. **Druge nasledne bolesti u kojih se može javiti dijabetes melius**

IV Gestacijski dijabetes

Incidencija je broj novodijagnostikovanih slučajeva šećerne bolesti u definisanoj populaciji, prijavljenih Registru u datoj kalendarskoj godini.

Uzrasno specifična stopa incidencije je broj novoobolelih od dijabetesa u definisanoj uzrasnoj grupi (najčešće petogodišnji interval) na 100.000 stanovnika te uzrasne grupe.

Mortalitet je broj slučajeva umrlih od dijabetesa koji se javljaju u definisanoj populaciji tokom određenog vremenskog perioda.

Uzrasno specifična stopa mortaliteta je broj umrlih od dijabetesa u definisanoj uzrasnoj grupi (najčešće petogodišnji interval) na 100.000 stanovnika te uzrasne grupe.

Standardizovane stope incidencije i mortaliteta su fiktivne vrednosti dobijene metodom direktne standardizacije, gde je kao standardna populacija korišćena populacija Evrope (ASR–E) i populacija sveta (ASR–W).

Diabetes mellitus is a heterogeneous group of metabolic disorders characterized by chronic hyperglycemia resulting from defects in insulin secretion, insulin action or both (12). The former classification of diabetes, according to the clinical characteristics and type of therapy has been replaced by the etiologic classification (Table 2).

Table 2. Classification of diabetes (12)

I Diabetes Type 1 (beta cell destruction, usually leading to absolute insulin deficiency)

   Autoimmune

   Idiopathic

II Diabetes Type 2 (may range from predominantly insulin resistance with relative insulin deficiency to a predominantly secretory defect with or without insulin resistance)

III Other specific types

   I.   **Genetic defects of beta–cell function**
   J.   Genetic defects in insulin action
   K.   Diseases of the exocrine pancreas
   L.   Endocrinopathies
   M.   Drug– or chemical–induced
   N.   Infections
   O.   Uncommon forms of immune–mediated diabetes
   P.   Other genetic syndromes sometimes associated with diabetes

---

IV Gestational diabetes

Incidence is the number of newly-diagnosed cases of diabetes in a defined population, reported to the Registry in a given calendar year.

Age-specific incidence rates represent the number of new cases of diabetes in a defined age group (usually five-year interval) per 100 000 population of the corresponding age group.

Mortality is the number of diabetes related deaths in a defined population in a specified period of time.

Age-specific mortality rate is the number of diabetes related deaths in a defined age group (usually five-year interval) per 100 000 population of the corresponding age group.

Standardized incidence and mortality rates represent fictive values calculated by the direct method, using the population of Europe (ASR–E) and the population of the world as standard (ASR–W) (19).

IV Slike i tabele

IV Figures and tables

IVa Stanovništvo Srbije u 2006. godini

IVa Population of Serbia, 2006

Tabela 3. Broj stanovnika u okruzima Srbije prema polu, 2006.* godina
Table 3. Population of Serbia by administrative districts, by sex, 2006*

Teritorija Region/District	Muškarci Males	Žene Females	Ukupno Total
SRBIJA (Serbia)	**3603698**	**3807871**	**7411569**
VOJVODINA (Vojvodina)	**972544**	**1030054**	**2002598**
CENTRALNA SRBIJA (Central Serbia)	**2631154**	**2777817**	**5408971**
Severno-bački (North Backa)	94218	101513	**195731**
Srednje-banatski (Middle Banat)	97463	102536	**199999**
Severno-banatski (North Banat)	77709	81275	**158984**
Južno-banatski (South Banat)	151018	157688	**308706**
Zapadno-bački (West Backa)	99169	104816	**203985**
Južno-bački (South Backa)	288711	311493	**600204**
Sremski (Srem)	164256	170733	**334989**
Grad Beograd (City of Belgrade)	758008	844853	**1602861**
Mačvanski (Macva)	158297	161732	**320029**
Kolubarski (Kolubara)	91631	94376	**186007**
Podunavski (Danube)	101892	105325	**207217**
Braničevski (Branicevo)	94342	101228	**195570**
Šumadijski (Sumadija)	143462	150407	**293869**
Pomoravski (Morava)	107288	114416	**221704**
Borski (Bor)	67715	70747	**138462**
Zaječarski (Zajecar)	62929	67008	**129937**
Zlatiborski (Zlatibor)	150826	154246	**305072**
Moravički (Moravica)	108059	112035	**220094**
Raški (Raska)	146137	150624	**296761**
Rasinski (Rasina)	122967	128385	**251352**
Nišavski (Nisava)	186078	191981	**378059**
Toplički (Toplica)	49390	48840	**98230**
Pirotski (Pirot)	50489	49644	**100133**
Jablanički (Jablanica)	116825	117193	**234018**
Pčinjski (Pcinj)	114819	114777	**229596**

* Procena na dan 30. juna 2006, Republički zavod za statistiku, Beograd, 2007
*Estimate on June 30th, 2006, Republic Statistical Office, Belgrade, 2007

Slika 1. Broj stanovnika Srbije prema uzrastu i polu, 2006.* godina
Figure 1. Population of Serbia by age and sex, 2006*

Muškarci (Males)   Žene (Females)

* Procena na dan 30. juna 2006, Republički zavod za statistiku, Beograd, 2007
*Estimate on June 30th, 2006, Republic Statistical Office, Belgrade, 2007

29

IVb Umiranje od dijabetesa u Srbiji, 1986, 1996, i 2006. godina

IVb Diabetes related death in Serbia, 1986, 1996 and 2006

Slika 2. Vodeći uzroci umiranja u Srbiji, 1986, 1996. i 2006. godina
Figure 3. The most common cause of death in Serbia, 1986, 1996 and 2006

Uzrok smrti (MKB-10)	godine / years		
Cause of death (ICD-10)	**1986**	**1996**	**2006**
Bolesti sistema krvotoka (I00-I99) / Cardiovascular diseases (I00-I99)	61.3%	57.8%	57.3%
Zloćudni tumori (C00-C97) / Carcinoma (C00-C97)	14.6%	16.7%	20.0%
Povrede i trovanja (S00-T98) / Injuries and poisoning (S00-T98)	5.0%	4.3%	3.8%
Opstruktivana bolest pluća (J40-J47) / Obstructive lung disease (J40-J47)	1.3%	2.5%	2.3%
Dijabetes melitus (E10-E14) / Diabetes mellitus (E10-E14)	**0.8%**	**2.2%**	**2.5%**
Ostalo / Other	17.1%	16.6%	14.2%

Slika 3. Standardizovane stope mortaliteta* od dijabetesa na 100.000 stanovnika, Srbija, 1986 - 2006. godina
Figure 3. Age-standardized diabetes mortality rates* per 100.000 population, Serbia , 1986 - 2006

*prema populaciji sveta / * by World standard population

Slika 4. Standardizovane stope mortaliteta* od dijabetesa na 100.000 stanovnika prema polu, Srbija, 1986 - 2006. godina
Figure 4. Age-standardized diabetes mortality rates* per 100.000 population by sex, Serbia, 1986 - 2006

*prema populaciji sveta / * by World standard population

IVc Incidencija i mortalitet od dijabetesa u Srbiji, 2006. godina

IVc Incidence and mortality of diabetes in Serbia, 2006

Slika 5. Standardizovane stope incidencije* od dijabetesa tipa 1 na 100.000 stanovnika za uzrast 0-14 godina, Srbija, 2006. godina

Figure 5. Age-standardized incidence rates* of diabetes type 1 per 100.000 population ages 0-14,Serbia, 2006

Severno-bački
Severno-banatski
Zapadno-bački
Srednje-banatski
Južno-bački
Sremski
Južno-banatski
Mačvanski
Beograd
Braničevski
Podunavski
Kolubarski
Borski
Šumadijski
Pomoravski
Moravički
Zaječarski
Zlatiborski
Raški
Rasinski
Nišavski
Toplički
Pirotski
Jablanički
Pčinjski

>15,1
13,1 − 15,0
11,1 − 13,0
8,1 − 11,0
<8,0

*prema populaciji sveta
*by World standard population

Slika 6. Uzrasno specifične stope incidencije od dijabetesa tipa 1 na 100.000 stanovnika za uzrast 0-14 godina, Srbija, 2006. godina

Figure 6. Age-specific incidence rates of diabetes type 1 per 100.000 population ages 0-14, Serbia, 2006

Stope incidencije na 100.000
Incidence rates per 100.000

20.0
15.0
10.0
5.0
0.0

0-4   5-9   10-14

u z r a s t (a g e s)

37

Slika 7. Standardizovane stope incidencije* od dijabetesa tipa 2 na 100.000 stanovnika, Srbija, 2006.godina
Figure 7 . Age-standardized incidence rates* of type 2 diabetes per 100.000 population, Serbia, 2006

Severno-
bački
Severno-
banatski
Zapadno-
bački
Srednje-
banatski
Južno-bački
Sremski
Južno-banatski
Beograd
Mačvanski
Braničevski
Podunavski
Borski
Kolubarski
Šumadijski
Moravički
Pomoravski
Zlatiborski
Zaječarski
Raški
Rasinski
Nišavski
Toplički
Pirotski
Jablanički
Pčinjski

	>175,1
	145,1 - 175,0
	115,1 - 145,0
	85,1 - 115,0
	<85,0

*prema populaciji sveta
*by World standard population

Slika 8. Uzrasno specifične stope incidencije od dijabetesa tipa 2 na 100.000 stanovnika, Srbija, 2006. godina
Figure 8. Age-specific incidence rates of type 2 diabetes per 100.000 population, Serbia, 2006

38

Slika 9. Standardizovane stope mortaliteta* od svih tipova dijabetesa na 100.000 stanovnika, Srbija, 2006.godina
Figure 9 . Age-standardized diabetes mortality rates* per 100.000 population, Serbia, 2006

Severno-bački
Severno-banatski
Zapadno-bački
Srednje-banatski
Južno-bački
Sremski
Južn-banatski
Mačvanski
Beograd
Braničevski
Podunavski
Kolubarski
Borski
Šumadijski
Moravički
Pomoravski
Zlatiborski
Zaječarski
Raški
Rasinski
Nišavski
Toplički
Pirotski
Jablanički
Pčinjski

	>18,1
	15,1 - 18,0
	12,1 - 15,0
	9,1 - 12,0
	<9,0

*na populaciju sveta
*by World standard population

Slika 10. Uzrasno specifične stope mortaliteta od svih tipova dijabetesa na 100.000 stanovnika, Srbija, 2006.godina
Figure10. Age-specific diabetes mortality rates per 100.000 population, Serbia, 2006

u z r a s t (a g e)

IVd Broj novoobolelih i incidencija od dijabetesa u Srbiji, 2006. godina

IVd Number of new cases and incidence of diabetes in Serbia, 2006

Tabela 4. Broj novoobolelih od dijabetesa tipa 1 prema okruzima, uzrastu i polu, Srbija, 2006. godina

Table 4. Number of new cases diabetes type 1 by region/administrative district, age and sex, Serbia, 2006

Okrug Region/District	Pol Sex	Uzrast Age						Ukupno Total			
		0-4	5-9	10-14	15-19	20-24	25-29	0-14	%	0-29	%
Srbija	M (Male)	19	17	39	34	48	40	75	49.3	197	54.6
(Serbia)	Ž (Female)	13	25	39	32	26	29	77	50.7	164	45.4
Vojvodina	M (Male)	4	3	10	5	13	13	17	47.2	48	52.2
(Vojvodina)	Ž (Female)	5	5	9	10	6	9	19	52.8	44	47.8
Centralna Srbija	M (Male)	15	14	29	29	35	27	58	50.0	149	55.4
(Central Serbia)	Ž (Female)	8	20	30	22	20	20	58	50.0	120	44.6
Severno-bački	M (Male)	0	0	1	1	1	2	1	25.0	5	41.7
(North Backa)	Ž (Female)	0	1	2	1	2	1	3	75.0	7	58.3
Srednje-banatski	M (Male)	0	0	0	0	0	1	0	0.0	1	12.5
(Middle Banat)	Ž (Female)	1	1	2	2	0	1	4	100.0	7	87.5
Severno-banatski	M (Male)	0	1	1	1	2	1	2	100.0	6	85.7
(North Banat)	Ž (Female)	0	0	0	0	0	1	0	0.0	1	14.3
Južno-banatski	M (Male)	1	1	4	1	4	1	6	100.0	12	70.6
(South Banat)	Ž (Female)	0	0	0	2	1	2	0	0.0	5	29.4
Zapadno-bački	M (Male)	0	0	1	0	0	3	1	50.0	4	50.0
(West Backa)	Ž (Female)	0	0	1	2	0	1	1	50.0	4	50.0
Južno-bački	M (Male)	1	0	1	1	6	5	2	25.0	14	50.0
(South Backa)	Ž (Female)	3	0	3	2	3	3	6	75.0	14	50.0
Sremski	M (Male)	2	1	2	1	0	0	5	50.0	6	50.0
(Srem)	Ž (Female)	1	3	1	1	0	0	5	50.0	6	50.0
Grad Beograd	M (Male)	2	3	10	10	11	11	15	40.5	47	52.8
(City of Belgrade)	Ž (Female)	2	7	13	3	9	8	22	59.5	42	47.2
Mačvanski	M (Male)	1	2	0	0	6	2	3	50.0	11	68.8
(Macva)	Ž (Female)	1	2	0	0	0	2	3	50.0	5	31.3
Kolubarski	M (Male)	0	0	4	0	0	0	4	100.0	4	50.0
(Kolubara)	Ž (Female)	0	0	0	0	2	2	0	0.0	4	50.0
Podunavski	M (Male)	0	1	1	0	0	1	2	50.0	3	50.0
(Danube)	Ž (Female)	0	0	2	0	0	1	2	50.0	3	50.0
Braničevski	M (Male)	0	0	0	0	1	1	0	0.0	2	50.0
(Branicevo)	Ž (Female)	0	1	0	1	0	0	1	100.0	2	50.0
Šumadijski	M (Male)	2	1	1	0	2	1	4	100.0	7	77.8
(Sumadija)	Ž (Female)	0	0	0	1	1	0	0	0.0	2	22.2
Pomoravski	M (Male)	0	3	3	5	1	2	6	50.0	14	63.6
(Morava)	Ž (Female)	0	2	4	2	0	0	6	50.0	8	36.4
Borski	M (Male)	1	0	0	2	0	0	1	50.0	3	75.0
(Bor)	Ž (Female)	0	1	0	0	0	0	1	50.0	1	25.0
Zaječarski	M (Male)	0	0	0	0	1	0	0	0.0	1	50.0
(Zajecar)	Ž (Female)	0	0	1	0	0	0	1	100.0	1	50.0
Zlatiborski	M (Male)	2	0	5	4	4	1	7	77.8	16	66.7
(Zlatibor)	Ž (Female)	0	0	2	4	1	1	2	22.2	8	33.3
Moravički	M (Male)	0	1	2	4	1	0	3	60.0	8	57.1
(Moravica)	Ž (Female)	0	0	2	3	0	1	2	40.0	6	42.9
Raški	M (Male)	1	1	0	0	0	0	2	40.0	2	22.2
(Raska)	Ž (Female)	2	1	0	3	0	1	3	60.0	7	77.8
Rasinski	M (Male)	1	0	0	1	0	3	1	16.7	5	35.7
(Rasina)	Ž (Female)	0	1	4	1	2	1	5	83.3	9	64.3
Nišavski	M (Male)	1	2	1	0	1	1	4	50.0	6	35.3
(Nisava)	Ž (Female)	1	2	1	2	3	2	4	50.0	11	64.7
Toplički	M (Male)	1	0	1	0	1	2	2	66.7	5	83.3
(Toplica)	Ž (Female)	1	0	0	0	0	0	1	33.3	1	16.7
Pirotski	M (Male)	0	0	0	0	0	0	0	0.0	0	0.0
(Pirot)	Ž (Female)	0	1	0	0	0	0	1	100.0	1	100.0
Jablanički	M (Male)	1	0	1	3	5	1	2	50.0	11	84.6
(Jablanica)	Ž (Female)	1	1	0	0	0	0	2	50.0	2	15.4
Pčinjski	M (Male)	2	0	0	0	1	1	2	50.0	4	36.4
(Pcinj)	Ž (Female)	0	1	1	2	2	1	2	50.0	7	63.6

Tabela 5. Broj novoobolelih od dijabetesa tipa 1 prema okruzima i uzrastu, Srbija, 2006. godina

Table 5. Number of new cases diabetes type 1 by region/administrative district, by age, Serbia, 2006

Okrug Region/District	Uzrast Age						Ukupno Total	
	0-4	5-9	10-14	15-19	20-24	25-29	0-14	0-29
Srbija (Serbia)	32	42	78	66	74	69	152	361
Vojvodina (Vojvodina)	9	8	19	15	19	22	36	92
Centralna Srbija (Central Serbia)	23	34	59	51	55	47	116	269
Severno-bački (North Backa)	0	1	3	2	3	3	4	12
Srednje-banatski (Middle Banat)	1	1	2	2	0	2	4	8
Severno-banatski (North Banat)	0	1	1	1	2	2	2	7
Južno-banatski (South Banat)	1	1	4	3	5	3	6	17
Zapadno-bački (West Backa)	0	0	2	2	0	4	2	8
Južno-bački (South Backa)	4	0	4	3	9	8	8	28
Sremski (Srem)	3	4	3	2	0	0	10	12
Grad Beograd (City of Belgrade)	4	10	23	13	20	19	37	89
Mačvanski (Macva)	2	4	0	0	6	4	6	16
Kolubarski (Kolubara)	0	0	4	0	2	2	4	8
Podunavski (Danube)	0	1	3	0	0	2	4	6
Braničevski (Branicevo)	0	1	0	1	1	1	1	4
Šumadijski (Sumadija)	2	1	1	1	3	1	4	9
Pomoravski (Morava)	0	5	7	7	1	2	12	22
Borski (Bor)	1	1	0	2	0	0	2	4
Zaječarski (Zajecar)	0	0	1	0	1	0	1	2
Zlatiborski (Zlatibor)	2	0	7	8	5	2	9	24
Moravički (Moravica)	0	1	4	7	1	1	5	14
Raški (Raska)	3	2	0	3	0	1	5	9
Rasinski (Rasina)	1	1	4	2	2	4	6	14
Nišavski (Nisava)	2	4	2	2	4	3	8	17
Toplički (Toplica)	2	0	1	0	1	2	3	6
Pirotski (Pirot)	0	1	0	0	0	0	1	1
Jablanički (Jablanica)	2	1	1	3	5	1	4	13
Pčinjski (Pcinj)	2	1	1	2	3	2	4	11

Tabela 6. Broj novoobolelih od dijabetesa tipa 2 prema okruzima, uzrastu i polu, Srbija, 2006. godina

Table 6. Number of new cases diabetes type 2 by region/administrative district, age and sex, Serbia, 2006

Okrug Region/District	Pol Sex	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija	M (Male)	3	1	4	1	13	37	80	190	395	832
(Serbia)	Ž (Female)	1	2	3	7	18	32	63	131	259	583
Vojvodina	M (Male)	1	0	1	0	5	19	35	57	138	288
(Vojvodina)	Ž (Female)	0	1	0	2	11	14	27	51	100	196
Centralna Srbija	M (Male)	2	1	3	1	8	18	45	133	257	544
(Central Serbia)	Ž (Female)	1	1	3	5	7	18	36	80	159	387
Severno-bački	M (Male)	0	0	0	0	0	0	5	4	12	26
(North Backa)	Ž (Female)	0	0	0	0	2	1	2	5	10	24
Srednje-banatski	M (Male)	0	0	1	0	1	3	3	7	22	37
(Middle Banat)	Ž (Female)	0	0	0	1	0	1	3	4	15	14
Severno-banatski	M (Male)	0	0	0	0	3	4	2	7	12	14
(North Banat)	Ž (Female)	0	0	0	0	0	1	3	9	12	17
Južno-banatski	M (Male)	0	0	0	0	0	0	5	12	25	65
(South Banat)	Ž (Female)	0	1	0	0	1	2	3	12	21	42
Zapadno-bački	M (Male)	0	0	0	0	0	2	0	6	7	32
(West Backa)	Ž (Female)	0	0	0	0	0	4	0	0	9	17
Južno-bački	M (Male)	0	0	0	0	1	2	9	11	33	47
(South Backa)	Ž (Female)	0	0	0	1	7	5	11	16	18	42
Sremski	M (Male)	1	0	0	0	0	8	11	10	27	67
(Srem)	Ž (Female)	0	0	0	0	1	0	5	5	15	40
Grad Beograd	M (Male)	0	0	0	0	4	11	19	35	90	221
(City of Belgrade)	Ž (Female)	0	0	0	1	3	5	11	21	47	116
Mačvanski	M (Male)	0	0	0	0	1	0	2	2	16	19
(Macva)	Ž (Female)	0	0	0	0	0	0	1	5	7	19
Kolubarski	M (Male)	0	0	0	0	0	0	1	1	2	14
(Kolubara)	Ž (Female)	0	0	1	0	0	0	0	1	6	12
Podunavski	M (Male)	0	0	0	0	0	0	4	5	14	20
(Danube)	Ž (Female)	0	0	0	1	0	0	0	0	5	16
Braničevski	M (Male)	0	0	0	0	0	1	0	4	6	12
(Branicevo)	Ž (Female)	0	0	0	0	0	1	2	1	5	8
Šumadijski	M (Male)	0	0	0	0	0	0	1	7	12	29
(Sumadija)	Ž (Female)	0	0	0	0	0	0	2	2	8	22
Pomoravski	M (Male)	0	0	1	1	1	0	2	9	12	19
(Morava)	Ž (Female)	0	0	1	0	0	0	2	4	7	8
Borski	M (Male)	0	0	0	0	0	2	2	5	3	20
(Bor)	Ž (Female)	0	1	1	0	1	0	2	1	4	14
Zaječarski	M (Male)	0	0	1	0	1	0	0	1	7	7
(Zajecar)	Ž (Female)	0	0	0	0	2	6	2	2	4	3
Zlatiborski	M (Male)	0	0	0	0	0	2	4	9	15	30
(Zlatibor)	Ž (Female)	0	0	0	0	0	0	3	4	2	21
Moravički	M (Male)	0	0	0	0	0	0	0	10	17	17
(Moravica)	Ž (Female)	0	0	0	0	0	0	0	1	7	17
Raški	M (Male)	1	1	0	0	1	0	1	10	14	17
(Raska)	Ž (Female)	0	0	0	1	0	1	2	5	9	17
Rasinski	M (Male)	1	0	0	0	0	0	1	9	8	18
(Rasina)	Ž (Female)	1	0	0	1	0	3	2	5	7	19
Nišavski	M (Male)	0	0	0	0	0	1	3	11	9	29
(Nisava)	Ž (Female)	0	0	0	0	1	1	2	4	10	27
Toplički	M (Male)	0	0	0	0	0	0	1	1	6	4
(Toplica)	Ž (Female)	0	0	0	0	0	0	1	3	4	6
Pirotski	M (Male)	0	0	0	0	0	0	0	1	2	8
(Pirot)	Ž (Female)	0	0	0	0	0	0	0	0	3	5
Jablanički	M (Male)	0	0	0	0	0	0	2	7	10	27
(Jablanica)	Ž (Female)	0	0	0	1	0	1	0	8	12	30
Pčinjski	M (Male)	0	0	1	0	0	1	2	6	14	33
(Pcinj)	Ž (Female)	0	0	0	0	0	0	4	13	12	27

Tabela 6. (nastavak)

Table 6. (continued)

		Uzrast Age						Ukupno Total			
50-54	55-59	60-64	65-69	70-74	75+	0-14	%	0-29	%	0-75+	%
1330	1601	1191	1288	994	791	8	57.1	59	48.4	8751	48.9
1141	1519	1276	1512	1416	1177	6	42.9	63	51.6	9140	51.1
416	452	354	392	224	169	2	66.7	26	48.1	2551	47.8
340	480	411	459	391	303	1	33.3	28	51.9	2786	52.2
914	1149	837	896	770	622	6	54.5	33	48.5	6200	49.4
801	1039	865	1053	1025	874	5	45.5	35	51.5	6354	50.6
41	44	40	48	14	18	0	0.0	0	0.0	252	44.0
45	49	53	60	42	28	0	0.0	3	100.0	321	56.0
48	57	36	61	31	18	1	100.0	5	71.4	325	48.4
38	57	59	75	51	28	0	0.0	2	28.6	346	51.6
36	41	29	34	13	15	0	0.0	7	87.5	210	48.4
18	33	37	22	45	27	0	0.0	1	12.5	224	51.6
93	89	50	64	29	22	0	0.0	0	0.0	454	48.9
65	89	66	63	59	50	1	100.0	4	100.0	474	51.1
33	45	29	35	35	13	0	0.0	2	33.3	237	49.4
32	57	33	38	23	30	0	0.0	4	66.7	243	50.6
81	81	62	73	46	38	0	0.0	3	18.8	484	44.6
76	111	83	95	66	69	0	0.0	13	81.3	600	55.4
84	95	108	77	56	45	1	100.0	9	90.0	589	50.5
66	84	80	106	105	71	0	0.0	1	10.0	578	49.5
318	471	288	305	279	227	0	0.0	15	62.5	2268	52.3
255	329	289	355	318	318	0	0.0	9	37.5	2068	47.7
52	58	38	38	40	28	0	0.0	1	100.0	294	48.0
44	58	40	52	47	46	0	0.0	0	0.0	319	52.0
22	18	13	23	23	22	0	0.0	0	0.0	139	47.4
19	15	15	35	32	18	1	100.0	1	100.0	154	52.6
27	38	21	17	17	9	0	0.0	0	0.0	172	55.5
18	26	17	19	24	12	0	0.0	1	100.0	138	44.5
11	15	14	18	22	15	0	0.0	1	50.0	118	41.5
17	35	22	21	25	29	0	0.0	1	50.0	166	58.5
50	68	54	57	48	34	0	0.0	0	0.0	360	50.2
49	66	39	76	53	40	0	0.0	0	0.0	357	49.8
32	32	31	32	26	22	1	50.0	3	75.0	220	48.9
30	36	41	32	29	40	1	50.0	1	25.0	230	51.1
19	34	23	12	21	16	0	0.0	2	40.0	157	47.7
20	30	27	28	29	14	2	100.0	3	60.0	172	52.3
18	23	8	14	16	9	1	50.0	2	10.0	105	45.9
18	23	15	15	19	15	0	0.0	8	40.0	124	54.1
63	68	64	60	50	54	0	0.0	2	100.0	419	50.1
56	60	60	77	69	65	0	0.0	0	0.0	417	49.9
59	58	37	53	18	19	0	0.0	0	0.0	288	53.6
25	36	28	41	40	54	0	0.0	0	0.0	249	46.4
30	34	34	32	28	30	2	100.0	3	60.0	233	44.5
44	42	41	46	45	38	0	0.0	2	40.0	291	55.5
47	63	41	51	44	41	1	50.0	1	16.7	324	46.0
50	75	44	56	75	43	1	50.0	5	83.3	381	54.0
57	51	64	65	45	38	0	0.0	1	33.3	373	47.7
46	60	60	56	75	67	0	0.0	2	66.7	409	52.3
20	19	12	24	10	14	0	0.0	0	0.0	111	41.9
16	25	27	29	31	12	0	0.0	0	0.0	154	58.1
8	7	6	7	9	3	0	0.0	0	0.0	51	50.5
7	9	3	11	4	8	0	0.0	0	0.0	50	49.5
40	54	54	60	51	31	0	0.0	0	0.0	336	46.5
49	61	47	72	67	39	0	0.0	2	100.0	387	53.5
41	38	35	28	23	10	1	100.0	2	100.0	232	44.6
38	53	50	32	43	16	0	0.0	0	0.0	288	55.4

Tabela 7. Broj novoobolelih od dijabetesa tipa 2 prema okruzima i uzrastu, Srbija, 2006. godina

Table 7. Number of new cases diabetes type 2 by region/administrative district, by age, Serbia, 2006

Okrug Region/District	Uzrast Age									
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija (Serbia)	4	3	7	8	31	69	143	321	654	1415
Vojvodina (Vojvodina)	1	1	1	2	16	33	62	108	238	484
Centralna Srbija (Central Serbia)	3	2	6	6	15	36	81	213	416	931
Severno-bački (North Backa)	0	0	0	0	2	1	7	9	22	50
Srednje-banatski (Middle Banat)	0	0	1	1	1	4	6	11	37	51
Severno-banatski (North Banat)	0	0	0	0	3	5	5	16	24	31
Južno-banatski (South Banat)	0	1	0	0	1	2	8	24	46	107
Zapadno-bački (West Backa)	0	0	0	0	0	6	0	6	16	49
Južno-bački (South Backa)	0	0	0	1	8	7	20	27	51	89
Sremski (Srem)	1	0	0	0	1	8	16	15	42	107
Grad Beograd (City of Belgrade)	0	0	0	1	7	16	30	56	137	337
Mačvanski (Macva)	0	0	0	0	1	0	3	7	23	38
Kolubarski (Kolubara)	0	0	1	0	0	0	1	2	8	26
Podunavski (Danube)	0	0	0	1	0	0	4	5	19	36
Braničevski (Branicevo)	0	0	0	0	0	2	2	5	11	20
Šumadijski (Sumadija)	0	0	0	0	0	0	3	9	20	51
Pomoravski (Morava)	0	0	2	1	1	0	4	13	19	27
Borski (Bor)	0	1	1	0	1	2	4	6	7	34
Zaječarski (Zajecar)	0	0	1	0	3	6	2	3	11	10
Zlatiborski (Zlatibor)	0	0	0	0	0	2	7	13	17	51
Moravički (Moravica)	0	0	0	0	0	0	0	11	24	34
Raški (Raska)	1	1	0	1	1	1	3	15	23	34
Rasinski (Rasina)	2	0	0	1	0	3	3	14	15	37
Nišavski (Nisava)	0	0	0	0	1	2	5	15	19	56
Toplički (Toplica)	0	0	0	0	0	0	2	4	10	10
Pirotski (Pirot)	0	0	0	0	0	0	0	1	5	13
Jablanički (Jablanica)	0	0	0	1	0	1	2	15	22	57
Pčinjski (Pcinj)	0	0	1	0	0	1	6	19	26	60

Tabela 7. (nastavak)

Table 7. (continued)

Uzrast / Age						Ukupno / Total		
50-54	55-59	60-64	65-69	70-74	75+	0-14	0-29	0-75+
2471	3120	2467	2800	2410	1968	14	122	17891
756	932	765	851	615	472	3	54	5337
1715	2188	1702	1949	1795	1496	11	68	12554
86	93	93	108	56	46	0	3	573
86	114	95	136	82	46	0	7	671
54	74	66	56	58	42	0	8	434
158	178	116	127	88	72	1	4	928
65	102	62	73	58	43	0	6	480
157	192	145	168	112	107	0	16	1084
150	179	188	183	161	116	1	10	1167
573	800	577	660	597	545	0	24	4336
96	116	78	90	87	74	0	1	613
41	33	28	58	55	40	1	1	293
45	64	38	36	41	21	0	1	310
28	50	36	39	47	44	0	2	284
99	134	93	133	101	74	0	0	717
62	68	72	64	55	62	2	4	450
39	64	50	40	50	30	2	5	329
36	46	23	29	35	24	2	20	229
119	128	124	137	119	119	0	2	836
84	94	65	94	58	73	0	0	537
74	76	75	78	73	68	2	5	524
97	138	85	107	119	84	2	6	705
103	111	124	121	120	105	0	3	782
36	44	39	53	41	26	0	0	265
15	16	9	18	13	11	0	0	101
89	115	101	132	118	70	0	2	723
79	91	85	60	66	26	1	2	520

Tabela 8. Stope incidencije od dijabetesa tipa 1 na 100.000 stanovnika prema okruzima, uzrastu i polu, Srbija, 2006. godina

Table 8. Incidence rates of diabetes type 1 per 100.000 population by region/administrative district, age and sex, Serbia, 2006

Okrug Region/District	Pol Sex	Uzrast Age						Incidencija (Incidence)					
								Sirova stopa Crude rate		Standardizovana stopa			
										ASR-E		ASR-W	
		0-4	5-9	10-14	15-19	20-24	25-29	0-14	0-29	0-14	0-29	0-14	0-29
Srbija	M (Male)	9.7	9.1	18.4	14.5	18.6	15.3	12.6	14.6	12.3	14.2	12.0	13.8
(Serbia)	Ž (Female)	7.0	14.1	19.4	14.4	10.5	11.4	13.7	12.7	13.2	12.7	12.9	12.6
Vojvodina	M (Male)	7.8	5.9	17.0	7.6	18.0	17.9	10.5	12.9	10.1	12.3	9.8	11.8
(Vojvodina)	Ž (Female)	10.3	10.3	16.1	16.0	8.7	13.2	12.4	12.5	12.1	12.4	12.0	12.3
Centralna Srbija	M (Male)	10.4	10.3	18.9	17.2	18.9	14.3	13.4	15.3	13.1	14.9	12.9	14.6
(Central Serbia)	Ž (Female)	5.9	15.4	20.6	13.7	11.1	10.8	14.1	12.8	13.6	12.8	13.3	12.7
Severno-bački	M (Male)	0.0	0.0	18.5	16.2	14.4	27.2	6.6	14.1	5.9	12.4	5.4	11.5
(North Backa)	Ž (Female)	0.0	21.5	38.3	17.0	30.1	14.5	20.7	20.6	19.0	19.8	18.1	19.1
Srednje-banatski	M (Male)	0.0	0.0	0.0	0.0	0.0	14.3	0.0	2.8	0.0	2.3	0.0	2.0
(Middle Banat)	Ž (Female)	21.8	21.2	35.6	32.2	0.0	16.1	26.8	20.7	26.0	21.2	25.6	21.7
Severno-banatski	M (Male)	0.0	26.0	21.8	19.1	35.5	18.0	16.3	20.9	15.2	19.6	14.7	18.9
(North Banat)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	20.3	0.0	3.7	0.0	3.3	0.0	2.9
Južno-banatski	M (Male)	12.3	12.3	42.9	9.7	36.3	9.1	23.5	20.8	22.1	20.3	21.2	19.8
(South Banat)	Ž (Female)	0.0	0.0	0.0	20.3	9.6	19.7	0.0	9.1	0.0	8.1	0.0	7.4
Zapadno-bački	M (Male)	0.0	0.0	17.6	0.0	0.0	42.1	6.6	11.0	5.6	9.7	5.1	8.8
(West Backa)	Ž (Female)	0.0	0.0	18.3	31.8	0.0	15.6	6.9	11.9	5.8	10.7	5.3	10.3
Južno-bački	M (Male)	6.0	0.0	5.8	5.4	27.7	21.8	4.1	12.4	4.0	11.0	4.0	10.1
(South Backa)	Ž (Female)	19.3	0.0	18.4	11.1	13.7	13.0	13.0	12.8	12.9	12.7	12.8	12.7
Sremski	M (Male)	24.0	11.0	18.7	8.3	0.0	0.0	17.8	9.3	18.2	10.6	18.3	11.4
(Srem)	Ž (Female)	12.6	34.3	9.9	8.8	0.0	0.0	18.7	9.9	18.7	11.0	18.8	11.8
Grad Beograd	M (Male)	4.9	8.2	24.3	22.1	19.8	17.9	12.6	16.7	12.1	15.9	11.6	15.4
(City of Belgrade)	Ž (Female)	5.1	20.1	33.3	7.0	16.2	12.4	19.5	15.2	18.9	15.4	18.1	15.2
Mačvanski	M (Male)	12.0	23.8	0.0	0.0	52.9	18.2	11.4	18.5	11.9	17.7	12.3	17.0
(Macva)	Ž (Female)	12.5	25.2	0.0	0.0	0.0	19.7	12.0	9.0	12.6	9.6	13.0	10.0
Kolubarski	M (Male)	0.0	0.0	77.6	0.0	0.0	0.0	28.7	12.5	24.7	12.6	22.5	12.5
(Kolubara)	Ž (Female)	0.0	0.0	0.0	0.0	34.6	34.8	0.0	13.1	0.0	11.3	0.0	9.9
Podunavski	M (Male)	0.0	18.5	15.6	0.0	0.0	13.7	11.5	7.7	10.9	7.8	10.5	7.8
(Danube)	Ž (Female)	0.0	0.0	33.8	0.0	0.0	15.0	12.2	8.2	10.8	7.9	9.8	7.6
Braničevski	M (Male)	0.0	0.0	0.0	0.0	17.0	16.3	0.0	5.8	0.0	5.4	0.0	4.8
(Branicevo)	Ž (Female)	0.0	19.6	0.0	17.6	0.0	0.0	6.4	6.0	6.2	6.1	6.3	6.3
Šumadijski	M (Male)	26.5	14.7	12.5	0.0	19.0	9.4	17.9	13.3	18.3	14.0	18.6	14.4
(Sumadija)	Ž (Female)	0.0	0.0	0.0	11.1	10.0	0.0	0.0	4.0	0.0	3.4	0.0	3.2
Pomoravski	M (Male)	0.0	55.8	48.2	75.2	14.2	28.0	34.3	36.5	33.1	36.0	32.0	35.8
(Morava)	Ž (Female)	0.0	37.2	67.9	31.7	0.0	0.0	35.8	21.7	33.4	22.3	31.7	22.7
Borski	M (Male)	29.9	0.0	0.0	47.2	0.0	0.0	9.2	12.6	10.9	13.2	11.6	14.0
(Bor)	Ž (Female)	0.0	30.7	0.0	0.0	0.0	0.0	9.8	4.5	9.8	5.0	9.9	5.5
Zaječarski	M (Male)	0.0	0.0	0.0	0.0	26.2	0.0	0.0	5.1	0.0	4.3	0.0	3.7
(Zajecar)	Ž (Female)	0.0	0.0	33.8	0.0	0.0	0.0	12.5	5.5	10.8	5.5	9.8	5.4
Zlatiborski	M (Male)	24.9	0.0	55.4	37.4	36.1	9.9	28.0	28.1	26.7	27.2	25.7	26.8
(Zlatibor)	Ž (Female)	0.0	0.0	23.0	39.1	9.7	10.6	8.3	14.8	7.3	13.4	6.7	12.9
Moravički	M (Male)	0.0	19.3	33.8	56.6	13.0	0.0	18.2	20.7	16.9	20.0	16.0	19.8
(Moravica)	Ž (Female)	0.0	0.0	35.0	45.3	0.0	14.5	12.8	16.4	11.1	15.4	10.2	15.0
Raški	M (Male)	9.0	10.6	0.0	0.0	0.0	0.0	6.5	3.2	6.6	3.4	6.9	3.8
(Raska)	Ž (Female)	19.3	11.2	0.0	29.5	0.0	9.3	10.4	11.5	10.6	11.7	11.1	12.2
Rasinski	M (Male)	16.1	0.0	0.0	13.3	0.0	36.4	5.2	11.6	5.9	11.1	6.2	10.8
(Rasina)	Ž (Female)	0.0	16.5	61.3	13.8	25.1	12.6	27.1	21.6	24.8	21.0	23.1	20.4
Nišavski	M (Male)	10.9	22.6	9.7	0.0	8.0	7.5	14.1	9.2	14.2	9.8	14.3	10.1
(Nisava)	Ž (Female)	11.5	23.6	10.1	18.7	24.6	15.5	14.8	17.5	14.9	17.2	15.0	17.0
Toplički	M (Male)	37.4	0.0	32.7	0.0	32.0	66.0	23.7	28.0	24.0	28.2	24.0	27.3
(Toplica)	Ž (Female)	41.3	0.0	0.0	0.0	0.0	0.0	13.0	6.1	15.0	7.7	16.0	8.9
Pirotski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Pirot)	Ž (Female)	0.0	46.8	0.0	0.0	0.0	0.0	15.4	6.7	14.9	7.6	15.1	8.3
Jablanički	M (Male)	15.6	0.0	13.8	39.6	63.8	13.2	10.0	25.6	10.1	24.1	10.1	22.9
(Jablanica)	Ž (Female)	16.8	16.6	0.0	0.0	0.0	0.0	10.7	4.9	11.4	5.8	11.9	6.6
Pčinjski	M (Male)	22.8	0.0	0.0	0.0	11.5	12.6	7.7	7.7	8.3	8.2	8.8	8.3
(Pcinj)	Ž (Female)	0.0	13.2	11.7	22.8	24.7	13.5	8.2	14.4	7.9	14.0	7.6	13.4

Tabela 9. Stope incidencije od dijabetesa tipa 1 na 100.000 stanovnika prema okruzima i uzrastu, Srbija, 2006. godina

Table 9. Incidence rates of diabetes type 1 per 100.000 population by region/administrative district, by age, Serbia, 2006

Okrug Region/District	Uzrast Age						Incidencija (Incidence)					
							Sirova stopa Crude rate		Standardizovana stopa			
									ASR-E		ASR-W	
	0-4	5-9	10-14	15-19	20-24	25-29	0-14	0-29	0-14	0-29	0-14	0-29
Srbija (Serbia)	8.4	11.5	18.9	14.5	14.6	13.4	13.1	13.7	12.7	13.4	12.5	13.2
Vojvodina (Vojvodina)	9.0	8.1	16.6	11.7	13.5	15.6	11.5	12.7	11.1	12.3	10.9	12.1
Centralna Srbija (Central Serbia)	8.2	12.8	19.7	15.5	15.1	12.5	13.8	14.1	13.4	13.9	13.1	13.7
Severno-bački (North Backa)	0.0	10.5	28.3	16.6	22.1	21.1	13.5	17.3	12.3	16.0	11.6	15.2
Srednje-banatski (Middle Banat)	10.6	10.5	17.4	15.5	0.0	15.1	13.1	11.4	12.7	11.5	12.5	11.6
Severno-banatski (North Banat)	0.0	13.2	11.1	9.9	18.4	19.1	8.3	12.6	7.7	11.7	7.5	11.1
Južno-banatski (South Banat)	6.3	6.3	22.2	14.9	23.3	14.2	12.0	15.1	11.3	14.3	10.9	13.8
Zapadno-bački (West Backa)	0.0	0.0	18.0	15.5	0.0	29.6	6.7	11.4	5.7	10.3	5.2	9.6
Južno-bački (South Backa)	12.4	0.0	11.9	8.2	20.7	17.3	8.4	12.6	8.3	11.8	8.2	11.3
Sremski (Srem)	18.4	22.4	14.4	8.5	0.0	0.0	18.2	9.6	18.4	10.8	18.6	11.6
Grad Beograd (City of Belgrade)	5.0	14.0	28.7	14.7	18.0	15.0	16.0	16.0	15.4	15.7	14.8	15.3
Mačvanski (Macva)	12.2	24.5	0.0	0.0	27.2	18.9	11.7	13.9	12.2	13.8	12.6	13.6
Kolubarski (Kolubara)	0.0	0.0	39.4	0.0	16.7	17.1	14.6	12.8	12.5	11.9	11.4	11.2
Podunavski (Danube)	0.0	9.5	24.4	0.0	0.0	14.3	11.9	8.0	10.8	7.8	10.1	7.7
Braničevski (Branicevo)	0.0	9.6	0.0	8.7	8.5	8.2	3.1	5.9	3.0	5.7	3.1	5.5
Šumadijski (Sumadija)	13.4	7.5	6.4	5.5	14.6	4.8	9.1	8.7	9.3	8.8	9.5	8.9
Pomoravski (Morava)	0.0	46.5	57.8	54.0	7.2	14.3	35.0	29.3	33.2	29.3	31.8	29.3
Borski (Bor)	15.3	15.0	0.0	24.7	0.0	0.0	9.5	8.7	10.3	9.3	10.8	9.9
Zaječarski (Zajecar)	0.0	0.0	16.3	0.0	13.7	0.0	6.0	5.3	5.2	4.9	4.7	4.6
Zlatiborski (Zlatibor)	12.7	0.0	39.5	38.2	23.3	10.2	18.4	21.6	17.2	20.5	16.4	20.0
Moravički (Moravica)	0.0	9.9	34.4	51.1	6.7	7.0	15.6	18.6	14.1	17.7	13.2	17.5
Raški (Raska)	14.0	10.9	0.0	14.4	0.0	4.7	8.4	7.3	8.5	7.5	8.9	7.9
Rasinski (Rasina)	8.3	8.2	30.2	13.6	12.3	24.7	16.0	16.5	15.2	16.0	14.6	15.6
Nišavski (Nisava)	11.2	23.1	9.9	9.2	16.2	11.4	14.5	13.3	14.6	13.5	14.7	13.5
Toplički (Toplica)	39.3	0.0	17.1	0.0	16.6	35.1	18.6	17.5	19.7	18.5	20.2	18.5
Pirotski (Pirot)	0.0	23.0	0.0	0.0	0.0	0.0	7.5	3.3	7.3	3.7	7.4	4.1
Jablanički (Jablanica)	16.2	8.0	7.2	20.3	32.7	6.8	10.3	15.6	10.7	15.2	10.9	15.0
Pčinjski (Pcinj)	11.9	6.4	5.7	11.1	17.9	13.0	8.0	11.0	8.1	11.0	8.3	10.8

Tabela 10. Stope incidencije od dijabetesa tipa 2 na 100.000 stanovnika prema okruzima, uzrastu i polu, Srbija, 2006. godina

Table 10. Incidence rates of diabetes type 2 per 100.000 population by region/administrative district, age and sex, Serbia, 2006

Okrug Region/District	Pol Sex	Uzrast Age									
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija	M (Male)	1.5	0.5	1.9	0.4	5.0	14.1	31.8	80.3	163.0	317.6
(Serbia)	Ž (Female)	0.5	1.1	1.5	3.1	7.2	12.6	25.2	54.7	104.2	215.9
Vojvodina	M (Male)	1.9	0.0	1.7	0.0	6.9	26.1	51.3	87.5	199.2	387.3
(Vojvodina)	Ž (Female)	0.0	2.1	0.0	3.2	16.0	20.5	41.0	79.2	143.1	260.4
Centralna Srbija	M (Male)	1.4	0.7	2.0	0.6	4.3	9.5	24.5	77.6	148.5	289.9
(Central Serbia)	Ž (Female)	0.7	0.8	2.1	3.1	3.9	9.7	19.6	45.7	89.0	198.7
Severno-bački	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	74.8	64.9	179.3	352.4
(North Backa)	Ž (Female)	0.0	0.0	0.0	0.0	30.1	14.5	31.5	80.3	145.0	318.4
Srednje-banatski	M (Male)	0.0	0.0	17.1	0.0	14.4	42.9	45.8	106.1	304.2	500.2
(Middle Banat)	Ž (Female)	0.0	0.0	0.0	16.1	0.0	16.1	50.1	63.3	212.0	191.7
Severno-banatski	M (Male)	0.0	0.0	0.0	0.0	53.2	72.1	38.6	139.6	209.6	223.2
(North Banat)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	20.3	61.9	189.2	213.3	281.9
Južno-banatski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	47.7	121.4	241.7	558.2
(South Banat)	Ž (Female)	0.0	12.9	0.0	0.0	9.6	19.7	29.8	125.6	204.9	368.9
Zapadno-bački	M (Male)	0.0	0.0	0.0	0.0	0.0	28.1	0.0	91.0	98.2	425.5
(West Backa)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	62.5	0.0	0.0	125.7	227.9
Južno-bački	M (Male)	0.0	0.0	0.0	0.0	4.6	8.7	41.7	54.3	161.3	222.3
(South Backa)	Ž (Female)	0.0	0.0	0.0	5.5	32.1	21.6	50.1	78.6	85.7	184.6
Sremski	M (Male)	12.0	0.0	0.0	0.0	0.0	68.3	100.3	94.2	230.7	515.6
(Srem)	Ž (Female)	0.0	0.0	0.0	0.0	8.7	0.0	48.0	47.0	126.3	312.4
Grad Beograd	M (Male)	0.0	0.0	0.0	0.0	7.2	17.9	33.2	67.8	180.8	420.9
(City of Belgrade)	Ž (Female)	0.0	0.0	0.0	2.3	5.4	7.7	17.9	38.0	85.5	192.0
Mačvanski	M (Male)	0.0	0.0	0.0	0.0	8.8	0.0	18.6	19.3	144.3	153.2
(Macva)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	9.6	48.9	62.7	154.8
Kolubarski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	16.7	17.3	30.1	195.1
(Kolubara)	Ž (Female)	0.0	0.0	20.0	0.0	0.0	0.0	0.0	17.0	92.9	168.2
Podunavski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	55.8	77.4	219.3	265.9
(Danube)	Ž (Female)	0.0	0.0	0.0	15.2	0.0	0.0	0.0	0.0	75.2	211.7
Braničevski	M (Male)	0.0	0.0	0.0	0.0	0.0	16.3	0.0	64.1	105.9	205.7
(Branicevo)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	16.5	30.5	16.3	88.9	140.1
Šumadijski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	10.3	79.5	131.9	264.8
(Sumadija)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	21.0	22.0	82.9	188.4
Pomoravski	M (Male)	0.0	0.0	16.1	15.0	14.2	0.0	28.5	138.1	180.3	245.9
(Morava)	Ž (Female)	0.0	0.0	17.0	0.0	0.0	0.0	28.9	59.3	102.8	102.2
Borski	M (Male)	0.0	0.0	0.0	0.0	0.0	45.7	43.9	116.0	68.5	394.6
(Bor)	Ž (Female)	0.0	30.7	27.0	0.0	23.9	0.0	46.3	22.8	89.3	279.7
Zaječarski	M (Male)	0.0	0.0	31.4	0.0	26.2	0.0	0.0	27.1	184.8	157.4
(Zajecar)	Ž (Female)	0.0	0.0	0.0	0.0	57.0	179.3	54.9	53.9	105.2	68.7
Zlatiborski	M (Male)	0.0	0.0	0.0	0.0	0.0	19.8	40.9	92.4	140.3	260.7
(Zlatibor)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	32.1	40.8	18.6	184.7
Moravički	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	148.5	236.2	208.7
(Moravica)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.7	93.7	199.6
Raški	M (Male)	9.0	10.6	0.0	0.0	8.9	0.0	9.9	107.0	151.2	176.5
(Raska)	Ž (Female)	0.0	0.0	0.0	9.8	0.0	9.3	19.2	51.3	94.5	166.4
Rasinski	M (Male)	16.1	0.0	0.0	0.0	0.0	0.0	11.9	117.3	106.5	202.5
(Rasina)	Ž (Female)	17.0	0.0	0.0	13.8	0.0	37.8	24.7	65.4	90.5	213.2
Nišavski	M (Male)	0.0	0.0	0.0	0.0	0.0	7.5	23.4	91.6	74.3	225.4
(Nisava)	Ž (Female)	0.0	0.0	0.0	0.0	8.2	7.7	15.8	33.4	80.8	213.6
Toplički	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	31.2	31.7	186.4	116.9
(Toplica)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	34.3	102.2	132.6	201.7
Pirotski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.5	57.2	214.6
(Pirot)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	97.5	149.3
Jablanički	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	25.0	91.0	121.2	330.8
(Jablanica)	Ž (Female)	0.0	0.0	0.0	13.9	0.0	14.0	0.0	108.6	157.0	399.0
Pčinjski	M (Male)	0.0	0.0	11.0	0.0	0.0	12.6	25.4	73.7	178.5	431.6
(Pcinj)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	51.7	163.3	162.0	371.1

Tabela 10. (nastavak)

Table 10. (continued)

	Uzrast / Age					Incidencija (Incidence)								
						Sirova stopa / Crude rate			Standardizovana stopa					
									ASR-E			ASR-W		
50-54	55-59	60-64	65-69	70-74	75+	0-14	0-29	0-75+	0-14	0-29	0-75+	0-14	0-29	0-75+
443.9	623.5	713.8	702.0	593.1	417.9	1.3	4.4	242.8	1.3	3.9	209.9	1.3	3.5	154.5
371.7	551.1	665.8	678.9	649.3	396.6	1.1	4.9	240.0	1.0	4.3	184.7	1.0	3.9	134.7
512.7	649.9	803.5	830.3	559.6	403.7	1.2	7.0	262.3	1.2	6.0	234.6	1.2	5.4	174.5
415.2	644.1	780.5	754.6	693.8	399.8	0.7	7.9	270.5	0.7	6.8	213.3	0.7	6.1	157.1
418.3	613.7	681.6	657.5	603.6	422.0	1.4	3.4	235.6	1.4	3.0	200.6	1.3	2.8	147.0
355.8	516.7	622.3	650.4	633.8	395.5	1.2	3.7	228.7	1.2	3.3	174.0	1.1	3.1	126.3
521.2	656.7	808.4	1088.2	369.3	448.3	0.0	0.0	267.5	0.0	0.0	235.8	0.0	0.0	173.9
555.5	695.2	875.2	1031.3	769.7	345.4	0.0	8.8	316.2	0.0	7.3	245.9	0.0	6.4	181.9
566.1	795.6	816.1	1246.2	741.6	407.8	6.4	13.8	333.5	5.4	12.1	288.7	5.0	10.9	216.7
460.7	733.0	1075.7	1156.2	844.7	347.6	0.0	5.9	337.4	0.0	5.2	254.0	0.0	4.9	187.7
560.3	725.3	706.8	897.3	403.9	414.1	0.0	24.4	270.2	0.0	20.4	234.2	0.0	17.9	175.3
282.3	563.3	768.6	452.6	956.6	409.5	0.0	3.7	275.6	0.0	3.3	208.8	0.0	2.9	154.7
717.6	813.6	732.9	902.0	473.2	319.3	0.0	0.0	300.6	0.0	0.0	266.6	0.0	0.0	198.8
511.6	775.9	821.6	697.6	677.0	428.3	4.1	7.3	300.6	4.1	6.9	242.8	4.2	6.5	179.9
397.3	591.4	612.8	675.5	780.9	285.3	0.0	5.5	239.0	0.0	4.6	200.8	0.0	4.0	148.8
393.4	712.6	607.1	551.3	360.4	338.0	0.0	11.9	231.8	0.0	10.2	176.2	0.0	8.9	129.2
345.7	400.1	501.8	529.4	408.8	330.9	0.0	2.7	167.6	0.0	2.2	154.5	0.0	1.9	113.9
304.4	491.3	551.6	539.1	427.3	337.7	0.0	11.9	192.6	0.0	9.6	158.3	0.0	8.6	117.1
614.1	845.4	1615.6	956.3	803.0	653.7	3.6	14.0	358.6	4.4	13.3	334.6	4.6	12.3	250.3
494.3	713.0	1027.2	1048.3	1092.5	589.3	0.0	1.7	338.5	0.0	1.4	265.0	0.0	1.2	192.1
504.7	834.2	828.7	790.4	812.4	587.8	0.0	5.3	299.2	0.0	4.1	257.3	0.0	3.6	187.6
350.7	481.9	689.4	736.2	717.2	519.0	0.0	3.3	244.8	0.0	2.5	184.1	0.0	2.2	132.5
380.0	543.6	542.1	492.7	533.4	360.1	0.0	1.7	185.7	0.0	1.4	160.5	0.0	1.3	115.9
332.8	544.9	528.1	574.5	480.8	393.0	0.0	0.0	197.2	0.0	0.0	154.8	0.0	0.0	110.8
277.6	295.3	307.1	473.7	440.9	383.3	0.0	0.0	151.7	0.0	0.0	118.2	0.0	0.0	84.2
251.2	247.2	320.6	610.8	498.2	221.1	7.4	3.3	163.2	6.4	3.3	117.5	5.8	3.2	86.5
298.5	509.1	470.0	364.3	367.1	171.0	0.0	0.0	168.8	0.0	0.0	150.7	0.0	0.0	112.9
203.0	345.1	336.7	331.9	409.3	142.6	0.0	2.7	131.0	0.0	2.5	104.2	0.0	2.4	77.0
153.0	226.2	316.2	389.5	442.2	196.2	0.0	2.9	125.1	0.0	2.6	104.2	0.0	2.3	77.6
238.8	495.3	420.4	361.6	375.9	239.9	0.0	3.0	164.0	0.0	2.7	123.3	0.0	2.4	89.6
374.2	649.8	840.7	776.2	698.2	445.3	0.0	0.0	250.9	0.0	0.0	211.1	0.0	0.0	153.7
365.5	606.3	556.4	904.5	629.2	340.6	0.0	0.0	237.4	0.0	0.0	180.5	0.0	0.0	130.2
351.7	419.5	608.9	555.8	437.3	292.0	5.7	7.8	205.1	5.1	7.4	171.9	4.7	7.0	129.5
337.0	455.8	710.9	445.4	375.5	338.1	6.0	2.7	201.0	5.4	2.8	150.8	4.9	2.7	110.3
340.7	665.1	630.5	354.5	597.3	375.6	0.0	8.4	231.9	0.0	7.4	189.2	0.0	6.5	140.0
348.1	558.0	634.0	654.8	650.8	221.0	19.7	13.6	243.1	18.4	13.3	180.5	17.7	13.2	135.9
339.6	433.9	209.4	370.5	422.7	165.6	11.7	10.2	166.9	10.0	9.4	124.3	9.1	8.8	92.7
323.9	413.5	351.5	325.3	390.8	177.2	0.0	44.1	185.1	0.0	38.5	133.2	0.0	33.8	103.8
496.5	675.8	892.4	762.2	734.5	708.4	0.0	3.5	277.8	0.0	3.2	239.6	0.0	2.8	172.9
447.9	583.1	777.6	851.4	785.3	610.4	0.0	0.0	270.3	0.0	0.0	206.6	0.0	0.0	146.9
597.9	777.4	789.8	862.1	320.7	294.7	0.0	0.0	266.5	0.0	0.0	225.4	0.0	0.0	166.3
255.7	475.4	512.5	582.9	573.5	609.2	0.0	0.0	222.3	0.0	0.0	158.5	0.0	0.0	111.9
278.7	396.8	585.4	471.8	468.5	444.9	6.5	4.7	159.4	6.6	4.8	156.5	6.9	5.1	115.2
397.2	471.4	613.8	596.9	632.7	448.3	0.0	3.3	193.2	0.0	3.1	172.1	0.0	2.9	124.3
423.5	663.2	697.6	766.0	680.7	527.9	5.2	2.3	263.5	5.9	3.0	208.5	6.2	3.5	151.0
463.5	787.2	684.3	743.8	909.3	362.1	5.4	12.0	296.8	6.2	11.6	217.9	6.6	11.3	159.7
374.4	360.3	656.5	605.6	457.5	333.0	0.0	1.5	200.5	0.0	1.2	161.5	0.0	1.1	118.9
303.7	416.7	578.1	472.2	642.5	417.7	0.0	3.2	213.0	0.0	2.6	155.2	0.0	2.3	112.2
538.9	543.3	471.5	811.4	361.5	462.2	0.0	0.0	224.7	0.0	0.0	181.3	0.0	0.0	130.3
482.1	787.6	960.5	864.1	871.3	273.7	0.0	0.0	315.3	0.0	0.0	233.6	0.0	0.0	171.1
192.8	183.6	213.4	217.9	279.6	75.5	0.0	0.0	101.0	0.0	0.0	76.5	0.0	0.0	57.4
185.4	249.9	110.7	328.7	107.5	147.8	0.0	0.0	100.7	0.0	0.0	73.1	0.0	0.0	53.5
433.5	663.8	956.9	918.0	858.6	500.5	0.0	0.0	287.6	0.0	0.0	240.3	0.0	0.0	175.3
575.0	767.3	783.3	960.5	870.4	437.0	0.0	4.9	330.2	0.0	4.5	255.9	0.0	4.2	188.0
541.8	614.1	756.1	600.7	552.4	231.8	3.9	3.9	202.1	3.5	3.8	213.7	3.2	3.6	160.1
534.3	832.0	990.3	579.2	790.7	250.9	0.0	0.0	250.9	0.0	0.0	246.1	0.0	0.0	182.7

Tabela 11. Stope incidencije od dijabetesa tipa 2 na 100.000 stanovnika prema okruzima i uzrastu, Srbija, 2006. godina

Table 11. Incidence rates of diabetes type 2 per 100.000 population by region/administrative district, by age, Serbia, 2006

Okrug Region/District	Uzrast Age									
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija (Serbia)	1.1	0.8	1.7	1.8	6.1	13.4	28.5	67.5	133.2	266.0
Vojvodina (Vojvodina)	1.0	1.0	0.9	1.6	11.4	23.4	46.2	83.4	171.0	323.5
Centralna Srbija (Central Serbia)	1.1	0.8	2.0	1.8	4.1	9.6	22.0	61.5	118.3	243.5
Severno-bački (North Backa)	0.0	0.0	0.0	0.0	14.7	7.0	53.7	72.6	161.9	335.2
Srednje-banatski (Middle Banat)	0.0	0.0	8.7	7.8	7.5	30.2	47.9	85.2	258.7	347.0
Severno-banatski (North Banat)	0.0	0.0	0.0	0.0	27.6	47.7	49.9	163.7	211.5	252.0
Južno-banatski (South Banat)	0.0	6.3	0.0	0.0	4.7	9.5	38.9	123.4	223.3	464.6
Zapadno-bački (West Backa)	0.0	0.0	0.0	0.0	0.0	44.4	0.0	45.8	112.0	327.1
Južno-bački (South Backa)	0.0	0.0	0.0	2.7	18.4	15.2	45.9	66.5	123.0	202.7
Sremski (Srem)	6.1	0.0	0.0	0.0	4.2	35.8	74.9	70.5	178.1	414.8
Grad Beograd (City of Belgrade)	0.0	0.0	0.0	1.1	6.3	12.7	25.3	52.4	130.8	298.4
Mačvanski (Macva)	0.0	0.0	0.0	0.0	4.5	0.0	14.2	34.1	103.4	154.0
Kolubarski (Kolubara)	0.0	0.0	9.8	0.0	0.0	0.0	8.6	17.1	61.1	181.7
Podunavski (Danube)	0.0	0.0	0.0	7.4	0.0	0.0	28.7	38.8	145.8	238.7
Braničevski (Branicevo)	0.0	0.0	0.0	0.0	0.0	16.4	15.2	40.4	97.4	173.2
Šumadijski (Sumadija)	0.0	0.0	0.0	0.0	0.0	0.0	15.6	50.3	106.7	225.3
Pomoravski (Morava)	0.0	0.0	16.5	7.7	7.2	0.0	28.7	98.0	141.1	173.6
Borski (Bor)	0.0	15.0	12.9	0.0	11.6	24.2	45.0	69.0	79.0	337.5
Zaječarski (Zajecar)	0.0	0.0	16.3	0.0	41.0	83.6	26.2	40.5	144.9	113.5
Zlatiborski (Zlatibor)	0.0	0.0	0.0	0.0	0.0	10.2	36.6	66.5	79.3	222.9
Moravički (Moravica)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	81.2	163.6	204.1
Raški (Raska)	4.7	5.4	0.0	4.8	4.5	4.7	14.6	78.6	122.4	171.3
Rasinski (Rasina)	16.6	0.0	0.0	6.8	0.0	18.6	18.1	91.4	98.4	207.9
Nišavski (Nisava)	0.0	0.0	0.0	0.0	4.1	7.6	19.7	62.6	77.5	219.6
Toplički (Toplica)	0.0	0.0	0.0	0.0	0.0	0.0	32.7	65.7	160.4	156.3
Pirotski (Pirot)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.3	76.0	183.7
Jablanički (Jablanica)	0.0	0.0	0.0	6.8	0.0	6.8	12.8	99.6	138.4	363.5
Pčinjski (Pcinj)	0.0	0.0	5.7	0.0	0.0	6.5	38.4	118.0	170.5	402.1

Tabela 11. (nastavak)

Table 11. (continued)

		Uzrast				Incidencija (Incidence)								
		Age				Sirova stopa			Standardizovana stopa					
						Crude rate			ASR-E			ASR-W		
50-54	55-59	60-64	65-69	70-74	75+	0-14	0-29	0-75+	0-14	0-29	0-75+	0-14	0-29	0-75+
407.3	586.0	688.1	689.3	624.9	404.9	1.2.	4.6	241.4	1.2	4.1	197.0	1.2	3.7	144.4
463.7	646.9	791.0	787.7	638.1	401.2	1.0	7.5	266.5	1.0	6.4	224.0	1.0	5.7	165.8
386.6	563.5	650.1	653.6	620.5	406.1	1.3	3.6	232.1	1.3	3.2	186.9	1.2	2.9	136.4
538.6	676.5	845.1	1055.8	605.5	379.5	0.0	4.3	292.7	0.0	3.5	241.3	0.0	3.1	178.3
514.1	763.1	960.0	1194.9	802.5	368.9	3.3	10.0	335.5	2.8	8.8	271.9	2.5	8.0	202.7
421.8	642.9	740.2	647.4	732.0	411.2	0.0	14.4	273.0	0.0	12.3	222.1	0.0	10.8	165.3
615.7	794.3	780.9	787.5	592.8	387.8	2.0	3.6	300.6	2.0	3.3	255.5	2.0	3.1	189.8
395.4	653.5	609.8	604.6	533.9	320.1	0.0	8.6	235.3	0.0	7.2	187.4	0.0	6.3	138.2
324.4	448.2	529.2	534.8	419.5	335.2	0.0	7.2	180.6	0.0	5.9	156.7	0.0	5.2	115.7
554.9	777.7	1299.0	1007.5	970.8	612.7	1.8	8.0	348.4	2.2	7.6	299.4	2.4	7.0	220.9
422.2	641.3	752.5	760.3	758.7	545.6	0.0	4.3	270.5	0.0	2.3	217.5	0.0	2.1	136.4
356.8	544.3	534.8	536.9	503.6	379.9	0.0	0.9	191.5	0.0	0.7	157.9	0.0	0.6	157.8
264.7	271.3	314.2	547.9	472.5	288.1	3.6	1.6	157.5	3.1	1.6	117.6	2.9	1.6	113.5
251.2	426.7	399.3	346.4	390.7	153.5	0.0	1.3	149.6	0.0	1.2	127.0	0.0	1.2	85.3
195.7	365.0	372.7	374.0	404.3	223.0	0.0	3.0	145.2	0.0	2.7	114.2	0.0	2.3	94.7
369.9	627.6	692.4	844.7	660.2	381.9	0.0	0.0	244.0	0.0	0.0	194.9	0.0	0.0	83.9
344.4	437.9	663.1	494.6	402.4	320.2	5.8	5.3	203.0	5.3	5.1	161.3	4.8	4.9	141.4
344.5	610.2	632.4	522.1	627.2	283.2	9.5	10.9	237.6	8.9	10.4	185.0	8.6	9.9	119.8
331.6	423.5	284.3	345.6	404.8	172.7	12.1	53.0	176.2	12.3	59.3	128.3	12.3	62.3	138.2
472.4	628.9	832.9	809.9	763.1	651.3	0.0	1.8	274.0	0.0	1.7	222.9	0.0	1.5	97.7
427.6	625.3	640.5	713.1	460.8	476.8	0.0	0.0	244.0	0.0	0.0	192.3	0.0	0.0	139.1
338.8	434.8	600.6	538.3	557.7	446.8	3.4	4.0	176.6	3.4	4.0	164.8	3.6	4.0	120.1
443.2	725.3	690.7	754.2	808.9	427.6	5.3	7.1	280.5	6.0	7.2	212.8	6.4	7.3	155.2
339.1	388.7	616.1	535.6	557.9	382.5	0.0	2.3	206.8	0.0	1.9	158.7	0.0.	1.7	115.7
512.1	659.6	728.2	839.4	648.3	350.7	0.0	0.0	269.8	0.0	0.0	207.9	0.0	0.0	151.2
189.3	215.8	163.0	274.4	187.3	117.2	0.0	0.0	100.9	0.0	0.0	75.0	0.0	0.0	55.5
501.4	715.0	867.5	940.7	865.2	463.0	0.0	2.4	309.0	0.0	2.2	247.4	0.0	2.1	181.2
538.2	724.6	878.3	589.0	687.4	243.2	2.0	2.0	226.5	1.8	2.0	230.9	1.6	1.8	172.1

IVe Broj umrlih i mortalitet od dijabetesa u Srbiji, 2006. godina

IVe Number of deaths and mortality of diabetes in Serbia, 2006

Tabela 12. Broj umrlih od dijabetesa tipa 1 prema okruzima, uzrastu i polu, Srbija, 2006. godina

Table 12. Number of deaths caused by diabetes type 1 by region/administrative district, age and sex, Serbia, 2006

Okrug / Region/District	Pol / Sex	Uzrast / Age									
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija	M (Male)	0	0	0	1	1	0	2	4	1	12
(Serbia)	Ž (Female)	0	0	0	0	2	2	1	1	2	3
Vojvodina	M (Male)	0	0	0	1	1	0	1	2	0	2
(Vojvodina)	Ž (Female)	0	0	0	0	0	0	0	0	1	1
Centralna Srbija	M (Male)	0	0	0	0	0	0	1	2	1	10
(Central Serbia)	Ž (Female)	0	0	0	0	2	2	1	1	1	2
Severno-bački	M (Male)	0	0	0	0	0	0	0	0	0	0
(North Backa)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Srednje-banatski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Middle Banat)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Severno-banatski	M (Male)	0	0	0	0	0	0	0	1	0	0
(North Banat)	Ž (Female)	0	0	0	0	0	0	0	0	1	0
Južno-banatski	M (Male)	0	0	0	1	1	0	1	0	0	1
(South Banat)	Ž (Female)	0	0	0	0	0	0	0	0	0	1
Zapadno-bački	M (Male)	0	0	0	0	0	0	0	0	0	0
(West Backa)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Južno-bački	M (Male)	0	0	0	0	0	0	0	1	0	1
(South Backa)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Sremski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Srem)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Grad Beograd	M (Male)	0	0	0	0	0	0	0	1	0	3
(City of Belgrade)	Ž (Female)	0	0	0	0	1	0	0	0	0	0
Mačvanski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Macva)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Kolubarski	M (Male)	0	0	0	0	0	0	1	0	0	0
(Kolubara)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Podunavski	M (Male)	0	0	0	0	0	0	0	0	0	1
(Danube)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Braničevski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Branicevo)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Šumadijski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Sumadija)	Ž (Female)	0	0	0	0	1	0	0	0	0	0
Pomoravski	M (Male)	0	0	0	0	0	0	0	0	0	1
(Morava)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Borski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Bor)	Ž (Female)	0	0	0	0	0	0	0	1	0	0
Zaječarski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Zajecar)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Zlatiborski	M (Male)	0	0	0	0	0	0	0	0	0	1
(Zlatibor)	Ž (Female)	0	0	0	0	0	0	0	0	0	1
Moravički	M (Male)	0	0	0	0	0	0	0	0	0	0
(Moravica)	Ž (Female)	0	0	0	0	0	1	0	0	0	0
Raški	M (Male)	0	0	0	0	0	0	0	0	1	1
(Raska)	Ž (Female)	0	0	0	0	0	1	1	0	0	1
Rasinski	M (Male)	0	0	0	0	0	0	0	0	0	1
(Rasina)	Ž (Female)	0	0	0	0	0	0	0	0	1	0
Nišavski	M (Male)	0	0	0	0	0	0	0	1	0	2
(Nisava)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Toplički	M (Male)	0	0	0	0	0	0	0	0	0	0
(Toplica)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Pirotski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Pirot)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Jablanički	M (Male)	0	0	0	0	0	0	0	0	0	0
(Jablanica)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Pčinjski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Pcinj)	Ž (Female)	0	0	0	0	0	0	0	0	0	0

Tabela 12. (nastavak)

Table 12. (continued)

	Uzrast Age						Ukupno Total		
50-54	55-59	60-64	65-69	70-74	75+	0-29	%	0-75+	%
16	28	28	53	44	69	2	33.3	259	44.2
5	13	18	44	81	155	4	66.7	327	55.8
8	14	14	30	19	29	2	100.0	121	41.4
2	7	10	25	52	73	0	0.0	171	58.6
8	14	14	23	25	40	0	0.0	138	46.9
3	6	8	19	29	82	4	100.0	156	53.1
3	2	1	2	0	2	0	0.0	10	47.6
0	0	0	1	4	6	0	0.0	11	52.4
0	1	0	2	0	2	0	0.0	5	27.8
0	2	0	1	7	3	0	0.0	13	72.2
2	5	4	4	2	4	0	0.0	22	37.9
0	0	4	7	12	12	0	0.0	36	62.1
2	4	2	6	9	6	2	100.0	33	47.8
0	2	2	8	6	17	0	0.0	36	52.2
0	0	2	1	4	6	0	0.0	13	56.5
1	0	0	2	3	4	0	0.0	10	43.5
1	1	5	13	3	7	0	0.0	32	40.0
1	1	3	5	16	22	0	0.0	48	60.0
0	1	0	2	1	2	0	0.0	6	26.1
0	2	1	1	4	9	0	0.0	17	73.9
5	2	1	7	5	13	0	0.0	37	50.0
0	1	1	2	8	24	1	100.0	37	50.0
0	0	3	0	2	2	0	0.0	7	31.8
1	0	2	1	4	7	0	0.0	15	68.2
0	2	0	0	0	1	0	0.0	4	30.8
0	0	0	1	3	5	0	0.0	9	69.2
0	3	3	2	1	4	0	0.0	14	77.8
0	1	0	0	0	3	0	0.0	4	22.2
1	1	0	0	1	1	0	0.0	4	26.7
0	1	1	0	3	6	0	0.0	11	73.3
0	2	0	2	2	2	0	0.0	8	61.5
1	0	0	0	1	2	1	100.0	5	38.5
0	0	0	0	1	0	0	0.0	2	25.0
0	1	1	0	0	4	0	0.0	6	75.0
0	0	1	0	0	1	0	0.0	2	22.2
0	0	0	3	0	3	0	0.0	7	77.8
0	0	1	0	2	3	0	0.0	6	50.0
0	0	0	0	0	6	0	0.0	6	50.0
1	2	1	2	3	3	0	0.0	13	61.9
0	1	0	3	2	1	0	0.0	8	38.1
1	0	1	2	0	0	0	0.0	4	66.7
0	0	0	1	0	0	1	100.0	2	33.3
0	1	0	3	4	2	0	0.0	12	52.2
0	1	0	0	2	5	1	100.0	11	47.8
0	0	1	0	0	2	0	0.0	4	57.1
0	0	0	1	0	1	0	0.0	3	42.9
0	1	0	2	0	5	0	0.0	11	40.7
0	0	1	2	3	10	0	0.0	16	59.3
0	0	1	1	2	0	0	0.0	4	33.3
0	0	0	3	2	3	0	0.0	8	66.7
0	0	0	1	1	0	0	0.0	2	40.0
0	0	0	0	1	2	0	0.0	3	60.0
0	0	0	0	1	0	0	0.0	1	33.3
0	0	0	2	0	0	0	0.0	2	66.7
0	0	1	1	0	1	0	0.0	3	50.0
1	0	2	0	0	0	0	0.0	3	50.0

Tabela 13. Broj umrlih od dijabetesa tipa 1 prema okruzima i uzrastu, Srbija, 2006. godina

Table 13. Number of deaths caused by diabetes type 1 by region/administrative district, by age, Serbia, 2006

Okrug Region/District	Uzrast Age									
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija (Serbia)	0	0	0	1	3	2	3	5	3	15
Vojvodina (Vojvodina)	0	0	0	1	1	0	1	2	1	3
Centralna Srbija (Central Serbia)	0	0	0	0	2	2	2	3	2	12
Severno-bački (North Backa)	0	0	0	0	0	0	0	0	0	0
Srednje-banatski (Middle Banat)	0	0	0	0	0	0	0	0	0	0
Severno-banatski (North Banat)	0	0	0	0	0	0	0	1	1	0
Južno-banatski (South Banat)	0	0	0	1	1	0	1	0	0	2
Zapadno-bački (West Backa)	0	0	0	0	0	0	0	0	0	0
Južno-bački (South Backa)	0	0	0	0	0	0	0	1	0	1
Sremski (Srem)	0	0	0	0	0	0	0	0	0	0
Grad Beograd (City of Belgrade)	0	0	0	0	1	0	0	1	0	3
Mačvanski (Macva)	0	0	0	0	0	0	0	0	0	0
Kolubarski (Kolubara)	0	0	0	0	0	0	1	0	0	0
Podunavski (Danube)	0	0	0	0	0	0	0	0	0	1
Braničevski (Branicevo)	0	0	0	0	0	0	0	0	0	0
Šumadijski (Sumadija)	0	0	0	0	1	0	0	0	0	0
Pomoravski (Morava)	0	0	0	0	0	0	0	0	0	1
Borski (Bor)	0	0	0	0	0	0	0	1	0	0
Zaječarski (Zajecar)	0	0	0	0	0	0	0	0	0	0
Zlatiborski (Zlatibor)	0	0	0	0	0	0	0	0	0	2
Moravički (Moravica)	0	0	0	0	0	1	0	0	0	0
Raški (Raska)	0	0	0	0	0	1	1	0	1	2
Rasinski (Rasina)	0	0	0	0	0	0	0	0	1	1
Nišavski (Nisava)	0	0	0	0	0	0	0	1	0	2
Toplički (Toplica)	0	0	0	0	0	0	0	0	0	0
Pirotski (Pirot)	0	0	0	0	0	0	0	0	0	0
Jablanički (Jablanica)	0	0	0	0	0	0	0	0	0	0
Pčinjski (Pcinj)	0	0	0	0	0	0	0	0	0	0

Tabela 13. (nastavak)

Table 13. (continued)

Uzrast Age						Ukupno Total	
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+
21	41	46	97	125	224	6	586
10	21	24	55	71	102	2	292
11	20	22	42	54	122	4	294
3	2	1	3	4	8	0	21
0	3	0	3	7	5	0	18
2	5	8	11	14	16	0	58
2	6	4	14	15	23	2	69
1	0	2	3	7	10	0	23
2	2	8	18	19	29	0	80
0	3	1	3	5	11	0	23
5	3	2	9	13	37	1	74
1	0	5	1	6	9	0	22
0	2	0	1	3	6	0	13
0	4	3	2	1	7	0	18
1	2	1	0	4	7	0	15
1	2	0	2	3	4	1	13
0	1	1	0	1	4	0	8
0	0	1	3	0	4	0	9
0	0	1	0	2	9	0	12
1	3	1	5	5	4	0	21
1	0	1	3	0	0	1	6
0	2	0	3	6	7	1	23
0	0	1	1	0	3	0	7
0	1	1	4	3	15	0	27
0	0	1	4	4	3	0	12
0	0	0	1	2	2	0	5
0	0	0	2	1	0	0	3
1	0	3	1	0	1	0	6

Tabela 14. Broj umrlih od dijabetesa tipa 2 prema okruzima, uzrastu i polu, Srbija, 2006. godina

Table 14. Number of deaths caused by diabetes type 2 by region/administrative district, age and sex, Serbia, 2006

Okrug Region/District	Pol Sex	Uzrast Age									
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija	M (Male)	0	0	0	0	0	0	0	0	5	5
(Serbia)	Ž (Female)	0	0	0	0	0	2	0	0	2	2
Vojvodina	M (Male)	0	0	0	0	0	0	0	0	1	0
(Vojvodina)	Ž (Female)	0	0	0	0	0	0	0	0	1	0
Centralna Srbija	M (Male)	0	0	0	0	0	0	0	0	4	5
(Central Serbia)	Ž (Female)	0	0	0	0	0	2	0	0	1	2
Severno-bački	M (Male)	0	0	0	0	0	0	0	0	0	0
(North Backa)	Ž (Female)	0	0	0	0	0	0	0	0	1	0
Srednje-banatski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Middle Banat)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Severno-banatski	M (Male)	0	0	0	0	0	0	0	0	0	0
(North Banat)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Južno-banatski	M (Male)	0	0	0	0	0	0	0	0	0	0
(South Banat)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Zapadno-bački	M (Male)	0	0	0	0	0	0	0	0	0	0
(West Backa)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Južno-bački	M (Male)	0	0	0	0	0	0	0	0	1	0
(South Backa)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Sremski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Srem)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Grad Beograd	M (Male)	0	0	0	0	0	0	0	0	0	1
(City of Belgrade)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Mačvanski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Macva)	Ž (Female)	0	0	0	0	0	1	0	0	0	0
Kolubarski	M (Male)	0	0	0	0	0	0	0	0	1	0
(Kolubara)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Podunavski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Danube)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Braničevski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Branicevo)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Šumadijski	M (Male)	0	0	0	0	0	0	0	0	0	2
(Sumadija)	Ž (Female)	0	0	0	0	0	1	0	0	0	0
Pomoravski	M (Male)	0	0	0	0	0	0	0	0	1	0
(Morava)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Borski	M (Male)	0	0	0	0	0	0	0	0	1	0
(Bor)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Zaječarski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Zajecar)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Zlatiborski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Zlatibor)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Moravički	M (Male)	0	0	0	0	0	0	0	0	1	0
(Moravica)	Ž (Female)	0	0	0	0	0	0	0	0	0	1
Raški	M (Male)	0	0	0	0	0	0	0	0	0	0
(Raska)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Rasinski	M (Male)	0	0	0	0	0	0	0	0	0	2
(Rasina)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Nišavski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Nisava)	Ž (Female)	0	0	0	0	0	0	0	0	1	1
Toplički	M (Male)	0	0	0	0	0	0	0	0	0	0
(Toplica)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Pirotski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Pirot)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Jablanički	M (Male)	0	0	0	0	0	0	0	0	0	0
(Jablanica)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Pčinjski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Pcinj)	Ž (Female)	0	0	0	0	0	0	0	0	0	0

Tabela 14. (nastavak)

Table 14. (continued)

	Uzrast Age					Ukupno Total			
50-54	55-59	60-64	65-69	70-74	75+	0-29	%	0-75+	%
8	24	27	58	85	157	0	0.0	369	39.3
7	18	24	65	151	298	2	100.0	569	60.7
1	5	7	18	36	56	0	0.0	124	36.7
1	6	10	17	60	119	0	0.0	214	63.3
7	19	20	40	49	101	0	0.0	245	40.8
6	12	14	48	91	179	2	100.0	355	59.2
0	2	0	3	2	2	0	0.0	9	36.0
0	0	1	1	5	8	0	0.0	16	64.0
0	0	0	1	1	1	0	0.0	3	50.0
0	0	0	1	2	0	0	0.0	3	50.0
0	1	2	3	11	14	0	0.0	31	33.7
0	4	3	3	13	38	0	0.0	61	66.3
0	0	0	0	3	4	0	0.0	7	29.2
0	0	1	2	7	7	0	0.0	17	70.8
0	0	0	0	2	1	0	0.0	3	37.5
0	0	0	0	0	5	0	0.0	5	62.5
1	1	2	2	11	18	0	0.0	36	39.6
0	0	3	6	12	34	0	0.0	55	60.4
0	1	3	9	6	16	0	0.0	35	38.0
1	2	2	4	21	27	0	0.0	57	62.0
1	5	7	16	18	51	0	0.0	99	45.8
1	2	5	11	27	71	0	0.0	117	54.2
1	3	2	2	3	3	0	0.0	14	34.1
1	2	0	4	7	12	1	100.0	27	65.9
2	0	0	0	1	0	0	0.0	4	57.1
0	0	1	0	2	0	0	0.0	3	42.9
0	2	0	0	3	5	0	0.0	10	40.0
0	1	0	2	7	5	0	0.0	15	60.0
0	2	0	3	0	1	0	0.0	6	28.6
1	1	0	1	4	8	0	0.0	15	71.4
0	1	1	3	5	9	0	0.0	21	44.7
0	0	0	3	7	15	1	100.0	26	55.3
1	2	3	5	12	6	0	0.0	30	49.2
0	0	0	6	6	19	0	0.0	31	50.8
0	0	1	3	1	0	0	0.0	6	37.5
0	1	1	0	3	5	0	0.0	10	62.5
0	0	0	0	0	5	0	0.0	5	23.8
0	1	0	3	6	6	0	0.0	16	76.2
1	0	0	1	1	2	0	0.0	5	45.5
1	1	0	1	1	2	0	0.0	6	54.5
0	0	3	1	1	3	0	0.0	9	45.0
1	1	1	1	1	5	0	0.0	11	55.0
0	0	0	1	1	2	0	0.0	4	25.0
0	0	1	1	7	3	0	0.0	12	75.0
0	2	0	1	2	2	0	0.0	9	47.4
0	0	2	2	1	5	0	0.0	10	52.6
0	0	1	1	1	8	0	0.0	11	36.7
1	1	2	4	3	6	0	0.0	19	63.3
0	0	1	1	0	1	0	0.0	3	23.1
0	0	1	3	2	4	0	0.0	10	76.9
0	0	0	1	0	1	0	0.0	2	25.0
0	1	0	1	2	2	0	0.0	6	75.0
0	1	0	0	0	1	0	0.0	2	18.2
0	0	0	1	3	5	0	0.0	9	81.8
1	1	1	1	0	1	0	0.0	5	29.4
0	0	0	4	2	6	0	0.0	12	70.6

Tabela 15. Broj umrlih od dijabetesa tipa 2 prema okruzima i uzrastu, Srbija, 2006. godina

Table 15. Number of deaths caused by diabetes type 2 by region/administrative district, by age, Serbia, 2006

Okrug Region/District	Uzrast Age									
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija (Serbia)	0	0	0	0	0	2	0	0	7	7
Vojvodina (Vojvodina)	0	0	0	0	0	0	0	0	2	0
Centralna Srbija (Central Serbia)	0	0	0	0	0	2	0	0	5	7
Severno-bački (North Backa)	0	0	0	0	0	0	0	0	1	0
Srednje-banatski (Middle Banat)	0	0	0	0	0	0	0	0	0	0
Severno-banatski (North Banat)	0	0	0	0	0	0	0	0	0	0
Južno-banatski (South Banat)	0	0	0	0	0	0	0	0	0	0
Zapadno-bački (West Backa)	0	0	0	0	0	0	0	0	0	0
Južno-bački (South Backa)	0	0	0	0	0	0	0	0	1	0
Sremski (Srem)	0	0	0	0	0	0	0	0	0	0
Grad Beograd (City of Belgrade)	0	0	0	0	0	0	0	0	0	1
Mačvanski (Macva)	0	0	0	0	0	1	0	0	0	0
Kolubarski (Kolubara)	0	0	0	0	0	0	0	0	1	0
Podunavski (Danube)	0	0	0	0	0	0	0	0	0	0
Braničevski (Branicevo)	0	0	0	0	0	0	0	0	0	0
Šumadijski (Sumadija)	0	0	0	0	0	1	0	0	0	2
Pomoravski (Morava)	0	0	0	0	0	0	0	0	1	0
Borski (Bor)	0	0	0	0	0	0	0	0	1	0
Zaječarski (Zajecar)	0	0	0	0	0	0	0	0	0	0
Zlatiborski (Zlatibor)	0	0	0	0	0	0	0	0	0	0
Moravički (Moravica)	0	0	0	0	0	0	0	0	1	1
Raški (Raska)	0	0	0	0	0	0	0	0	0	0
Rasinski (Rasina)	0	0	0	0	0	0	0	0	0	2
Nišavski (Nisava)	0	0	0	0	0	0	0	0	1	1
Toplički (Toplica)	0	0	0	0	0	0	0	0	0	0
Pirotski (Pirot)	0	0	0	0	0	0	0	0	0	0
Jablanički (Jablanica)	0	0	0	0	0	0	0	0	0	0
Pčinjski (Pcinj)	0	0	0	0	0	0	0	0	0	0

Tabela 15. (nastavak)

Table 15. (continued)

	Uzrast Age					Ukupno Total	
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+
15	42	51	123	236	455	2	938
2	11	17	35	96	175	0	338
13	31	34	88	140	280	2	600
0	2	1	4	7	10	0	25
0	0	0	2	3	1	0	6
0	5	5	6	24	52	0	92
0	0	1	2	10	11	0	24
0	0	0	0	2	6	0	8
1	1	5	8	23	52	0	91
1	3	5	13	27	43	0	92
2	7	12	27	45	122	0	216
2	5	2	6	10	15	1	41
2	0	1	0	3	0	0	7
0	3	0	2	10	10	0	25
1	3	0	4	4	9	0	21
0	1	1	6	12	24	1	47
1	2	3	11	18	25	0	61
0	1	2	3	4	5	0	16
0	1	0	3	6	11	0	21
2	1	0	2	2	4	0	11
1	1	4	2	2	8	0	20
0	0	1	2	8	5	0	16
0	2	2	3	3	7	0	19
1	1	3	5	4	14	0	30
0	0	2	4	2	5	0	13
0	1	0	2	2	3	0	8
0	1	0	1	3	6	0	11
1	1	1	5	2	7	0	17

Tabela 16. Broj umrlih od svih tipova dijabetesa prema okruzima, uzrastu i polu, Srbija, 2006. godina

Table 16. Number of deaths caused by diabetes by region/administrative district, age and sex, Serbia, 2006

Okrug Region/District	Pol Sex	Uzrast Age									
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija	M (Male)	0	0	0	1	1	1	3	7	10	21
(Serbia)	Ž (Female)	0	0	0	0	2	5	1	3	5	9
Vojvodina	M (Male)	0	0	0	1	1	0	1	2	3	3
(Vojvodina)	Ž (Female)	0	0	0	0	0	0	0	1	2	3
Centralna Srbija	M (Male)	0	0	0	0	0	1	2	5	7	18
(Central Serbia)	Ž (Female)	0	0	0	0	2	5	1	2	3	6
Severno-bački	M (Male)	0	0	0	0	0	0	0	0	0	0
(North Backa)	Ž (Female)	0	0	0	0	0	0	0	0	1	0
Srednje-banatski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Middle Banat)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Severno-banatski	M (Male)	0	0	0	0	0	0	0	1	0	0
(North Banat)	Ž (Female)	0	0	0	0	0	0	0	0	1	0
Južno-banatski	M (Male)	0	0	0	1	1	0	1	0	0	1
(South Banat)	Ž (Female)	0	0	0	0	0	0	0	0	0	2
Zapadno-bački	M (Male)	0	0	0	0	0	0	0	0	0	0
(West Backa)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Južno-bački	M (Male)	0	0	0	0	0	0	0	1	3	2
(South Backa)	Ž (Female)	0	0	0	0	0	0	0	1	0	0
Sremski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Srem)	Ž (Female)	0	0	0	0	0	0	0	0	0	1
Grad Beograd	M (Male)	0	0	0	0	0	0	0	2	0	4
(City of Belgrade)	Ž (Female)	0	0	0	0	1	0	0	0	1	0
Mačvanski	M (Male)	0	0	0	0	0	0	0	0	0	1
(Macva)	Ž (Female)	0	0	0	0	0	1	0	1	0	0
Kolubarski	M (Male)	0	0	0	0	0	0	1	0	1	0
(Kolubara)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Podunavski	M (Male)	0	0	0	0	0	0	0	0	0	1
(Danube)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Braničevski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Branicevo)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Šumadijski	M (Male)	0	0	0	0	0	0	0	0	0	2
(Sumadija)	Ž (Female)	0	0	0	0	1	1	0	0	0	0
Pomoravski	M (Male)	0	0	0	0	0	0	0	0	1	1
(Morava)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Borski	M (Male)	0	0	0	0	0	0	0	0	1	0
(Bor)	Ž (Female)	0	0	0	0	0	0	0	1	0	0
Zaječarski	M (Male)	0	0	0	0	0	0	0	0	0	0
(Zajecar)	Ž (Female)	0	0	0	0	0	1	0	0	0	0
Zlatiborski	M (Male)	0	0	0	0	0	0	0	0	0	1
(Zlatibor)	Ž (Female)	0	0	0	0	0	0	0	0	0	1
Moravički	M (Male)	0	0	0	0	0	0	0	0	1	0
(Moravica)	Ž (Female)	0	0	0	0	0	1	0	0	0	1
Raški	M (Male)	0	0	0	0	0	0	0	1	1	2
(Raska)	Ž (Female)	0	0	0	0	0	1	1	0	0	1
Rasinski	M (Male)	0	0	0	0	0	0	0	1	0	3
(Rasina)	Ž (Female)	0	0	0	0	0	0	0	0	1	1
Nišavski	M (Male)	0	0	0	0	0	0	1	1	1	2
(Nisava)	Ž (Female)	0	0	0	0	0	0	0	0	1	1
Toplički	M (Male)	0	0	0	0	0	0	0	0	0	0
(Toplica)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Pirotski	M (Male)	0	0	0	0	0	1	0	0	0	0
(Pirot)	Ž (Female)	0	0	0	0	0	0	0	0	0	1
Jablanički	M (Male)	0	0	0	0	0	0	0	0	1	0
(Jablanica)	Ž (Female)	0	0	0	0	0	0	0	0	0	0
Pčinjski	M (Male)	0	0	0	0	0	0	0	0	0	1
(Pcinj)	Ž (Female)	0	0	0	0	0	0	0	0	0	0

Tabela 16. (nastavak)

Table 16. (continued)

| | | Uzrast | | | | | | Ukupno | |
| | | Age | | | | | | Total | |
50-54	55-59	60-64	65-69	70-74	75+	0-29	%	0-75+	%
42	96	88	182	224	392	3	30.0	1068	42.0
24	53	71	178	371	751	7	70.0	1473	58.0
12	29	29	67	74	121	2	100.0	343	39.5
5	19	25	57	145	269	0	0.0	526	60.5
30	67	59	115	150	271	1	12.0	725	43.4
19	34	46	121	226	482	7	87.5	947	56.6
3	4	1	7	3	6	0	0.0	24	37.5
0	0	1	3	13	22	0	0.0	40	62.5
1	2	2	7	4	6	0	0.0	22	39.3
0	3	1	4	13	13	0	0.0	34	60.7
2	8	7	7	13	20	0	0.0	58	34.3
1	5	8	13	30	53	0	0.0	111	65.7
2	5	3	8	13	21	2	100.0	56	46.3
0	3	3	11	15	31	0	0.0	65	53.7
1	0	2	2	10	7	0	0.0	22	44.0
1	1	0	3	7	16	0	0.0	28	56.0
3	7	11	24	24	41	0	0.0	116	40.8
2	2	9	17	42	95	0	0.0	168	59.2
0	3	3	12	7	20	0	0.0	45	36.0
1	5	3	6	25	39	0	0.0	80	64.0
12	18	17	33	36	92	0	0.0	214	45.9
4	5	13	23	61	144	1	100.0	252	54.1
2	5	5	5	7	9	0	0.0	34	32.1
2	4	3	9	19	33	1	100.0	72	67.9
3	3	1	2	4	3	0	0.0	18	48.6
0	0	1	1	9	8	0	0.0	19	51.4
0	6	4	2	7	11	0	0.0	31	54.4
0	2	0	2	10	12	0	0.0	26	45.6
1	6	0	4	4	11	0	0.0	26	40.0
2	2	1	1	10	23	0	0.0	39	60.0
0	4	1	5	7	14	0	0.0	33	41.8
1	0	3	7	9	24	2	100.0	46	58.2
1	2	5	7	15	16	0	0.0	48	46.2
1	2	2	9	9	33	0	0.0	56	53.8
0	1	2	3	3	6	0	0.0	16	34.8
0	1	3	3	8	14	0	0.0	30	65.2
0	1	4	2	8	13	0	0.0	28	41.8
0	1	0	5	10	22	1	100.0	39	58.2
4	2	1	3	7	6	0	0.0	24	52.2
3	2	0	4	4	8	0	0.0	22	47.8
1	2	4	3	4	13	0	0.0	28	47.5
1	1	2	5	4	16	1	100.0	31	52.5
0	2	0	5	9	14	0	0.0	34	44.7
0	2	4	5	15	13	1	100.0	42	55.3
2	5	5	15	14	25	0	0.0	70	44.9
2	4	2	13	19	44	0	0.0	86	55.1
3	4	3	8	10	22	0	0.0	55	42.6
1	4	6	13	13	35	0	0.0	74	57.4
0	0	3	4	3	1	0	0.0	11	27.5
1	0	1	7	6	14	0	0.0	29	72.5
0	1	2	6	4	6	1	100.0	20	54.1
0	2	0	2	5	7	0	0.0	17	45.9
0	2	0	5	7	4	0	0.0	19	32.2
0	1	2	7	10	20	0	0.0	40	67.8
1	3	2	3	1	5	0	0.0	16	37.2
1	1	3	5	5	12	0	0.0	27	62.8

Tabela 17. Broj umrlih od svih tipova dijabetesa prema okruzima i uzrastu, Srbija, 2006. godina

Table 17. Number of deaths caused by diabetes by region/administrative district, by age, Serbia 2006

Okrug Region/District	Uzrast Age									
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija (Serbia)	0	0	0	1	3	6	4	10	15	30
Vojvodina (Vojvodina)	0	0	0	1	1	0	1	3	5	6
Centralna Srbija (Central Serbia)	0	0	0	0	2	6	3	7	10	24
Severno-bački (North Backa)	0	0	0	0	0	0	0	0	1	0
Srednje-banatski (Middle Banat)	0	0	0	0	0	0	0	0	0	0
Severno-banatski (North Banat)	0	0	0	0	0	0	0	1	1	0
Južno-banatski (South Banat)	0	0	0	1	1	0	1	0	0	3
Zapadno-bački (West Backa)	0	0	0	0	0	0	0	0	0	0
Južno-bački (South Backa)	0	0	0	0	0	0	0	2	3	2
Sremski (Srem)	0	0	0	0	0	0	0	0	0	1
Grad Beograd (City of Belgrade)	0	0	0	0	1	0	0	2	1	4
Mačvanski (Macva)	0	0	0	0	0	1	0	1	0	1
Kolubarski (Kolubara)	0	0	0	0	0	0	1	0	1	0
Podunavski (Danube)	0	0	0	0	0	0	0	0	0	1
Braničevski (Branicevo)	0	0	0	0	0	0	0	0	0	0
Šumadijski (Sumadija)	0	0	0	0	1	1	0	0	0	2
Pomoravski (Morava)	0	0	0	0	0	0	0	0	1	1
Borski (Bor)	0	0	0	0	0	0	0	1	1	0
Zaječarski (Zajecar)	0	0	0	0	0	1	0	0	0	0
Zlatiborski (Zlatibor)	0	0	0	0	0	0	0	0	0	2
Moravički (Moravica)	0	0	0	0	0	1	0	0	1	1
Raški (Raska)	0	0	0	0	0	1	1	1	1	3
Rasinski (Rasina)	0	0	0	0	0	0	0	1	1	4
Nišavski (Nisava)	0	0	0	0	0	0	1	1	2	3
Toplički (Toplica)	0	0	0	0	0	0	0	0	0	0
Pirotski (Pirot)	0	0	0	0	0	1	0	0	0	1
Jablanički (Jablanica)	0	0	0	0	0	0	0	0	1	0
Pčinjski (Pcinj)	0	0	0	0	0	0	0	0	0	1

Tabela 17. (nastavak)

Table 17. (continued)

| | Uzrast | | | | | Ukupno | |
| | Age | | | | | Total | |
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+
66	149	159	360	595	1143	10	2541
17	48	54	124	219	390	2	869
49	101	105	236	376	753	8	1672
3	4	2	10	16	28	0	64
1	5	3	11	17	19	0	56
3	13	15	20	43	73	0	169
2	8	6	19	28	52	2	121
2	1	2	5	17	23	0	50
5	9	20	41	66	136	0	284
1	8	6	18	32	59	0	125
16	23	30	56	97	236	1	466
4	9	8	14	26	42	1	106
3	3	2	3	13	11	0	37
0	8	4	4	17	23	0	57
3	8	1	5	14	34	0	65
1	4	4	12	16	38	2	79
2	4	7	16	24	49	0	104
0	2	5	6	11	20	0	46
0	2	4	7	18	35	1	67
7	4	1	7	11	14	0	46
2	3	6	8	8	29	1	59
0	4	4	10	24	27	1	76
4	9	7	28	33	69	0	156
4	8	9	21	23	57	0	129
1	0	4	11	9	15	0	40
0	3	2	8	9	13	1	37
0	3	2	12	17	24	0	59
2	4	5	8	6	17	0	43

Tabela 18. Stope mortaliteta od dijabetesa tipa 1 na 100.000 stanovnika prema okruzima, uzrastu i polu, Srbija, 2006. godina

Table 18. Mortality rates of diabetes type 1 per 100.000 population by region/administrative district, age and sex, Serbia, 2006

Okrug Region/District	Pol Sex	Uzrast Age									
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija	M (Male)	0.0	0.0	0.0	0.4	0.4	0.0	0.8	1.7	0.4	4.6
(Serbia)	Ž (Female)	0.0	0.0	0.0	0.0	0.8	0.8	0.4	0.4	0.8	1.1
Vojvodina	M (Male)	0.0	0.0	0.0	1.5	1.4	0.0	1.5	3.1	0.0	2.7
(Vojvodina)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3
Centralna Srbija	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.2	0.6	5.3
(Central Serbia)	Ž (Female)	0.0	0.0	0.0	0.0	1.1	1.1	0.5	0.6	0.6	1.0
Severno-bački	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(North Backa)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Srednje-banatski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Middle Banat)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Severno-banatski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.9	0.0	0.0
(North Banat)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.8	0.0
Južno-banatski	M (Male)	0.0	0.0	0.0	9.7	9.1	0.0	9.5	0.0	0.0	8.6
(South Banat)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8
Zapadno-bački	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(West Backa)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Južno-bački	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	0.0	4.7
(South Backa)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sremski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Srem)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grad Beograd	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	5.7
(City of Belgrade)	Ž (Female)	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0
Mačvanski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Macva)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kolubarski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	16.7	0.0	0.0	0.0
(Kolubara)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Podunavski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.3
(Danube)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Braničevski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Branicevo)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Šumadijski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Sumadija)	Ž (Female)	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0
Pomoravski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.9
(Morava)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Borski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Bor)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.8	0.0	0.0
Zaječarski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Zajecar)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zlatiborski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7
(Zlatibor)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8
Moravički	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Moravica)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	14.5	0.0	0.0	0.0	0.0
Raški	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.8	10.4
(Raska)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	9.3	9.6	0.0	0.0	9.8
Rasinski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.3
(Rasina)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.9	0.0
Nišavski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	0.0	15.5
(Nisava)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Toplički	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Toplica)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pirotski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Pirot)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Jablanički	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Jablanica)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pčinjski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Pcinj)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Tabela 18. (nastavak)

Table 18. (continued)

		Uzrast					Mortalitet (Mortality)				
		Age				Sirova stopa		Standardizovana stopa			
						Crude rate		ASR-E		ASR-W	
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+	0-29	0-75+	0-29	0-75+
5.3	10.9	16.8	28.9	26.3	36.5	0.1	7.2	0.1	5.8	0.1	4.0
1.6	4.7	9.4	19.8	37.1	52.2	0.3	8.6	0.3	5.2	0.2	3.3
9.9	20.1	31.8	63.5	47.5	69.3	0.5	12.4	0.5	10.9	0.4	7.5
2.4	9.4	19.0	41.1	92.3	96.3	0.0	16.6	0.0	10.1	0.0	6.4
3.7	7.5	11.4	16.9	19.6	27.1	0.0	5.2	0.0	4.2	0.0	2.8
1.3	3.0	5.8	11.7	17.9	37.1	0.4	5.6	0.4	3.4	0.3	2.2
38.1	29.9	20.2	45.3	0.0	49.8	0.0	10.6	0.0	9.3	0.0	6.3
0.0	0.0	0.0	17.2	73.3	74.0	0.0	10.8	0.0	5.8	0.0	3.5
0.0	14.0	0.0	40.9	0.0	45.3	0.0	5.1	0.0	4.3	0.0	2.7
0.0	25.7	0.0	15.4	115.9	37.2	0.0	12.7	0.0	7.1	0.0	4.6
31.1	88.4	97.5	105.6	62.1	110.4	0.0	28.3	0.0	24.3	0.0	16.8
0.0	0.0	83.1	144.0	255.1	182.0	0.0	44.3	0.0	26.1	0.0	17.5
15.4	36.6	29.3	84.6	146.8	87.1	3.5	21.9	3.1	18.6	2.9	13.3
0.0	17.4	24.9	88.6	68.8	145.6	0.0	22.8	0.0	14.3	0.0	9.2
0.0	0.0	42.3	19.3	89.2	131.7	0.0	13.1	0.0	10.8	0.0	6.7
12.3	0.0	0.0	29.0	47.0	45.1	0.0	9.5	0.0	5.2	0.0	3.3
4.3	4.9	40.5	94.3	26.7	61.0	0.0	11.1	0.0	10.3	0.0	7.2
4.0	4.4	19.9	28.4	103.6	107.7	0.0	15.4	0.0	10.1	0.0	6.3
0.0	8.9	0.0	24.8	14.3	29.1	0.0	3.7	0.0	3.1	0.0	2.0
0.0	17.0	12.8	9.9	41.6	74.7	0.0	10.0	0.0	6.3	0.0	3.8
7.9	3.5	2.9	18.1	14.6	33.7	0.0	4.9	0.0	4.0	0.0	2.6
0.0	1.5	2.4	4.1	18.0	39.2	0.4	4.4	0.3	2.6	0.3	1.6
0.0	0.0	42.8	0.0	26.7	25.7	0.0	4.4	0.0	4.0	0.0	2.8
7.6	0.0	26.4	11.0	40.9	59.8	0.0	9.3	0.0	5.9	0.0	3.8
0.0	32.8	0.0	0.0	0.0	17.4	0.0	4.4	0.0	3.8	0.0	2.7
0.0	0.0	0.0	17.5	46.7	61.4	0.0	9.5	0.0	4.6	0.0	2.7
0.0	40.2	67.1	42.9	21.6	76.0	0.0	13.7	0.0	12.1	0.0	8.3
0.0	13.3	0.0	0.0	0.0	35.6	0.0	3.8	0.0	2.2	0.0	1.2
13.9	15.1	0.0	0.0	20.1	13.1	0.0	4.2	0.0	3.0	0.0	2.0
0.0	14.2	19.1	0.0	45.1	49.6	0.0	10.9	0.0	5.1	0.0	3.2
0.0	19.1	0.0	27.2	29.1	26.2	0.0	5.6	0.0	4.2	0.0	2.7
7.5	0.0	0.0	0.0	11.9	17.0	2.0	3.3	1.6	2.3	1.4	1.7
0.0	0.0	0.0	0.0	16.8	0.0	0.0	1.9	0.0	1.4	0.0	1.1
0.0	12.7	17.3	0.0	0.0	33.8	0.0	5.2	0.0	3.0	0.0	1.9
0.0	0.0	27.4	0.0	0.0	23.5	0.0	3.0	0.0	2.3	0.0	1.6
0.0	0.0	0.0	70.2	0.0	47.4	0.0	9.9	0.0	6.3	0.0	4.4
0.0	0.0	26.2	0.0	52.8	55.2	0.0	9.5	0.0	5.1	0.0	3.2
0.0	0.0	0.0	0.0	0.0	70.9	0.0	9.0	0.0	2.8	0.0	1.4
7.9	19.9	13.9	25.4	44.1	39.4	0.0	8.6	0.0	7.0	0.0	4.7
0.0	9.7	0.0	33.2	22.8	9.4	0.0	5.2	0.0	3.6	0.0	2.6
10.1	0.0	21.3	32.5	0.0	0.0	0.0	3.7	0.0	3.1	0.0	2.3
0.0	0.0	0.0	14.2	0.0	0.0	2.7	1.8	2.4	1.6	2.1	1.6
0.0	11.7	0.0	44.2	66.9	29.7	0.0	8.2	0.0	7.1	0.0	5.0
0.0	11.2	0.0	0.0	28.1	59.0	1.6	7.3	1.5	5.9	1.3	4.1
0.0	0.0	17.0	0.0	0.0	25.7	0.0	3.3	0.0	2.7	0.0	1.9
0.0	0.0	0.0	13.3	0.0	8.4	0.0	2.3	0.0	1.8	0.0	1.3
0.0	7.1	0.0	18.6	0.0	43.8	0.0	5.9	0.0	4.6	0.0	3.2
0.0	0.0	9.6	16.9	25.7	62.3	0.0	8.3	0.0	4.4	0.0	2.7
0.0	0.0	39.3	33.8	72.3	0.0	0.0	8.1	0.0	5.5	0.0	4.0
0.0	0.0	0.0	89.4	56.2	68.4	0.0	16.4	0.0	8.0	0.0	5.2
0.0	0.0	0.0	31.1	31.1	0.0	0.0	4.0	0.0	2.2	0.0	1.6
0.0	0.0	0.0	0.0	26.9	36.9	0.0	6.0	0.0	2.3	0.0	1.3
0.0	0.0	0.0	0.0	16.8	0.0	0.0	0.9	0.0	0.5	0.0	0.3
0.0	0.0	0.0	26.7	0.0	0.0	0.0	1.7	0.0	1.1	0.0	0.8
0.0	0.0	21.6	21.5	0.0	23.2	0.0	2.6	0.0	2.9	0.0	2.0
14.1	0.0	39.6	0.0	0.0	0.0	0.0	2.6	0.0	3.0	0.0	2.3

Tabela 19. Stope mortaliteta od dijabetesa tipa 1 na 100.000 stanovnika prema okruzima i uzrastu, Srbija, 2006. godina

Table 19. Mortality rates of diabetes type 1 per 100.000 population by region/administrative district, by age, Serbia, 2006

Okrug Region/District	Uzrast Age									
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija (Serbia)	0.0	0.0	0.0	0.2	0.6	0.4	0.6	1.1	0.6	2.8
Vojvodina (Vojvodina)	0.0	0.0	0.0	0.8	0.7	0.0	0.7	1.5	0.7	2.0
Centralna Srbija (Central Serbia)	0.0	0.0	0.0	0.0	0.5	0.5	0.5	0.9	0.6	3.1
Severno-bački (North Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Srednje-banatski (Middle Banat)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Severno-banatski (North Banat)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2	8.8	0.0
Južno-banatski (South Banat)	0.0	0.0	0.0	5.0	4.7	0.0	4.9	0.0	0.0	8.7
Zapadno-bački (West Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Južno-bački (South Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	2.3
Sremski (Srem)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grad Beograd (City of Belgrade)	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.9	0.0	2.7
Mačvanski (Macva)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kolubarski (Kolubara)	0.0	0.0	0.0	0.0	0.0	0.0	8.6	0.0	0.0	0.0
Podunavski (Danube)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6
Braničevski (Branicevo)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Šumadijski (Sumadija)	0.0	0.0	0.0	0.0	4.9	0.0	0.0	0.0	0.0	0.0
Pomoravski (Morava)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4
Borski (Bor)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.5	0.0	0.0
Zaječarski (Zajecar)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zlatiborski (Zlatibor)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7
Moravički (Moravica)	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	0.0	0.0
Raški (Raska)	0.0	0.0	0.0	0.0	0.0	4.7	4.9	0.0	5.3	10.1
Rasinski (Rasina)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	5.6
Nišavski (Nisava)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	7.8
Toplički (Toplica)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pirotski (Pirot)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Jablanički (Jablanica)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pčinjski (Pcinj)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Tabela 19. (nastavak)

Table 19. (continued)

	Uzrast / Age					Mortalitet (Mortality)					
						Sirova stopa / Crude rate		Standardizovana stopa			
								ASR-E		ASR-W	
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+	0-29	0-75+	0-29	0-75+
3.5	7.7	12.8	23.9	32.4	46.1	0.2	7.9	0.2	5.6	0.2	3.7
6.1	14.6	24.8	50.9	73.7	86.7	0.3	14.6	0.2	10.7	0.2	7.0
2.5	5.2	8.4	14.1	18.7	33.1	0.2	5.4	0.2	3.8	0.2	2.5
18.8	14.5	9.1	29.3	43.3	66.0	0.0	10.7	0.0	7.8	0.0	4.9
0.0	20.1	0.0	26.4	68.5	40.1	0.0	9.0	0.0	5.9	0.0	3.8
15.6	43.4	89.7	127.2	176.7	156.6	0.0	36.5	0.0	26.2	0.0	17.7
7.8	26.8	26.9	86.8	101.1	123.9	1.8	22.4	1.6	16.6	0.1	11.3
6.1	0.0	19.7	24.8	64.4	74.4	0.0	11.3	0.0	7.3	0.0	4.6
4.1	4.7	29.2	57.3	71.2	90.9	0.0	13.3	0.0	10.4	0.0	6.8
0.0	13.0	6.9	16.5	30.1	58.1	0.0	6.9	0.0	5.0	0.0	3.1
3.7	2.4	2.6	10.4	16.5	37.0	0.2	4.6	0.1	3.2	0.0	2.1
3.7	0.0	34.3	6.0	34.7	46.2	0.0	6.9	0.0	5.1	0.0	3.4
0.0	16.4	0.0	9.4	25.8	43.2	0.0	7.0	0.0	4.5	0.0	2.8
0.0	26.7	31.5	19.2	9.5	51.2	0.0	8.7	0.0	6.7	0.0	4.5
7.0	14.6	10.4	0.0	34.4	35.5	0.0	7.7	0.0	4.3	0.0	2.7
3.7	9.4	0.0	12.7	19.6	20.6	1.0	4.4	0.8	3.1	0.1	2.1
0.0	6.4	9.2	0.0	7.3	20.7	0.0	3.6	0.0	2.3	0.0	1.6
0.0	0.0	12.6	39.2	0.0	37.8	0.0	6.5	0.0	4.5	0.0	3.1
0.0	0.0	12.4	0.0	23.1	64.8	0.0	9.2	0.0	3.9	0.0	2.3
4.0	14.7	6.7	29.6	32.1	21.9	0.0	6.9	0.0	5.1	0.0	3.5
5.1	0.0	9.9	22.8	0.0	0.0	1.3	2.7	1.1	2.2	0.1	1.9
0.0	11.4	0.0	20.7	45.8	46.0	0.8	7.8	0.8	6.5	0.1	4.5
0.0	0.0	8.1	7.0	0.0	15.3	0.0	2.8	0.0	2.2	0.0	1.6
0.0	3.5	5.0	17.7	13.9	54.6	0.0	7.1	0.0	4.6	0.0	3.0
0.0	0.0	18.7	63.4	63.3	40.5	0.0	12.2	0.0	7.0	0.0	4.7
0.0	0.0	0.0	15.2	28.8	21.3	0.0	5.0	0.0	2.3	0.0	1.5
0.0	0.0	0.0	14.3	7.3	0.0	0.0	1.3	0.0	0.8	0.0	0.6
6.8	0.0	31.0	9.8	0.0	9.4	0.0	2.6	0.0	2.8	0.0	2.1

Tabela 20. Stope mortaliteta od dijabetesa tipa 2 na 100.000 stanovnika prema okruzima, uzrastu i polu, Srbija, 2006. godina

Table 20. Mortality rates of diabetes type 2 per 100.000 population by region/administrative district, age and sex, Serbia, 2006

Okrug Region/District	Pol Sex	Uzrast Age									
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.9
(Serbia)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.8	0.7
Vojvodina	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0
(Vojvodina)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0
Centralna Srbija	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.7
(Central Serbia)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.6	1.0
Severno-bački	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(North Backa)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	0.0
Srednje-banatski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Middle Banat)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Severno-banatski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(North Banat)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Južno-banatski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(South Banat)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zapadno-bački	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(West Backa)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Južno-bački	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	0.0
(South Backa)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sremski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Srem)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grad Beograd	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9
(City of Belgrade)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mačvanski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Macva)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	9.9	0.0	0.0	0.0	0.0
Kolubarski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.1	0.0
(Kolubara)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Podunavski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Danube)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Braničevski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Branicevo)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Šumadijski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.3
(Sumadija)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	9.9	0.0	0.0	0.0	0.0
Pomoravski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0
(Morava)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Borski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.8	0.0
(Bor)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zaječarski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Zajecar)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zlatiborski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Zlatibor)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Moravički	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.9	0.0
(Moravica)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7
Raški	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Raska)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rasinski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.5
(Rasina)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nišavski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Nisava)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	7.9
Toplički	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Toplica)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pirotski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Pirot)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Jablanički	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Jablanica)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pčinjski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Pcinj)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Tabela 20. (nastavak)

Table 20. (continued)

		Uzrast				Mortalitet (Mortality)					
		Age				Sirova stopa		Standardizovana stopa			
						Crude rate		ASR-E		ASR-W	
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+	0-29	0-75+	0-29	0-75+
2.7	9.3	16.2	31.6	50.7	82.9	0.0	10.2	0.0	7.9	0.0	5.0
2.3	6.5	12.5	29.2	69.2	100.4	0.2	14.9	0.1	8.6	0.1	5.3
1.2	7.2	15.9	38.1	89.9	133.8	0.0	12.8	0.0	11.0	0.0	6.7
1.2	8.1	19.0	27.9	106.5	157.0	0.0	20.8	0.0	12.2	0.0	7.3
3.2	10.1	16.3	29.4	38.4	68.5	0.0	9.3	0.0	7.1	0.0	4.5
2.7	6.0	10.1	29.6	56.3	81.0	0.2	12.8	0.2	7.3	0.2	4.6
0.0	29.9	0.0	68.0	52.8	49.8	0.0	9.6	0.0	8.1	0.0	5.3
0.0	0.0	16.5	17.2	91.6	98.7	0.0	15.8	0.0	9.2	0.0	5.9
0.0	0.0	0.0	20.4	23.9	22.7	0.0	3.1	0.0	2.4	0.0	1.5
0.0	0.0	0.0	15.4	33.1	0.0	0.0	2.9	0.0	1.6	0.0	1.1
0.0	17.7	48.7	79.2	341.7	386.5	0.0	39.9	0.0	32.4	0.0	19.6
0.0	68.3	62.3	61.7	276.4	576.4	0.0	75.1	0.0	41.0	0.0	24.1
0.0	0.0	0.0	0.0	48.9	58.1	0.0	4.6	0.0	3.8	0.0	2.1
0.0	0.0	12.4	22.1	80.3	60.0	0.0	10.8	0.0	6.3	0.0	4.0
0.0	0.0	0.0	0.0	44.6	21.9	0.0	3.0	0.0	2.2	0.0	1.3
0.0	0.0	0.0	0.0	0.0	56.3	0.0	4.8	0.0	2.3	0.0	1.1
4.3	4.9	16.2	14.5	97.8	156.8	0.0	12.5	0.0	11.5	0.0	6.9
0.0	0.0	19.9	34.0	77.7	166.4	0.0	17.7	0.0	11.3	0.0	6.7
0.0	8.9	44.9	111.8	86.0	232.4	0.0	21.3	0.0	19.1	0.0	11.9
7.5	17.0	25.7	39.6	218.5	224.1	0.0	33.4	0.0	19.9	0.0	12.1
1.6	8.9	20.1	41.5	52.4	132.1	0.0	13.1	0.0	10.3	0.0	6.3
1.4	2.9	11.9	22.8	60.9	115.9	0.0	13.8	0.0	8.2	0.0	4.9
7.3	28.1	28.5	25.9	40.0	38.6	0.0	8.8	0.0	7.4	0.0	5.0
7.6	18.8	0.0	44.2	71.6	102.5	1.8	16.7	1.6	10.4	1.4	6.7
25.2	0.0	0.0	0.0	19.2	0.0	0.0	4.4	0.0	3.4	0.0	2.5
0.0	0.0	21.4	0.0	31.1	0.0	0.0	3.2	0.0	2.0	0.0	1.5
0.0	26.8	0.0	0.0	64.8	95.0	0.0	9.8	0.0	7.4	0.0	4.3
0.0	13.3	0.0	34.9	119.4	59.4	0.0	14.2	0.0	8.2	0.0	5.2
0.0	30.2	0.0	64.9	0.0	13.1	0.0	6.4	0.0	4.9	0.0	3.4
14.0	14.2	0.0	17.2	60.2	66.2	0.0	14.8	0.0	7.0	0.0	4.3
0.0	9.6	15.6	40.9	72.7	117.9	0.0	14.6	0.0	11.2	0.0	7.1
0.0	0.0	0.0	35.7	83.1	127.7	2.0	17.3	1.6	9.7	1.4	6.1
11.0	26.2	58.9	86.9	201.8	79.6	0.0	28.0	0.0	19.1	0.0	13.1
0.0	0.0	0.0	83.5	77.7	160.6	0.0	27.1	0.0	12.1	0.0	7.3
0.0	0.0	27.4	88.6	28.4	0.0	0.0	8.9	0.0	7.4	0.0	5.7
0.0	18.6	23.5	0.0	67.3	78.9	0.0	14.1	0.0	7.5	0.0	4.6
0.0	0.0	0.0	0.0	0.0	92.0	0.0	7.9	0.0	3.7	0.0	1.8
0.0	18.0	0.0	65.1	123.4	70.9	0.0	23.9	0.0	10.2	0.0	6.6
7.9	0.0	0.0	12.7	14.7	26.2	0.0	3.3	0.0	2.5	0.0	1.6
8.0	9.7	0.0	11.1	11.4	18.8	0.0	3.9	0.0	2.7	0.0	1.7
0.0	0.0	64.0	16.3	17.8	46.5	0.0	8.3	0.0	7.2	0.0	5.2
10.2	13.2	18.3	14.2	14.3	56.4	0.0	9.8	0.0	6.5	0.0	4.3
0.0	0.0	0.0	14.7	16.7	29.7	0.0	2.7	0.0	2.3	0.0	1.4
0.0	0.0	15.0	13.0	98.4	35.4	0.0	8.0	0.0	5.6	0.0	3.7
0.0	21.1	0.0	15.0	30.9	25.7	0.0	7.3	0.0	5.4	0.0	3.8
0.0	0.0	31.1	26.6	12.1	42.1	0.0	7.8	0.0	4.7	0.0	3.1
0.0	0.0	10.3	9.3	10.2	70.1	0.0	5.9	0.0	4.0	0.0	2.3
6.6	6.9	19.3	33.7	25.7	37.4	0.0	9.9	0.0	6.6	0.0	4.6
0.0	0.0	39.3	33.8	0.0	33.0	0.0	6.1	0.0	4.6	0.0	3.2
0.0	0.0	35.6	89.4	56.2	91.2	0.0	20.5	0.0	10.7	0.0	7.1
0.0	0.0	0.0	31.1	0.0	25.2	0.0	4.0	0.0	2.3	0.0	1.4
0.0	27.8	0.0	29.9	53.7	36.9	0.0	12.1	0.0	6.0	0.0	3.8
0.0	12.3	0.0	0.0	0.0	16.1	0.0	1.7	0.0	1.4	0.0	0.8
0.0	0.0	0.0	13.3	39.0	56.0	0.0	7.7	0.0	3.9	0.0	2.3
13.2	16.2	21.6	21.5	0.0	23.2	0.0	4.4	0.0	4.8	0.0	3.3
0.0	0.0	0.0	72.4	36.8	94.1	0.0	10.5	0.0	7.8	0.0	4.8

Tabela 21. Stope mortaliteta od dijabetesa tipa 2 na 100.000 stanovnika prema okruzima i uzrastu, Srbija, 2006. godina
Table 21. Mortality rates of diabetes type 2 per 100.000 population by region/administrative district, by age, Serbia, 2006

Okrug Region/District	Uzrast Age									
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija (Serbia)	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.4	1.3
Vojvodina (Vojvodina)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0
Centralna Srbija (Central Serbia)	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.4	1.8
Severno-bački (North Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	0.0
Srednje-banatski (Middle Banat)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Severno-banatski (North Banat)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Južno-banatski (South Banat)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zapadno-bački (West Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Južno-bački (South Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0
Sremski (Srem)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grad Beograd (City of Belgrade)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9
Mačvanski (Macva)	0.0	0.0	0.0	0.0	0.0	4.7	0.0	0.0	0.0	0.0
Kolubarski (Kolubara)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	0.0
Podunavski (Danube)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Braničevski (Branicevo)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Šumadijski (Sumadija)	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	8.8
Pomoravski (Morava)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	0.0
Borski (Bor)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.3	0.0
Zaječarski (Zajecar)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zlatiborski (Zlatibor)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Moravički (Moravica)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	6.0
Raški (Raska)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rasinski (Rasina)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.2
Nišavski (Nisava)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	3.9
Toplički (Toplica)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pirotski (Pirot)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Jablanički (Jablanica)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pčinjski (Pcinj)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Tabela 21. (nastavak)

Table 21. (continued)

		Uzrast				Mortalitet (Mortality)					
		Age				Sirova stopa		Standardizovana stopa			
						Crude rate		ASR-E		ASR-W	
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+	0-29	0-75+	0-29	0-75+
2.5	7.9	14.2	30.3	61.2	93.6	0.1	12.7	0.1	8.4	0.1	5.2
1.2	7.6	17.6	32.4	99.6	148.7	0.0	16.9	0.0	11.8	0.0	7.1
2.9	8.0	13.0	29.5	48.4	76.0	0.1	11.1	0.1	7.3	0.1	4.6
0.0	14.5	9.1	39.1	75.7	82.5	0.0	12.8	0.0	9.0	0.0	5.7
0.0	0.0	0.0	17.6	29.4	8.0	0.0	3.0	0.0	1.9	0.0	1.3
0.0	43.4	56.1	69.4	302.9	509.1	0.0	57.9	0.0	37.6	0.0	22.3
0.0	0.0	6.7	12.4	67.4	59.3	0.0	7.8	0.0	5.2	0.0	3.2
0.0	0.0	0.0	0.0	18.4	44.7	0.0	3.9	0.0	2.3	0.0	1.3
2.1	2.3	18.2	25.5	86.1	162.9	0.0	15.2	0.0	11.5	0.0	6.8
3.7	13.0	34.5	71.6	162.8	227.1	0.0	27.5	0.0	19.6	0.0	12.0
1.5	5.6	15.7	31.1	57.2	122.1	0.0	13.5	0.0	9.1	0.0	5.5
7.4	23.5	13.7	35.8	57.9	77.0	0.9	12.8	0.8	9.2	0.1	6.0
12.9	0.0	11.2	0.0	25.8	0.0	0.0	3.8	0.0	2.8	0.0	2.1
0.0	20.0	0.0	19.2	95.3	73.1	0.0	12.1	0.0	7.8	0.0	4.7
7.0	21.9	0.0	38.4	34.4	45.6	0.0	10.7	0.0	6.2	0.0	4.0
0.0	4.7	7.4	38.1	78.4	123.8	1.0	16.0	0.8	10.4	0.1	6.6
5.6	12.9	27.6	85.0	131.7	129.1	0.0	27.5	0.0	15.6	0.0	10.1
0.0	9.5	25.3	39.2	50.2	47.2	0.0	11.6	0.0	7.6	0.0	5.2
0.0	9.2	0.0	35.8	69.4	79.1	0.0	16.2	0.0	7.2	0.0	4.4
7.9	4.9	0.0	11.8	12.8	21.9	0.0	3.6	0.0	2.6	0.0	1.6
5.1	6.7	39.4	15.2	15.9	52.2	0.0	9.1	0.0	6.8	0.0	4.7
0.0	0.0	8.0	13.8	61.1	32.9	0.0	5.4	0.0	4.1	0.0	2.6
0.0	10.5	16.3	21.1	20.4	35.6	0.0	7.6	0.0	5.1	0.0	3.5
3.3	3.5	14.9	22.1	18.6	51.0	0.0	7.9	0.0	5.2	0.0	3.4
0.0	0.0	37.3	63.4	31.6	67.4	0.0	13.2	0.0	8.0	0.0	5.4
0.0	13.5	0.0	30.5	28.8	32.0	0.0	8.0	0.0	4.2	0.0	2.7
0.0	6.2	0.0	7.1	22.0	39.7	0.0	4.7	0.0	2.9	0.0	1.7
6.8	8.0	10.3	49.1	20.8	65.5	0.0	7.4	0.0	6.7	0.0	4.3

Tabela 22. Stope mortaliteta od svih tipova dijabetesa na 100.000 stanovnika prema okruzima, uzrastu i polu, Srbija, 2006. godina

Table 22. Mortality rates of diabetes per 100.000 population by region/administrative district, age and sex, Serbia, 2006

Okrug Region/District	Pol Sex	Uzrast Age									
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija	M (Male)	0.0	0.0	0.0	0.4	0.4	0.4	1.2	3.0	4.1	8.0
(Serbia)	Ž (Female)	0.0	0.0	0.0	0.0	0.8	2.0	0.4	1.3	2.0	3.3
Vojvodina	M (Male)	0.0	0.0	0.0	1.5	1.4	0.0	1.5	3.1	4.3	4.0
(Vojvodina)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.9	4.0
Centralna Srbija	M (Male)	0.0	0.0	0.0	0.0	0.0	0.5	1.1	2.9	4.0	9.6
(Central Serbia)	Ž (Female)	0.0	0.0	0.0	0.0	1.1	2.7	0.5	1.1	1.7	3.1
Severno-bački	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(North Backa)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	0.0
Srednje-banatski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Middle Banat)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Severno-banatski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.9	0.0	0.0
(North Banat)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.8	0.0
Južno-banatski	M (Male)	0.0	0.0	0.0	9.7	9.1	0.0	9.5	0.0	0.0	8.6
(South Banat)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6
Zapadno-bački	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(West Backa)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Južno-bački	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	14.7	9.5
(South Backa)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	0.0	0.0
Sremski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Srem)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8
Grad Beograd	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	7.6
(City of Belgrade)	Ž (Female)	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.8	0.0
Mačvanski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1
(Macva)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	9.9	0.0	9.8	0.0	0.0
Kolubarski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	16.7	0.0	15.1	0.0
(Kolubara)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Podunavski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.3
(Danube)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Braničevski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Branicevo)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Šumadijski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.3
(Sumadija)	Ž (Female)	0.0	0.0	0.0	0.0	10.0	9.9	0.0	0.0	0.0	0.0
Pomoravski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.0	12.9
(Morava)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Borski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.8	0.0
(Bor)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.8	0.0	0.0
Zaječarski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Zajecar)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	29.9	0.0	0.0	0.0	0.0
Zlatiborski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7
(Zlatibor)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8
Moravički	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.9	0.0
(Moravica)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	14.5	0.0	0.0	0.0	11.7
Raški	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	10.8	20.8
(Raska)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	9.3	9.6	0.0	0.0	9.8
Rasinski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	33.8
(Rasina)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.9	11.2
Nišavski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	7.8	8.3	8.3	15.5
(Nisava)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	7.9
Toplički	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Toplica)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pirotski	M (Male)	0.0	0.0	0.0	0.0	0.0	33.4	0.0	0.0	0.0	0.0
(Pirot)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.9
Jablanički	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.1	0.0
(Jablanica)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pčinjski	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.1
(Pcinj)	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Tabela 22. (nastavak)

Table 22. (continued)

		Uzrast / Age				Mortalitet (Mortality)					
						Sirova stopa / Crude rate		Standardizovana stopa			
								ASR-E		ASR-W	
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+	0-29	0-75+	0-29	0-75+
14.0	37.4	52.7	99.2	133.7	207.1	0.2	29.6	0.2	23.3	0.2	15.2
7.8	19.2	37.0	79.9	170.1	253.0	0.5	38.7	0.5	22.7	0.4	14.1
14.8	41.7	65.8	141.9	184.9	289.0	0.5	35.3	0.5	30.7	0.4	19.8
6.1	25.5	47.5	93.7	257.3	354.9	0.0	51.1	0.0	30.6	0.0	18.8
13.7	35.8	48.0	84.4	117.6	183.8	0.1	27.6	0.1	21.0	0.1	13.7
8.4	16.9	33.1	74.7	139.7	218.1	0.7	34.1	0.6	19.9	0.5	12.5
38.1	59.7	20.2	158.7	79.1	149.4	0.0	25.5	0.0	22.0	0.0	14.4
0.0	0.0	16.5	51.6	238.2	271.4	0.0	39.4	0.0	21.9	0.0	13.3
11.8	27.9	45.3	143.0	95.7	135.9	0.0	22.6	0.0	18.8	0.0	12.4
0.0	38.6	18.2	61.7	215.3	161.4	0.0	33.2	0.0	18.6	0.0	11.7
31.1	141.5	170.6	184.7	403.9	552.2	0.0	74.6	0.0	62.2	0.0	39.9
15.7	85.4	166.2	267.4	637.8	803.9	0.0	136.6	0.0	77.8	0.0	48.8
15.4	45.7	44.0	112.8	212.1	304.8	3.5	37.1	3.1	31.7	2.9	20.8
0.0	26.2	37.3	121.8	172.1	265.5	0.0	41.2	0.0	25.3	0.0	16.0
12.0	0.0	42.3	38.6	223.1	153.6	0.0	22.2	0.0	17.3	0.0	11.0
12.3	12.5	0.0	43.5	109.7	180.3	0.0	26.7	0.0	13.9	0.0	8.2
12.8	34.6	89.0	174.1	213.3	357.0	0.0	40.2	0.0	37.1	0.0	24.0
8.0	8.9	59.8	96.5	271.9	464.9	0.0	53.9	0.0	35.0	0.0	21.1
0.0	26.7	44.9	149.0	100.4	290.5	0.0	27.4	0.0	24.4	0.0	15.2
7.5	42.4	38.5	59.3	260.1	323.7	0.0	46.9	0.0	28.7	0.0	17.5
19.0	31.9	48.9	85.5	104.8	238.2	0.0	28.2	0.0	22.6	0.0	14.3
5.5	7.3	31.0	47.7	137.6	235.0	0.4	29.8	0.3	18.1	0.3	10.9
14.6	46.9	71.3	64.8	93.3	115.8	0.0	21.5	0.0	18.0	0.0	12.1
15.1	37.6	39.6	99.4	194.4	282.0	1.8	44.5	1.6	27.8	1.4	17.7
37.9	49.2	23.6	41.2	76.7	52.3	0.0	19.6	0.0	15.0	0.0	10.5
0.0	0.0	21.4	17.5	140.1	98.3	0.0	20.1	0.0	9.9	0.0	6.1
0.0	80.4	89.5	42.9	151.2	209.0	0.0	30.4	0.0	24.8	0.0	16.1
0.0	26.5	0.0	34.9	170.5	142.6	0.0	24.7	0.0	13.8	0.0	8.4
13.9	90.5	0.0	86.6	80.4	143.9	0.0	27.6	0.0	18.0	0.0	11.4
28.1	28.3	19.1	17.2	150.4	190.3	0.0	38.5	0.0	17.4	0.0	10.6
0.0	38.2	15.6	68.1	101.8	183.3	0.0	23.0	0.0	17.5	0.0	11.0
7.5	0.0	42.8	83.3	106.8	204.4	4.0	30.6	3.2	18.8	2.8	12.4
11.0	26.2	98.2	121.6	252.3	212.4	0.0	44.7	0.0	30.1	0.0	20.1
11.2	25.3	34.7	125.3	116.5	279.0	0.0	48.9	0.0	23.7	0.0	14.6
0.0	19.6	54.8	88.6	85.3	140.8	0.0	23.6	0.0	17.3	0.0	11.5
0.0	18.6	70.4	70.2	179.5	221.0	0.0	42.4	0.0	23.3	0.0	15.0
0.0	18.9	104.7	52.9	211.4	239.1	0.0	44.5	0.0	24.4	0.0	15.5
0.0	18.0	0.0	108.4	205.7	260.0	5.5	58.2	4.9	24.1	4.3	15.7
31.5	19.9	13.9	38.1	102.8	78.7	0.0	15.9	0.0	12.5	0.0	8.2
24.0	19.4	0.0	44.2	45.5	75.1	0.0	14.3	0.0	9.6	0.0	6.2
10.1	26.8	85.4	48.8	71.3	201.6	0.0	25.9	0.0	19.7	0.0	12.7
10.2	13.2	36.6	71.1	57.3	180.5	2.7	27.7	2.4	17.0	2.1	11.3
0.0	23.3	0.0	73.7	150.6	207.6	0.0	23.3	0.0	20.1	0.0	12.8
0.0	22.4	59.9	64.9	210.9	153.4	1.6	27.9	1.5	21.4	1.3	14.4
18.0	52.6	85.1	225.3	216.6	321.9	0.0	56.9	0.0	40.3	0.0	26.7
18.5	42.0	31.1	172.7	230.4	370.5	0.0	67.0	0.0	35.7	0.0	22.5
19.7	28.3	30.8	74.5	101.7	192.8	0.0	29.6	0.0	21.2	0.0	13.9
6.6	27.8	57.8	109.6	111.4	218.2	0.0	38.5	0.0	22.6	0.0	14.6
0.0	0.0	117.9	135.2	108.5	33.0	0.0	22.3	0.0	15.9	0.0	11.6
30.1	0.0	35.6	208.6	168.6	319.3	0.0	59.4	0.0	30.1	0.0	18.9
0.0	26.2	71.1	186.7	124.3	151.1	6.3	39.6	5.4	24.7	4.8	17.7
0.0	55.5	0.0	59.8	134.3	129.3	0.0	34.2	0.0	17.0	0.0	11.1
0.0	24.6	0.0	76.5	117.8	64.6	0.0	16.3	0.0	11.5	0.0	7.7
0.0	12.6	33.3	93.4	129.9	224.1	0.0	34.1	0.0	19.0	0.0	11.7
13.2	48.5	43.2	64.4	24.0	115.9	0.0	13.9	0.0	14.8	0.0	9.8
14.1	15.7	59.4	90.5	91.9	188.2	0.0	23.5	0.0	18.8	0.0	12.0

Tabela 23. Stope mortaliteta od svih tipova dijabetesa na 100.000 stanovnika prema okruzima i uzrastu, Srbija, 2006. godina
Table 23. Mortality rates of diabetes per 100.000 population by region/administrative district, by age, Serbia, 2006

Okrug Region/District	Uzrast Age									
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija (Serbia)	0.0	0.0	0.0	0.2	0.6	1.2	0.8	2.1	3.1	5.6
Vojvodina (Vojvodina)	0.0	0.0	0.0	0.8	0.7	0.0	0.7	2.3	3.6	4.0
Centralna Srbija (Central Serbia)	0.0	0.0	0.0	0.0	0.5	1.6	0.8	2.0	2.8	6.3
Severno-bački (North Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	0.0
Srednje-banatski (Middle Banat)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Severno-banatski (North Banat)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2	8.8	0.0
Južno-banatski (South Banat)	0.0	0.0	0.0	5.0	4.7	0.0	4.9	0.0	0.0	13.0
Zapadno-bački (West Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Južno-bački (South Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	7.2	4.6
Sremski (Srem)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9
Grad Beograd (City of Belgrade)	0.0	0.0	0.0	0.0	0.9	0.0	0.0	1.9	1.0	3.5
Mačvanski (Macva)	0.0	0.0	0.0	0.0	0.0	4.7	0.0	4.9	0.0	4.1
Kolubarski (Kolubara)	0.0	0.0	0.0	0.0	0.0	0.0	8.6	0.0	7.6	0.0
Podunavski (Danube)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6
Braničevski (Branicevo)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Šumadijski (Sumadija)	0.0	0.0	0.0	0.0	4.9	4.8	0.0	0.0	0.0	8.8
Pomoravski (Morava)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	6.4
Borski (Bor)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.5	11.3	0.0
Zaječarski (Zajecar)	0.0	0.0	0.0	0.0	0.0	13.9	0.0	0.0	0.0	0.0
Zlatiborski (Zlatibor)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.7
Moravički (Moravica)	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	6.8	6.0
Raški (Raska)	0.0	0.0	0.0	0.0	0.0	4.7	4.9	5.2	5.3	15.1
Rasinski (Rasina)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	6.6	22.5
Nišavski (Nisava)	0.0	0.0	0.0	0.0	0.0	0.0	3.9	4.2	8.2	11.8
Toplički (Toplica)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pirotski (Pirot)	0.0	0.0	0.0	0.0	0.0	17.6	0.0	0.0	0.0	14.1
Jablanički (Jablanica)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	0.0
Pčinjski (Pcinj)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7

Tabela 23. (nastavak)

Table 23. (continued)

| | | Uzrast / Age | | | | Mortalitet (Mortality) | | | | | |
| | | | | | | Sirova stopa / Crude rate | | Standardizovana stopa / ASR-E | | ASR-W | |
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+	0-29	0-75+	0-29	0-75+
10.9	28.0	44.4	88.6	154.3	235.2	0.4	34.3	0.3	23.2	0.3	14.7
10.4	33.3	55.8	114.8	227.2	331.5	0.3	43.4	0.2	31.0	0.2	19.5
11.0	26.0	40.1	79.1	130.0	204.4	0.4	30.9	0.3	20.6	0.3	13.1
18.8	29.1	18.2	97.8	173.0	231.0	0.0	32.7	0.0	22.8	0.0	14.3
6.0	33.5	30.3	96.6	166.4	152.4	0.0	28.0	0.0	18.9	0.0	12.1
23.4	112.9	168.2	231.2	542.7	714.6	0.0	106.3	0.0	72.3	0.0	45.6
7.8	35.7	40.4	117.8	188.6	280.1	1.8	39.2	1.6	28.2	0.1	18.2
12.2	6.4	19.7	41.4	156.5	171.2	0.0	24.5	0.0	15.4	0.0	9.4
10.3	21.0	73.0	130.5	247.2	426.1	0.0	47.3	0.0	36.5	0.0	22.7
3.7	34.8	41.5	99.1	192.9	311.6	0.0	37.3	0.0	26.9	0.0	16.5
11.8	18.4	39.1	64.5	123.3	236.3	0.2	29.1	0.1	20.1	0.0	12.5
14.9	42.2	54.9	83.5	150.5	215.6	0.9	33.1	0.8	23.8	0.1	15.4
19.4	24.7	22.4	28.3	111.7	79.2	0.0	19.9	0.0	12.7	0.0	8.5
0.0	53.3	42.0	38.5	162.0	168.1	0.0	27.5	0.0	18.9	0.0	12.0
21.0	58.4	10.4	47.9	120.4	172.3	0.0	33.2	0.0	17.9	0.0	11.1
3.7	18.7	29.8	76.2	104.6	196.1	1.9	26.9	1.6	18.2	0.1	11.7
11.1	25.8	64.5	123.6	175.6	253.0	0.0	46.9	0.0	26.9	0.0	17.3
0.0	19.1	63.2	78.3	138.0	188.8	0.0	33.2	0.0	20.7	0.0	13.5
0.0	18.4	49.4	83.4	208.2	251.8	2.6	51.6	2.3	24.2	0.2	15.5
27.8	19.7	6.7	41.4	70.5	76.6	0.0	15.1	0.0	10.9	0.0	7.2
10.2	20.0	59.1	60.7	63.6	189.4	1.3	26.8	1.1	18.2	0.1	11.9
0.0	22.9	32.0	69.0	183.4	177.4	0.8	25.6	0.8	20.8	0.1	13.7
18.3	47.3	56.9	197.4	224.3	351.3	0.0	62.1	0.0	38.1	0.0	24.6
13.2	28.0	44.7	92.9	106.9	207.6	0.0	34.1	0.0	22.0	0.0	14.3
14.2	0.0	74.7	174.2	142.3	202.3	0.0	40.7	0.0	24.1	0.0	15.8
0.0	40.5	36.2	122.0	129.7	138.5	3.3	37.0	2.9	20.8	0.3	14.3
0.0	18.7	17.2	85.5	124.7	158.7	0.0	25.2	0.0	15.9	0.0	10.0
13.6	31.9	51.7	78.5	62.5	159.0	0.0	18.7	0.0	17.3	0.0	11.2

V Literatura

V References

1. Sicree R, Shaw JE, Zimmet PZ. The Global Burden of diabetes. In: Gan D, ed. Diabetes Atlas. 3rd ed. Brussels: International Diabetes Federation, 2006.p.10-153.

2. Yliharsila H, Lindstrom J, Eriksson JG et al. Prevalence of Diabetes and impaired glucose regulation in 45- to 64-year-old individuals in three areas of Finland. Diabet Med 2005; 22:88-91.

3. Ford ES. Risks for all-cause mortality, cardiovascular disease, and diabetes associated with the metabolic syndrome: a summary of the evidence. Diabetes Care 2005; 28:1769–1778.

4. McEwan P, Williams JE, Griffiths A et al. Evaluating the performance of the Framingham risk equations in a population with diabetes. Diabet Med 2004; 21:318–323.

5. Harris MI, Goldstein DE, Flegal KM et al. Prevalence of diabetes, impaired fasting glucose, and impaired glucose tolerance in U.S. adults: the Third National Health and Nutritional Survey, 1988-1994. Diabetes Care 1998, 21:518-524.

6. Zdravstveno-statistički godišnjak Republike Srbije, 2006. Beograd: Institut za javno zdravlje Srbije, 2007, u štampi.

7. Atanasković-Marković Z, Bjegović V, Janković S i dr. The Burden of Disease and Injury in Serbia. Belgrade: Ministry of Health of the Republic of Serbia, 2003.

8. Atlas of health in Europe. World Health Organization. Regional Office for Europe: Copenhagen, Denmark, 2003.

9. Fuller JH, Elford J, Goldblatt P, Andelstein AM. Diabetes mortality: new light on an underestimated public health problem. Diabetologia 1983; 24: 336-341.

10. Morrish NJ, Wang SL, Stevens LK et al. Mortality and causes of death in the WHO Multinational Study of Vascular Disease in Diabetes. Diabetologia 2001; 44 (Suppl 2): S14-S21.

11. Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus. Diabetes Care 2002; 25: S5-S20.

12. Bennett P, Knowler W. Definition, Diagnosis, and Classification of Diabetes Mellitus and Glucose Homeostasis. In: Kahn R, Weir G, King G, Jacobson A, Moses A, Smith R, eds. Joslin's Diabetes Mellitus selected Chapters. 14th ed. Boston: Lippincott Williams and Wilkins, 2005.p.105-113.

13. Republička stručna komisija za izradu i implementaciju vodiča u kliničkoj praksi, Ministarstvo zdravlja Republike Srbije, Srpsko lekrsko društvo. Prevencija tipa 2 dijabetesa - Nacionalni vodič za lekare u primarnoj zdravstvenoj zaštiti. EAR, Beograd: Srpko lekarsko društvo, 2005.

14. Savezni zavod za zdravstvenu zaštitu. Međunarodna klasifikacija bolesti, povreda i uzroka smrti, IX revizija. Niš: Institut za dokumentaciju zaštite na radu, 1978.

15. Savezni zavod za zaštitu i unapređenje zdravlja. Međunarodna klasifikacija bolesti, X revizija. Beograd: Savremena administracija, 1996.

16. LaPorte RE, McCarty D, Bruno C et al. Counting diabetes in the next millennium. Aplication of capture-recapture technology. Diabetes Care 1993; 16:528-534.

17. Savezni zavod za zaštitu i unapređenje zdravlja. Pravilnik o sredstvima za vođenje evidencija u oblasti zdravstva. Obrazac br. DI-08/2, Beograd, 2000.

18. Rothman KJ, Greenland S. Modern epidemiology. Philadelphia: Lippincott Raven, 1996.

19. Ahmad O, Boschi-Pinto, Lopez A, Murray C et al. Age Standardization of rates: A New WHO Standard. Geneva: World Health Organization, 2000.