



Incidencija i mortalitet od dijabetesa u Srbiji

Incidence and mortality of diabetes in Serbia

2010

Registar za dijabetes u Srbiji
Serbian Diabetes Registry

Izveštaj br. 5
Report N^o. 5

ISBN 978-86-7358-040-1



Institut za javno zdravlje Srbije „Dr Milan Jovanović Batut”
Institute of Public Health of Serbia “Dr Milan Jovanovic Batut”



Incidencija i mortalitet od dijabetesa u Srbiji

Incidence and mortality of diabetes in Serbia

2010

Registar za dijabetes u Srbiji
Serbian Diabetes Registry

Izveštaj br. 5
Report N° 5

ISBN 978-86-7358-040-1



Institut za javno zdravlje Srbije „Dr Milan Jovanović Batut”
Institute of Public Health of Serbia “Dr Milan Jovanovic Batut”

Izdavač / Published by

Institut za javno zdravlje Srbije „Dr Milan Jovanović Batut”
“Dr Milan Jovanovic Batut” Institute of Public Health of Serbia

Direktor / Director

dr sc. med. Tanja Knežević
Tanja Knezevic, MD, PhD

Odeljenje za prevenciju i kontrolu nezaraznih bolesti**Department for Prevention and Control of Noncommunicable Diseases**

Mr sc. med. Dragan Miljuš – šef / Dragan Miljus, MD, M.Sc. – Head of Department

Dr Ivana Rakočević – Republički koordinator Registra za dijabetes u Srbiji /

Ivana Rakocevic, MD – Principal coordinator of Serbian Diabetes Registry

Dr Snežana Plavšić / Snezana Plavsic, MD

Dr Snežana Živković / Snežana Zivkovic, MD

Mr sc. med. Nataša Mickovski Katalina / Natasa Mickovski Katalina, MD, M.Sc

Dr Jelena Janković/ Jelena Jankovic MD

Zorica Božić, viši dijetetski nutricionista / Zorica Bozic, senior dietitian nutritionist

Sanja Savković, inženjer statistike / Sanja Savkovic, statistics engineer

Uređivački odbor / Editorial board

Dr Ivana Rakočević / Ivana Rakocevic, MD

Mr sc. med. Dragan Miljuš / Dragan Miljus, MD, M.Sc.

Dr Snežana Plavšić / Snezana Plavsic, MD

Zorica Božić, viši dijetetski nutricionista / Zorica Bozic, senior dietitian nutritionist

Dizajn i priprema za štampu / Design and pre-press

Dr Ivana Rakočević / Ivana Rakocevic, MD

Zorica Božić, viši dijetetski nutricionista / Zorica Bozic, senior dietitian nutritionist

Informatička podrška / IT support

Dipl. matematičar Neda Stojanović / Neda Stojanovic, B.Sc. Mathematics

Lektor / Language editor

Mr Tamara Gruden / Tamara Gruden, M.Sc.

Prevodilac / Translator

Vesna Kostić / Vesna Kostic

Korespodencija / Correspondence to

Dr Ivana Rakočević / Ivana Rakocevic, MD

Institut za javno zdravlje Srbije „Dr Milan Jovanović Batut”/ “Dr Milan Jovanovic Batut”

Institute of Public Health of Serbia

Dr Subotića 5, 11 000 Beograd, Srbija / Dr Subotica 5, 11 000 Belgrade, Serbia

ivana_rakocevic@batut.org.rs

ZAHVALNICA

Zahvaljujemo se dr Tanji Knežević, direktoru Instituta za javno zdravlje Srbije,
i direktorima mreže zavoda za javno zdravlje u Srbiji
na podršci i doprinosu u izradi ove publikacije.

ACKNOWLEDGMENT

We express our appreciation to Dr Tanja Knezevic, the director of the Institute of Public Health of Serbia, as well as to directors of Public Health Institutes Network in Serbia for the support and contribution related to this publication.

Koordinatori okružnih Registarara za dijabetes / Coordinators of Diabetes

Registries by administrative districts in Serbia:

Zavod za javno zdravlje Subotica / Institute of Public Health Subotica

Dr Dragica Kovačević Beriđ, specijalista epidemiologije / Dragica Kovacevic Beric, MD, specialist in epidemiology

Tatjana Bobiđ, viši sanitarni tehničar / Tatjana Bobic, senior sanitary technician

Jelica Temunović, medicinska sestra / Jelica Temunovic, nurse

Zavod za javno zdravlje Zrenjanin / Institute of Public Health Zrenjanin

Dr Melita Dimitriđ, specijalista epidemiologije / Melita Dimitric, MD, specialist in epidemiology

Dr Radivoj Filipov, specijalista epidemiologije / Radivoj Filipov, MD, specialist in epidemiology

Aleksandar Belić, viši sanitarni tehničar / Aleksandar Belic, senior sanitary technician

Dragana Bobiđ, viši sanitarni tehničar / Dragana Bobic, senior sanitary technician

Zavod za javno zdravlje Kikinda / Institute of Public Health Kikinda

Dr Sanja Brusin Beloš, specijalista higijene / Sanja Brusin Belos, MD, specialist in hygiene

Snežana Kukiđ, medicinska sestra / Snezana Kukic, nurse

Zavod za javno zdravlje Pančevo / Institute of Public Health Pancevo

Dr Tanja Todorović, specijalista epidemiologije / Tanja Todorovic, MD, specialist in epidemiology

Nenad Sokolović, viši sanitarni tehničar / Nenad Sokolovic, senior sanitary technician

Zavod za javno zdravlje Sombor / Institute of Public Health Sombor

Dr Nataša Drča, specijalista socijalne medicine / Natasa Drca, MD, specialist in social medicine

Davorka Bosnić Dunjiđ, diplomirani psiholog / Davorka Bosnic Dunjic, psychologist

Zavod za javno zdravlje Novi Sad / Institute of Public Health Novi Sad

Dr sc. med. Miodrag Arsiđ, specijalista socijalne medicine / Miodrag Arsic, PhD, M. Sc. specialist in social medicine

Jela Majkiđ, viši sanitarni tehničar / Jela Majkic, senior sanitary technician

Zavod za javno zdravlje Sremska Mitrovica / Institute of Public Health Sremska Mitrovica

dr Nada Zec Petković, specijalista socijalne medicine / Nada Zec Petkovic, MD, specialist in social medicine

Nikola Sapun, dipl. informatičar / Nikola Sapun, IT engineer

Snežana Beluševiđ, medicinska sestra / Snezana Belusevic, nurse

Zavod za javno zdravlje Šabac / Institute of Public Health Sabac

Dr Branka Gajiđ, specijalista socijalne medicine / Branka Gajic, MD, specialist in social medicine

Vesna Maksimović, viši sanitarni tehničar / Vesna Maksimovic, senior sanitary technician

Zavod za javno zdravlje Valjevo / Institute of Public Health Valjevo

Mr sc. med. Zoran Sobek, specijalista higijene / Zoran Sobek, MD, M. Sc. specialist in hygiene

Sladana Stanković, viši sanitarni tehničar / Sladjana Stankovic, senior sanitary technician

Zavod za javno zdravlje Požarevac / Institute of Public Health Pozarevac

Dr Goran Nikoliđ, specijalista epidemiologije / Goran Nikolic, MD, specialist in epidemiology

Srđan Klimek, viši sanitarni tehničar / Srdjan Klimek, senior sanitary technician

Institut za javno zdravlje Kragujevac / Institute of Public Health Kragujevac

Prof. dr Vesna Pantović, Dr sc. med, specijalista epidemiologije / Prof. Vesna Pantovic, MD, PhD, specialist in epidemiology

Ass. dr Gordana Đorđević, Dr sc. med, specijalista epidemiologije / Ass. Prof. Gordana Djordjevic, MD, PhD, specialist in epidemiology

Gordana Gavrilović, sanitarni tehničar / Gordana Gavrilovic, sanitary technician

Zavod za javno zdravlje Čuprija / Institute of Public Health Cuprija

Dr Vesna Stefanović, specijalista epidemiologije / Vesna Stefanovic, MD, specialist in epidemiology

Sonja Anđelković, viši sanitarni tehničar / Sonja Andjelkovic, senior sanitary technician

Zavod za javno zdravlje Zaječar / Institute of Public Health Zajecar

Dr Svetlana Živković, specijalista epidemiologije / Svetlana Zivkovic, MD, specialist in epidemiology

Nena Đorđević, sanitarni tehničar / Nena Djordjevic, sanitary technician

Zavod za javno zdravlje Užice / Institute of Public Health Uzice

Dr Aleksandra Andrić, specijalista epidemiologije / Aleksandra Andric, MD, specialist in epidemiology

Ivana Jeftović, sanitarni tehničar / Ivana Jeftovic, sanitary technician

Zavod za javno zdravlje Čačak / Institute of Public Health Cacak

Dr Aksentije Tošić, specijalista epidemiologije / Aksentije Tosic, MD, specialist in epidemiology

Nada Tarailo, viši sanitarni tehničar / Nada Tarailo, senior sanitary technician

Zavod za javno zdravlje Kraljevo / Institute of Public Health Kraljevo

Dr Vladan Šaponjić, specijalista epidemiologije / Vladan Saponjic, MD, specialist in epidemiology

Dr Verica Đukić, specijalista epidemiologije / Verica Djukic, MD, specialist in epidemiology

Bora Ivanović, viši sanitarni tehničar / Bora Ivanovic, senior sanitary technician

Zavod za javno zdravlje Kruševac / Institute of Public Health Krusevac

Dr Mirjana Avramović, specijalista epidemiologije / Mirjana Avramovic, MD, specialist in epidemiology

Verica Mijailović, viši sanitarni tehničar / Verica Mijailovic, senior sanitary technician

Zorica Živković, sanitarni tehničar / Zorica Zivkovic, sanitary technician

Institut za javno zdravlje Niš / Institute of Public Health Nis

Ass dr Zorana Deljanin, Mr sc. med, specijalista epidemiologije / Ass dr Zorana Deljanin, MD, M. Sc. specialist in epidemiology

Bojan Stojadinović, sanitarno ekološki inženjer specijalista / Bojan Stojadinovic, professional sanitary and ecological engineer - specialist

Zavod za javno zdravlje Pirot / Institute of Public Health Pirot

Dr Radmila Zec, specijalista epidemiologije / Radmila Zec, MD, specialist in epidemiology

Danijela Kostić, viši sanitarni tehničar / Danijela Kostic, senior sanitary technician

Maja Živković, sanitarni tehničar / Maja Zivkovic, sanitary technician

Zavod za javno zdravlje Leskovac / Institute of Public Health Leskovac

Dr Zorana Kulić, specijalista epidemiologije / Zorana Kulic, MD, specialist in epidemiology

Dr Jadranka Krasić, specijalista epidemiologije / Jadranka Krasic, MD, specialist in epidemiology

Violeta Kostić, sanitarni tehničar / Violeta Kostic, sanitary technician

Marija Đorđević, sanitarni tehničar / Marija Djordjevic, sanitary technician

Zavod za javno zdravlje Vranje / Institute of Public Health Vranje

Dr Svetlana Stojanović, specijalista socijalne medicine / Svetlana Stojadinovic, MD, specialist in social medicine

Vesna Stevanović, medicinska sestra / Vesna Stevanovic nurse

Gradski zavod za javno zdravlje Beograd / Institute of Public Health Beograd

Dr Svetlana Trtica, specijalista socijalne medicine / Svetlana Trtica, MD, specialist in social medicine

Olja Vučković, medicinska sestra / Olja Vuckovic, nurse

SARDŽAJ / TABLE OF CONTENTS

I Uvod I Introduction

II Metod II Method

III Definicije III Definitions

IV Slike i tabele IV Figures and tables

IVa Stanovništvo Srbije u 2010. godini IVa Population of Serbia, 2010

Tabela 3. Broj stanovnika u okruzima Srbije prema polu, 2010. godina
Table 3. Population of Serbia by administrative districts, by sex, 2010

Slika 1. Broj stanovnika Srbije prema uzrastu i polu, 2010. godina
Figure 1. Population of Serbia by age and sex, 2010

IVb Prijavljivanje novodijagnostikovanih osoba sa dijabetesom prema nivoima zdravstvene delatnosti u Srbiji, 2010. godina IVb Reporting of newly diagnosed cases of diabetes by levels of health care in Serbia, 2010

Slika 2. Prijavljivanje novodijagnostikovanih osoba sa tipom 1 dijabetesa prema nivoima zdravstvene delatnosti u Srbiji, 2010. godina
Figure 2. Reporting of newly diagnosed cases of type 1 diabetes by levels of health care in Serbia, 2010

Slika 3. Prijavljivanje novodijagnostikovanih osoba sa tipom 1 dijabetesa prema nivoima zdravstvene delatnosti i okruzima u Srbiji, 2010. godina
Figure 3. Reporting of newly diagnosed cases of type 1 diabetes by levels of health care and administrative districts, Serbia, 2010

Slika 4. Prijavljivanje novodijagnostikovanih osoba sa tipom 2 dijabetesa prema nivoima zdravstvene delatnosti u Srbiji, 2010. godina
Figure 4. Reporting of newly diagnosed cases of type 2 diabetes by levels of health care in Serbia, 2010

Slika 5. Prijavljivanje novodijagnostikovanih osoba sa tipom 2 dijabetesa prema nivoima zdravstvene delatnosti i okruzima u Srbiji, 2010. godina

Figure 5. Reporting of newly diagnosed cases of type 2 diabetes by levels of health care and administrative districts, Serbia, 2010

IVc Umiranje od dijabetesa u Srbiji, 1990, 2000, i 2010. godina

IVc Diabetes related deaths in Serbia, 1990, 2000 and 2010

Slika 6. Vodeći uzroci umiranja u Srbiji, 1990, 2000, i 2010. godina

Figure 6. The leading causes of death in Serbia, 1990, 2000 and 2010

Slika 7. Standardizovane stope mortaliteta od dijabetesa na 100.000 stanovnika, Srbija, 1990-2010. godina

Figure 7. Standardized diabetes mortality rates per 100.000 population, Serbia, 1990-2010

Slika 8. Standardizovane stope mortaliteta od dijabetesa na 100.000 stanovnika prema polu, Srbija, 1990-2010. godina

Figure 8. Standardized diabetes mortality rates per 100.000 population by sex, Serbia, 1990-2010

IVd Stope incidencije i mortaliteta od dijabetesa u Srbiji, 2010. godina

IVd Diabetes incidence and mortality rates in Serbia, 2010

Slika 9. Standardizovane stope incidencije od tipa 1 dijabetesa na 100.000 stanovnika za uzrast 0-14 godina, Srbija, 2010. godina

Figure 9. Age-standardized incidence rates of type 1 diabetes per 100.000 population ages 0-14, Serbia, 2010

Slika 10. Uzrasno specifične stope incidencije od tipa 1 dijabetesa na 100.000 stanovnika za uzrast 0-14 godina, Srbija, 2009. godina

Figure 10. Age-specific incidence rates of type 1 diabetes per 100.000 population ages 0-14, Serbia, 2009

Slika 11. Standardizovane stope incidencije od tipa 2 dijabetesa na 100.000 stanovnika, Srbija, 2010. godina

Figure 11. Standardized incidence rates of type 2 diabetes per 100.000 population, Serbia, 2009

Slika 12. Uzrasno specifične stope incidencije od tipa 2 dijabetesa na 100.000 stanovnika, Srbija, 2010. godina

Figure 12. Age-specific incidence rates of type 2 diabetes per 100.000 population, Serbia, 2010

Slika 13. Standardizovane stope mortaliteta od svih tipova dijabetesa na 100.000 stanovnika, Srbija, 2010. godina

Figure 13. Standardized diabetes mortality rates per 100.000 population, Serbia, 2010

Slika 14. Uzrasno specifične stope mortaliteta od svih tipova dijabetesa na 100.000 stanovnika, Srbija, 2010. godina

Figure 14. Age-specific diabetes mortality rates per 100.000 population, Serbia, 2010

IVe Broj novodijagnostikovanih osoba i incidencija od dijabetesa u Srbiji, 2010. godina

IVe Number of newly diagnosed cases and incidence of diabetes in Serbia, 2010

Tabela 4. Broj novodijagnostikovanih osoba sa tipom 1 dijabetesa prema okruzima, uzrastu i polu, Srbija, 2010. godina

Table 4. Number of newly diagnosed cases of type 1 diabetes by region/administrative district, age and sex, Serbia, 2010

Tabela 5. Broj novodijagnostikovanih osoba sa tipom 1 dijabetesa prema okruzima i uzrastu, Srbija, 2010. godina

Table 5. Number of newly diagnosed cases of type 1 diabetes by region/administrative district and by age, Serbia, 2010

Tabela 6. Broj novodijagnostikovanih osoba sa tipom 2 dijabetesa prema okruzima, uzrastu i polu, Srbija, 2010. godina

Table 6. Number of newly diagnosed cases of type 2 diabetes by region/administrative district, age and sex, Serbia, 2010

Tabela 7. Broj novodijagnostikovanih osoba sa tipom 2 dijabetesa prema okruzima i uzrastu, Srbija, 2010. godina

Table 7. Number of newly diagnosed cases of type 2 diabetes by region/administrative districts and by age, Serbia, 2010

Tabela 8. Stope incidencije od tipa 1 dijabetesa na 100.000 stanovnika, prema okruzima, uzrastu i polu, Srbija, 2010. godina

Table 8. Incidence rates of type 1 diabetes per 100.000 population by region/administrative district, age and sex, Serbia, 2010

Tabela 9. Stope incidencije od tipa 1 dijabetesa na 100.000 stanovnika prema okruzima i uzrastu, Srbija, 2010. godina

Table 9. Incidence rates of type 1 diabetes per 100.000 population by region/administrative district, by age, Serbia, 2010

Tabela 10. Stope incidencije od tipa 2 dijabetesa na 100.000 stanovnika prema okruzima, uzrastu i polu, Srbija, 2010. godina

Table 10. Incidence rates of type 2 diabetes per 100.000 population by region/administrative district, age and sex, Serbia, 2010

Tabela 11. Stope incidencije od tipa 2 dijabetesa na 100.000 stanovnika prema okruzima i uzrastu, Srbija, 2010. godina

Table 11. Incidence rates of type 2 diabetes per 100.000 population by region/administrative district, by age, Serbia, 2010

IVf Broj umrlih i stope mortaliteta od dijabetesa u Srbiji, 2010. godina
IVf Number of deaths and diabetes mortality rates in Serbia, 2010

Tabela 12. Broj umrlih od dijabetesa tipa 1 prema okruzima, uzrastu i polu, Srbija, 2010. godina

Table 12. Number of deaths caused by type 1 diabetes by region/administrative district, age and sex, Serbia, 2010

Tabela 13. Broj umrlih od tipa 1 dijabetesa prema okruzima i uzrastu, Srbija, 2010. godina

Table 13. Number of deaths caused by type 1 diabetes by region/administrative district and by age, Serbia, 2010

Tabela 14. Broj umrlih od tipa 2 dijabetesa prema okruzima, uzrastu i polu, Srbija, 2010. godina

Table 14. Number of deaths caused by type 2 diabetes by region/administrative district, age and sex, Serbia, 2010

Tabela 15. Broj umrlih od tipa 2 dijabetesa prema okruzima i uzrastu, Srbija, 2010. godina

Table 15. Number of deaths caused by type 2 diabetes by region/administrative district and by age, Serbia, 2010

Tabela 16. Broj umrlih od svih tipova dijabetesa prema okruzima, uzrastu i polu, Srbija, 2010. godina

Table 16. Number of deaths caused by diabetes (all types) by region/administrative district, age and sex, Serbia, 2010

Tabela 17. Broj umrlih od svih tipova dijabetesa prema okruzima i uzrastu, Srbija, 2010. godina

Table 17. Number of deaths caused by diabetes (all types) by region/administrative district, by age, Serbia, 2010

Tabela 18. Stope mortaliteta od tipa 1 dijabetesa na 100.000 stanovnika prema okruzima, uzrastu i polu, Srbija, 2010. godina

Table 18. Mortality rates of type 1 diabetes per 100.000 population by region/administrative district, age and sex, Serbia, 2010

Tabela 19. Stope mortaliteta od tipa 1 dijabetesa na 100.000 stanovnika prema okruzima i uzrastu, Srbija, 2010. godina

Table 19. Mortality rates of type 1 diabetes per 100.000 population by region/administrative district, by age, Serbia, 2010

Tabela 20. Stope mortaliteta od tipa 2 dijabetesa na 100.000 stanovnika prema okruzima, uzrastu i polu, Srbija, 2010. godina

Table 20. Mortality rates of type 2 diabetes per 100.000 population by region/administrative district, age and sex, Serbia, 2010

Tabela 21. Stope mortaliteta od tipa 2 dijabetesa na 100.000 stanovnika prema okruzima i uzrastu, Srbija, 2010. godina

Table 21. Mortality rates of type 2 diabetes per 100.000 population by region/administrative district, by age, Serbia, 2010

Tabela 22. Stope mortaliteta od svih tipova dijabetesa na 100.000 stanovnika prema okruzima, uzrastu i polu, Srbija, 2010. godina

Table 22. Mortality rates of diabetes (all types) per 100.000 population by region/administrative district, by age and sex, Serbia, 2010

Tabela 23. Stope mortaliteta svih tipova dijabetesa na 100.000 stanovnika prema okruzima i uzrastu, Srbija, 2010. godina

Table 23. Mortality rates of diabetes per 100.000 population by region/ administrative district, by age, Serbia, 2010

IVg Faktori rizika i komplikacije kod novodijagnostikovanih osoba sa tipom 2 dijabetesa uzrasta 20 i više godina u Srbiji, 2010. godina
IVg Risk factors and complications in newly diagnosed type 2 diabetes patients aged 20 years and over in Serbia, 2010

Tabela 24. Faktori rizika kod novodijagnostikovanih osoba sa tipom 2 dijabetesa uzrasta 20 i više godina, prema okruzima i polu, Srbija, 2010. godina

Table 24. Risk factors in newly diagnosed type 2 diabetes patients aged 20 years and over, by administrative district and sex, Serbia, 2010

Tabela 25. Faktori rizika kod novodijagnostikovanih osoba sa tipom 2 dijabetesa uzrasta 20 i više godina, prema okruzima, Srbija, 2010. godina

Table 25. Risk factors in newly diagnosed type 2 diabetes patients aged 20 years and over, by administrative district, Serbia, 2010

Tabela 26. Makrovaskularne i mikrovaskularne komplikacije kod novodijagnostikovanih osoba sa tipom 2 dijabetesa uzrasta 20 i više godina, prema okruzima i polu, Srbija, 2010. godina

Table 26. Macrovascular and microvascular complications in newly diagnosed type 2 diabetes patients aged 20 years and over, by administrative district and sex, Serbia, 2010

Tabela 27. Makrovaskularne i mikrovaskularne komplikacije kod novodijagnostikovanih osoba sa tipom 2 dijabetesa uzrasta 20 i više godina, prema okruzima, Srbija, 2010. godina

Table 27. Macrovascular and microvascular complications in newly diagnosed type 2 diabetes patients aged 20 years and over, by administrative district, Serbia, 2010

V Literatura
V References

I Uvod

I Introduction

Dijabetes je jedno od najčešćih hroničnih nezaraznih oboljenja i predstavlja veliki javno- zdravstveni problem. Svetska zdravstvena organizacija (World Health Organization – WHO) i Međunarodna federacija za dijabetes (International Diabetes Federation – IDF) procenjuju da 2010. godine u svetu od dijabetesa boluje 285 miliona ljudi, a da će se broj obolelih od dijabetesa do 2030. godine povećati na 438 miliona. Iako se najviše stope incidencije registruju u razvijenim zemljama, najveći porast broja obolelih očekuje se u zemljama u razvoju, gde spada i naša zemlja (1).

Prema istim izvorima, u Republici Srbiji bez Kosova i Metohije (u daljem tekstu Srbija) od dijabetesa boluje približno 600.000 osoba ili 8,2% populacije (1). Broj osoba sa tipom 2 dijabetesa je mnogostruko veći (95%) u odnosu na osobe sa tipom 1 dijabetesa (1). Pri tom, prema procenama domaćih eksperata i na osnovu rezultata međunarodnih studija, najmanje polovina osoba sa tipom 2 dijabetesa nema postavljenu dijagnozu i ne zna za svoju bolest (2,3,4).

Prevalencija dijabetesa raste sa godinama starosti, i procenjuje se da je gotovo polovina obolelih starija od 65 godina (5). Kod starijih osoba tip 2 dijabetesa otkriva se relativno kasno, kada su već prisutne brojne kardiovaskularne komplikacije. U Srbiji, kao i u razvijenim zemljama sveta, dijabetes je peti vodeći uzrok smrtnosti (6) i peti uzrok opterećenja bolešću (7).

U našoj zemlji od ove bolesti godišnje umre oko 3000 osoba (6). U 2010. godini, Srbija je na osnovu standardizovane stope mortaliteta od 17,6 na 100.000 stanovnika, pripadala grupi evropskih zemalja sa visokim stopama umiranja od ove bolesti (8). Pri tom, treba imati u vidu da je broj umrlih daleko veći, zbog grešaka prilikom šifriranja uzroka smrti i evidentiranja dijabetesa kao prethodnog, umesto osnovnog uzroka smrti, naročito kod umrlih od infarkta, šloga i hronične bubrežne insuficijencije (9,10).

Dugi niz godina, jedine podatke o obolevanju od dijabetesa u Srbiji obezbeđivala je rutinska statistika izveštavanjem o korišćenju vanbolničke i bolničke zdravstvene zaštite.

Međutim, kako se navedenim izveštajima evidentiraju dijagnoze pri svakom dolasku osobe u zdravstvenu ustanovu, bez prethodne provere, nije bilo moguće proceniti broj novootkrivenih slučajeva dijabetesa. Nemogućnost kvalitetnog sagledavanja opterećenosti našeg društva ovim oboljenjem, bila je samo jedan od razloga za organizaciju populacionog Registra kojim bi se obezbedili podaci o broju novodijagnostikovanih osoba sa dijabetesom.

Populacioni registar za dijabetes osnovni je deo svakog racionalnog programa za kontrolu ove bolesti. U Registar se unose podaci o svakom novootkrivenom slučaju dijabetesa na teritoriji Srbije. Sam proces registracije podrazumeva organizovano prikupljanje, unos, čuvanje, analizu i interpretaciju podataka o novodijagnostikovanim osobama sa dijabetesom.

Osnovna uloga Registra za dijabetes je da omogućiti:

- Utvrđivanje incidencije dijabetesa po uzrastu, polu, mestu obolevanja i tipu dijabetesa;
- Kontinuirano praćenje kretanja stopa incidencije tokom vremena;
- Analizu stope preživljavanja pacijenata sa dijabetesom;
- Izračunavanje izgubljenih godina života (years of life lost, YLL) i godina života sa nesposobnošću (years of life with disability, YLD);

- Utvrđivanje direktnih i indirektnih troškova lečenja dijabetesa, nastalih zbog privremene ili trajne onesposobljenosti ili prevremene smrti.

Ovakav način posmatranja i praćenja dijabetesa ima ogroman javno-zdravstveni značaj, jer obezbeđuje:

- Procenu *opterećenja društva dijabetesom* na nacionalnom nivou;
- Stručni pristup u *planiranju zdravstvene zaštite stanovništva* (opreme, kadrova i prostora potrebnih za dijagnostiku, lečenje i rehabilitaciju obolelih);
- *Izradu preventivnih strategija i programa prevencije* u cilju sprečavanja/odlaganja nastanka dijabetesa i njegovih komplikacija, modifikacijom načina života i napuštanjem zdravstveno štetnih navika (informisanje, zdravstvena edukacija, skrining);
- *Evaluaciju* sprovedenih preventivnih programa;
- Formulisanje *zdravstvene politike* i unapređenje organizacije dijabetološke zdravstvene zaštite, i
- Polaznu osnovu za epidemiološka i klinička *istraživanja*.

Registar za dijabetes osnovan je u Srbiji 1980. godine na osnovu Plana statističkih istraživanja od interesa za Republiku (Sl. glasnik SRS br. 32/69). Međutim, neadekvatan set podataka na obrascu prijave, neprecizno metodološko uputstvo, nedovoljna edukacija kadra za vođenje Registra, kao i nedostatak informatičke podrške, imali su za posledicu subregistraciju novootkrivenih slučajeva dijabetesa. Do kraja 90-tih godina prošlog veka, broj prijavljenih lica sa dijabetesom u Srbiji bio je višestruko manji od prosečnog broja umrlih i bar 20 puta manji od očekivanog broja obolelih od ove bolesti (6).

U cilju unapređenja evidentiranja dijabetesa, zakonodavac je u Srbiji propisao kao obavezu prijavljivanje ove bolesti kroz više zakonskih i podzakonskih akata:

- Saveznim zakonom o statističkim istraživanjima i Programom statističkih istraživanja u oblasti zdravstva (Sl. list SRJ, br. 46/98);
- Saveznim zakonom o evidencijama u oblasti zdravstva (Sl. list SRJ, br. 12/98);
- Pravilnikom o sredstvima za vođenje evidencija u oblasti zdravstva (Sl. list SRJ, br. 6/2000);

Polazeći od nacionalnog značaja Registra za dijabetes i zakonskih regulativa, tim stručnjaka iz Instituta za javno zdravlje Srbije „Dr Milan Jovanović Batut” u saradnji sa ekspertima za prevenciju i lečenje dijabetesa Medicinskog fakulteta u Beogradu i članovima Republičke stručne komisije za šećernu bolest, tokom 2006. godine pokrenuli su inicijativu za reorganizaciju Registra za dijabetes u Srbiji.

Nova organizacija Registra za dijabetes u Srbiji podrazumevala je njegovu decentralizaciju. Regionalni Registri vode se na nivou okruga i nalaze se u institutima/zavodima za javno zdravlje. Bazu podataka za celu Srbiju vodi Institut za javno zdravlje Srbije „Dr Milan Jovanović Batut”. Njegova uloga nije samo da koordinira rad regionalnih Registarara, nego i da kontinuirano edukuje zdravstvene radnike koji rade na Registru, analizira i evaluira kvalitet podataka i publikuje godišnje izveštaje.

U izveštaju pored apsolutnog broja novodijagnostikovanih (tabele 4–7) i umrlih osoba od dijabetesa prema uzrastu i polu (tabele 13–17), prikazane su sirove i standardizovane stope incidencije (tabele 8–11) i mortaliteta (tabele 18–23), kao i faktori rizika i komplikacije kod novodijagnostikovanih osoba sa tipom 2 dijabetesa (tabele 24–27).

Diabetes is one of the most frequent chronic noncommunicable diseases and it is a major public health problem. The World Health Organization – WHO and the International Diabetes Federation – IDF, estimate that in 2010, 285 million people worldwide suffer from diabetes, and that the number of diabetics will increase up to 438 million by the year 2030. Although the highest incidence rates are registered in the developed countries, the largest increase of number of people with diabetes is expected in the developing countries, to which our country actually belongs (1).

According to the same sources, in the Republic of Serbia without Kosovo and Metohia (hereinafter: Serbia) approximately 600 000 persons or 8.2% of the population suffer from diabetes (1). The number of persons with type 2 diabetes is much higher (95%) than of those with type 1 diabetes (1). Thereby, according to the estimation of the domestic experts and on the basis of the results of international studies, at least a half of the persons with type 2 diabetes have not been diagnosed and are not aware of their disease (2, 3, 4).

Diabetes prevalence grows with age, and it is estimated that almost a half of diabetic patients are over 65 years of age (5). In the elderly, type 2 diabetes is diagnosed relatively late, when numerous cardiovascular complications are already present. In Serbia, as in the developed countries worldwide, diabetes is the fifth leading cause of death (6) and the fifth cause of the burden of disease (7).

In our country, approximately 3000 persons (6) die from this disease each year. In 2010, on the basis of a standardized mortality rate of 17.6 per 100 000 population, Serbia belonged to the group of European countries with the highest diabetes mortality rates (8). It should be born in mind that the number of deaths is even higher, because of the errors in coding the causes of death and recording the diabetes as antecedent, instead of underlying main cause of death, particularly in those who died from infarction, stroke, and chronic renal failure (9, 10).

For many years, the only data about diabetic patients in Serbia were provided by the routine statistics on the outpatient and in-patient reports.

However, in view of the fact that the specified reports diagnoses are notified at each visit of a person to a healthcare institution, without previous verification, it has not been possible to estimate the number of new cases of diabetes in Serbia. Inability to analyze the burden of this disease was just one of the reasons to set up of the Population–based Registry which would provide data on the number of newly diagnosed diabetes cases.

Population–based Diabetes Registry is an essential part of any rational program of diabetes control. Data on each newly diagnosed case of diabetes in Serbia are entered in the Registry. The actual process of registration implies organized collection, entry, saving, analysis, and interpretation of data on the new cases of diabetes.

The main role of Diabetes Registry is to enable:

- Calculation of diabetes incidence by age, sex, place of residence at the time of diagnosis, and type of diabetes;
- Continuous monitoring of the trends of incidence rates over time;
- Analysis of the survival rate of diabetic patients;
- Calculation of the years of life lost (YLL) and years of life with disability (YLD);

- Assessment of direct and indirect costs of treatment of diabetes, due to temporary or permanent disability or early death.

This kind of diabetes observation and monitoring has a huge public health importance, because it provides:

- Assessment of the *burden of diabetes* at the national level;
- Expert approach in *planning of the population health care* (equipment, personnel, and space required for diagnosis, treatment, and rehabilitation of the patients);
- *Development of prevention strategies and prevention programs* aimed to prevent/ postpone the onset of diabetes and its complications, by modification of the lifestyles and by abandoning the habits harmful to health (dissemination of information, health education, screening);
- *Evaluation of the implemented* preventive programs;
- Formulation of the *healthcare policy* and upgrading of the organization of diabetes health care, and
- The basis for the epidemiological and clinical *studies*.

Diabetes Registry was set up in Serbia in 1980 further to the Plan of Statistic Research of Interest for the Republic (Official Herald of the SRS No. 32/69). However, the inadequate set of data on the registration form, imprecise methodological instructions, insufficient education of the staff for managing the Registry, as well as the lack of IT support, resulted in under-registration of the newly detected cases of diabetes. By the end of the nineties in the last century, the number of the registered diabetes cases in Serbia was many times lower than the average number of the deceased and at least 20 times lower than the expected number of cases (6).

With the aim to improve diabetes recording, the legislator in Serbia stipulated the mandatory reporting on this disease through several laws and bylaws:

- The Federal Law on Statistical Studies and Program of Statistical Studies in the Area of Healthcare (Official Gazette of the SRY, No. 46/98);
- The Federal Law on Records in the Area of Healthcare (Official Gazette of the SRY, No. 12/98);
- The Rulebook on Resources for Keeping Records in the Area of Healthcare (Official Gazette of the SRY, No. 6/2000);

On the basis of the national importance of the Diabetes Registry and statutory regulations, in the course of 2006 a team of experts from the "Dr Milan Jovanovic Batut" Institute of Public Health of Serbia in cooperation with the experts for diabetes prevention and treatment of the School of Medicine in Belgrade and the members of the National Expert Commission for Diabetes, initiated the reorganization of Serbian Diabetes Registry.

The new setup of the Serbian Diabetes Registry implied its decentralization. The regional Registries are kept on the level of the administrative districts and are located at the Institutes of Public Health. The database for the entire Serbia is managed by the "Dr Milan Jovanovic Batut" Institute of Public Health of Serbia. Its role is not only to coordinate the work of the regional Registries, but also to continuously educate the healthcare workers operating the Registry, analyze and evaluate the quality of data and to publish annual reports.

In addition to the absolute number of newly diagnosed cases (Tables 4–7) and deaths of diabetes by age and sex (Tables 13–17) , this Report also presents the crude and standardized incidence (Tables 8–11) and mortality rates (Tables 18–23), as well as risk factors and complications in newly diagnosed cases of type 2 diabetes (Tables 23–27).

II Metod
II Method

Registar za dijabetes u Srbiji sadrži podatke o: zdravstvenoj ustanovi koja je prijavila dijabetes, demografskim karakteristikama novodijagnostikovanih lica sa dijabetesom, tipu dijabetesa, datumu postavljanja dijagnoze dijabetesa, ishodu bolesti i datumu prijave.

U cilju postizanja što boljeg kvaliteta podataka i njihove internacionalne komparabilnosti, za klasifikaciju i šifriranje svakog entiteta i modaliteta varijabli koje se prate Registrom, korišćeni su međunarodni dijagnostički kriterijumi, klasifikacije i šifarnici (11,12,13,14,15).

Kriterijumi za dijagnozu dijabetesa i poremećaja tolerancije glukoze

Nov pristup u dijagnostici dijabetesa i poremećaja tolerancije glukoze (13), zasniva se na određivanju dve neuzastopne vrednosti glikemije ujutru našte (bar 8 sati od poslednjeg obroka) u razmaku od dva do tri dana. U slučaju nekonzistentnosti prethodno dobijenih rezultata, vrednosti glikemije se proveravaju oralnim testom opterećenja glukozom (oral glucose tolerance test, OGTT). Ovakvim kombinovanim pristupom za dijagnozu dijabetesa osoba se svrstava u jednu od dijagnostičkih kategorija datih na tabeli 1.

Tabela 1. Kriterijumi za dijagnozu dijabetesa i poremećaja tolerancije glukoze (13)

Na osnovu pojedinačnih vrednosti glikemija (2 glikemije u 2 različita dana):	Na osnovu vrednosti glikemija u toku OGTT-a:
<i>Normalna glikemija našte</i> Glikemija našte < 6,1 mmol/L (<110 mg/dL)	<i>Normalna tolerancija glukoze</i> Glikemija u toku OGTT-a u 120. minutu < 7,8 mmol/L (<140 mg/dL)
<i>Povišena glikemija našte</i> Glikemija našte 6,1 mmol/L (110 mg/dL) ili više ali manja od 7,0 mmol/L (126 mg/dL)	<i>Smanjena tolerancija glukoze</i> Glikemija u toku OGTT-a u 120. minutu između 7,8 mmol/L (140 mg/dL) i 11,1 mmol/L (200mg/dL)
<i>Dijabetes</i> Glikemija našte $\geq 7,0$ mmol/L (126 mg/dL) ili Glikemija u bilo kom slučajnom uzorku krvi (bez obzira na obroke) $\geq 11,1$ mmol/L (200 mg/dL) uz prisustvo tipičnih dijabetesnih simptoma (poliurija, polidipsija, gubitak u težini)	<i>Dijabetes</i> Glikemija u toku OGTT-a u 120. minutu $\geq 11,1$ mmol/L (200 mg/dL)

Izvori podataka o obolelima od dijabetesa

U skladu sa međunarodnim preporukama za vođenje populacionog Registra za dijabetes (16), kao najvažniji izvor podataka o obolevanju od dijabetesa korišćen je aktuelni obrazac prijave ove bolesti (17). Na osnovu preporuka iz „Nacionalnog vodiča za lekare u primarnoj zdravstvenoj zaštiti – Prevencija tipa 2 dijabetesa” (13), lekari u primarnoj zdravstvenoj zaštiti obavezni su da određuju glikemiju našte svim osobama starijim od 45 godina na svake tri godine.

Osobe sa povećanim rizikom za dijabetes podvrgavaju se skriningu pre 45 godine, a intervali između testiranja se skraćuju.

Pored prijave dijabetesa u primarnoj zdravstvenoj zaštiti, koriste se kao sekundarni izvori informacija i podaci iz:

- elektronskog kartona pacijenata,
- privatnih ordinacija/klinika,
- apotekarskih ustanova i
- fonda zdravstvenog osiguranja.

Registrom za dijabetes u Srbiji evidentiraju se novodijagnostikovane osobe sa tipom 1 dijabetesa (X revizija Međunarodne klasifikacije bolesti, MKB–10, šifra E10), tipom 2 dijabetesa (MKB–10, šifra E11) i drugim specifičnim oblicima dijabetesa (MKB–10, šifre E12–E14, O24).

Izvori podataka o umrlima od dijabetesa

Podaci o umrlim osobama od dijabetesa (MKB–9, šifra 250 i MKB–10, šifre E10–E14), preuzeti su iz nepublikovanog materijala Republičkog zavoda za statistiku, za period 1990–2010. godine.

Faktori rizika tipa 2 dijabetesa

Registar za dijabetes u Srbiji sadrži podatke o faktorima rizika za tip 2 dijabetesa i pridruženim faktorima rizika za kardiovaskularne bolesti koji su prisutni u trenutku postavljanja dijagnoze dijabetesa:

- Dijabetes u porodici,
- Tip dijabetesa u porodici,
- Krvni pritisak (mmHg),
- Telesna masa (kg),
- Telesna visina (m),
- Indeks telesne mase -ITM (kg/m^2),
- Obim struka (cm),
- Pušenje,
- Kreatinin ($\mu\text{mol/L}$),
- Holesterol (mmol/L): ukupan, HDL i LDL–holesterol i
- Trigliceridi (mmol/L).

Prema kriterijumima za dijagnozu metaboličkog sindroma Međunarodne federacije za dijabetes (18) i Evropskim preporukama za prevenciju kardiovaskularnih oboljenja kod obolelih od dijabetesa (19), vrednosti laboratorijskih parametara koje povećavaju rizik za nastanak komplikacija su:

- Prekomerna telesna masa: $\text{ITM} \geq 25 \text{ kg/m}^2$,
- Centralni tip gojaznosti: obim struka $\geq 94 \text{ cm}$ (muškarci), $\geq 80 \text{ cm}$ (žene),
- Povišene vrednosti ukupnog holesterola: $\geq 4.5 \text{ mmol/L}$,
- Snižene vrednosti HDL–holesterola: $< 1.03 \text{ mmol/L}$ (muškarci), $< 1.29 \text{ mmol/L}$ (žene),
- Povišene vrednosti LDL–holesterola: $\geq 2.5 \text{ mmol/L}$,
- Povišene vrednosti triglicerida: $\geq 1.7 \text{ mmol/L}$,
- Povišene vrednosti kreatinina $> 124 \mu\text{mol/L}$ (muškarci), $> 106 \mu\text{mol/L}$ (žene).

Mikrovaskularne i makrovaskularne komplikacije tipa 2 dijabetesa

Pored faktora rizika, registrom su obuhvaćene i sledeće komplikacije tipa 2 dijabetesa prisutne u trenutku postavljanja dijagnoze ove bolesti:

- Arterijska hipertenzija,
- Angina pectoris,
- Akutni infarkt miokarda,
- Hronična srčana insuficijencija,
- Moždani udar,
- Dijabetesno stopalo,
- Dijabetesna retinopatija,
- Dijabetesna nefropatija i
- Dijabetesna neuropatija.

Analiza podataka

U cilju sagledavanja strukture obolevanja i umiranja od dijabetesa u odnosu na sve uzroke smrti korišćene su proporcije (20).

Za izračunavanje stopa incidencije i mortaliteta, kao imenilac korišćene su procene stanovništva Srbije za 2010. godinu po okruzima Republičkog zavoda za statistiku.

Stope incidencije od tipa 1 dijabetesa (MKB–10: E10) izračunate su za uzraste 0–14 i 0–29 godina, a za tip 2 dijabetesa (MKB–10: E11) za uzraste 0–14, 0–29 i 0–75+ godina.

Stope mortaliteta od tipa 1 dijabetesa (MKB–10: E10), tipa 2 dijabetesa (MKB–10: E11) i svih tipova ove bolesti (MKB–10: E10–E14) izračunate su za uzraste 0–29 i 0–75+ godina.

Standardizovane stope dobijene su metodom direktne standardizacije, gde je kao standardna populacija korišćena populacija Evrope (Age standardized rate – Europe, ASR–E) i sveta (Age standardized rate – World, ASR–W) (21).

U prikazivanju kretanja stopa mortaliteta u Srbiji za period 1990–2010 korišćena je jednačina linearnog trenda.

Informatičku podršku Registru pružila je aplikacija RDS koju je razvio Institut za javno zdravlje Srbije.

Serbian Diabetes Registry comprises data on the diabetes reporting healthcare institution, demographic features of newly diagnosed cases of diabetes, type of diabetes, date of diagnosis, outcome of the disease, and the registration date.

In order to achieve the best possible quality of data and their international comparability, the international diagnostic criteria, classifications and codebooks (11,12,13,14,15) were used for classification and coding of each entity and modality of the variables covered by the Registry.

Diagnostic criteria for diabetes and related stages of impaired glucose homeostasis

The new approach in diagnosis of diabetes and related stages of impaired glucose homeostasis (13) is based on determination of two non-consecutive fasting plasma glucose values (at least 8 hours from the last meal) two to three days apart. In case of inconsistency of the previously obtained results, the values of glycemia are checked by the Oral Glucose Tolerance Test (OGTT). The combined approach in diagnosis of diabetes is used for classification of persons into one of the diagnostic categories, Table 1.

Table 1. Diagnostic criteria for diabetes and related stages of impaired glucose homeostasis (13)

Based on subsequent values of glycemia (2 values of glycemia in 2 subsequent days):	Based on the value of glycemia during an OGTT:
<i>Normal fasting plasma glucose concentration</i> Fasting plasma glucose concentration < 6,1 mmol/L (<110 mg/dL)	<i>Normal glucose tolerance</i> Plasma glucose concentration during an OGTT in the 120 th minute < 7,8 mmol/L (<140 mg/dL)
<i>Impaired Fasting Glycaemia (IFG)</i> Fasting plasma glucose concentration \geq 6,1 mmol/L (110 mg/dL) and < 7,0 mmol/L (126 mg/dL)	<i>Impaired Glucose Tolerance (IGT)</i> Plasma glucose concentration during an OGTT in the 120 th minute between 7,8 mmol/L (140 mg/dL) and 11,1 mmol/L (200mg/dL)
<i>Diabetes Mellitus</i> Fasting plasma glucose concentration \geq 7,0 mmol/L (126 mg/dL) or glycemia in any random blood sample (regardless of meals) \geq 11,1 mmol/L (200 mg/dL) with the presence of typical diabetes symptoms (polyuria, polydipsia, weight loss)	<i>Diabetes Mellitus</i> Plasma glucose concentration during an OGTT in the 120 th minute \geq 11,1mmol/L (200 mg/dL)

Sources of data on the newly diagnosed cases of diabetes

In compliance with the international recommendations for keeping the population-based Diabetes Registry (16), the actual registration form (17) was used as the main source of information for newly diagnosed cases of diabetes. On the basis of the recommendations from the „National Guidelines for Doctors in the Primary Health Care – Prevention of type 2 diabetes” (13), the doctors in the primary health care are obliged to determine fasting plasma glucose test in all the persons above 45 years of age in three-year intervals.

The persons at increased risk of diabetes undergo screening before the age of 45, and the intervals between the tests are shortened.

In addition to the registration of diabetes in the primary health care, the data are also collected from the secondary sources of information, as follows:

- Electronic medical records,
- Private offices/clinics,
- Drug dispensing records of pharmacies and
- Social Security Fund.

Serbian Diabetes Registry records new cases of type 1 diabetes (X revision of the International Classification of Diseases, ICD–10, code E10), type 2 diabetes (ICD–10, code E11) and other specific forms of diabetes (ICD–10, codes E12–E14, O24).

Sources of data on diabetes related deaths

The data on deaths due to diabetes (ICD–9, code 250 and ICD –10, codes E10–E14) have been taken over from the unpublished material of the Statistical Office of Serbia, for the period 1990–2010.

Risk factors for type 2 diabetes

Serbian Diabetes Registry contains the data of risk factors for type 2 diabetes and associated risk factors for cardiovascular diseases at the time of diagnosis of diabetes:

- Positive family history,
- Type of diabetes in family,
- Blood pressure (mmHg),
- Body weight (kg),
- Body height (m),
- Body mass index - BMI (kg/m^2),
- Waist circumference (cm);
- Smoking,
- Creatinine ($\mu\text{mol/L}$),
- Cholesterol (mmol/L): Total, HDL–cholesterol, LDL–cholesterol and
- Triglycerides (mmol/L).

According to International Diabetes Federation criteria for metabolic syndrome (18) and Joint European Guidelines for primary prevention of cardiovascular diseases in diabetic patients (19), laboratory values of parameters which increases risk for developing diabetic complications are:

- Overweight: BMI \geq 25 kg/m²,
- Central obesity: waist circumference \geq 94 cm (men), \geq 80 cm (women),
- High total cholesterol \geq 4.5 mmol/L,
- Low HDL-cholesterol $<$ 1.03 mmol/L (men), $<$ 1.29 mmol/L (women),
- High LDL-cholesterol \geq 2.5 mmol/L,
- High triglycerides \geq 1.7 mmol/L,
- High creatinine $>$ 124 μ mol/L (men), $>$ 106 μ mol/L (women).

Macrovascular and microvascular complications of type 2 diabetes

Beside risk factors, in Serbian Diabetes Registry are registered following complications of type 2 diabetes at the time of diagnosis:

- Hypertension,
- Angina pectoris,
- Acute myocardial infarction,
- Congestive heart failure,
- Stroke,
- Diabetic foot,
- Diabetic retinopathy,
- Diabetic nephropathy and
- Diabetic neuropathy.

Data analysis

Percentages were used for analyzing the structure of new cases of diabetes and diabetes deaths (20).

For calculation of incidence and mortality rates, we used as denominator the assessment of the population of Serbia for 2010 by administrative districts from the Statistical Office of Serbia.

Incidence rates of type 1 diabetes (ICD-10: E10) were calculated for the age groups 0-14 and 0-29, and for the type 2 diabetes (ICD-10: E11) for the age groups 0-14, 0-29 and 0-75+.

Mortality rates of type 1 diabetes (ICD-10: E10), type 2 diabetes (ICD-10: E11), and all types of the disease (ICD-10: E10-E14) were calculated for the age groups 0-29 and 0-75+.

Standardized rates were calculated by direct method, using the population of Europe (Age-standardized rate – Europe, ASR-E) and the population of the world as standard (Age-standardized rate – World, ASR-W) (21).

Trend analysis of mortality rates in Serbia for the period of 1990-2010 was performed using the linear trend equation.

The IT support to the Registry was provided by the RDS application developed by the Institute of Public Health of Serbia.

III Definicije

III Definitions

Dijabetes melitus je heterogena grupa metaboličkih bolesti koje se karakterišu hroničnom hiperglikemijom nastalom kao posledica defekta u sekreciji insulina, njegovom dejstvu ili usled postojanja oba ova poremećaja (12). Ranija klasifikacija dijabetesa, prema kliničkim karakteristikama i vrsti terapije, danas je zamenjena etiološkom klasifikacijom (tabela 2).

Tabela 2. Klasifikacija dijabetesa (12)

I Tip 1 dijabetesa (destrukcija beta ćelija koja vodi potpunom nedostatku insulinske sekrecije)

A. Posredovan imunoloskim procesom

B. Idiopatski

II Tip 2 dijabetesa (može se rangirati od dominantne insulinske rezistencije do dominantnog deficita sekrecije insulina koji je udružen sa insulinskom rezistencijom)

III Drugi specifični tipovi dijabetesa

- A. Genetski deficiti funkcije beta ćelija
 - B. Genetski uslovljeni defekti u dejstvu insulina
 - C. Dijabetes melitus usled bolesti egzokrinog pankreasa
 - D. Dijabetes melitus u okviru drugih endokrinih bolesti
 - E. Dijabetes melitus indukovan lekovima ili hemikalijama
 - F. Dijabetes melitus indukovan infekcijama
 - G. Retki oblici imunološki posredovanog dijabetesa melitusa
 - H. Druge nasledne bolesti u kojih se može javiti dijabetes melitus
-

IV Gestacijski dijabetes

Stopa incidencije je broj novodijagnostikovanih slučajeva šećerne bolesti prijavljenih Registru u datoj kalendarskoj godini u definisanoj populaciji izloženoj riziku od nastanka bolesti u tom periodu (22).

Uzrasno specifična stopa incidencije je broj novodijagnostikovanih slučajeva dijabetesa u definisanoj uzrasnoj grupi (najčešće petogodišnji interval) na 100.000 stanovnika te uzrasne grupe.

Stopa mortaliteta je broj slučajeva umrlih od dijabetesa koji se javljaju u definisanoj populaciji u datoj kalendarskoj godini.

Uzrasno specifična stopa mortaliteta je broj umrlih od dijabetesa u definisanoj uzrasnoj grupi (najčešće petogodišnji interval) na 100.000 stanovnika te uzrasne grupe.

Standardizovane stope incidencije i mortaliteta su fiktivne vrednosti dobijene metodom direktne standardizacije, gde je kao standardna populacija korišćena populacija Evrope (ASR–E) i populacija sveta (ASR–W) (21).

Primarnu zdravstvenu delatnost obavlja dom zdravlja, apoteka i zavod (zavod za zdravstvenu zaštitu studenata, zavod za zdravstvenu zaštitu radnika, zavod za hitnu medicinsku pomoć, zavod za gerontologiju, zavod za stomatologiju, zavod za plućne bolesti i tuberkulozu i zavod za kožno-venerične bolesti) (23, 24). U ovim ustanovama obavlja se i zdravstvena delatnost na sekundarnom nivou, ako u njihovom sedištu ne postoji opšta bolnica.

Sekundarnu zdravstvenu delatnost obavlja opšta i specijalna bolnica (23, 25).

Tercijarnu zdravstvenu delatnost obavlja kliničko-bolnički centar, klinika, institut i klinički centar (23, 25).

Diabetes mellitus is a heterogeneous group of metabolic disorders characterized by chronic hyperglycemia resulting from defects in insulin secretion, insulin action or both (12). The former classification of diabetes, according to the clinical characteristics and type of therapy has been replaced by the etiologic classification (Table 2).

Table 2. Classification of diabetes (12)

I Type 1 Diabetes (beta cell destruction, usually leading to absolute insulin deficiency)

A. Autoimmune

B. Idiopathic

II Type 2 Diabetes (may range from predominantly insulin resistance with relative insulin deficiency to a predominantly secretory defect with or without insulin resistance)

III Other specific types

- A. Genetic defects of beta-cell function
 - B. Genetic defects in insulin action
 - C. Diseases of the exocrine pancreas
 - D. Endocrinopathies
 - E. Drug- or chemical- induced
 - F. Infections
 - G. Uncommon forms of immune-mediated diabetes
 - H. Other genetic syndromes sometimes associated with diabetes
-

IV Gestational diabetes

Incidence rate is the number of newly diagnosed cases of diabetes reported to the Registry during a given calendar year, in a population at risk of developing the disease during this period (22).

Age-specific incidence rates represent the number of new cases of diabetes in a defined age group (usually five-year interval) per 100 000 population of the corresponding age group.

Mortality rate is the number of diabetes related deaths in a defined population in a given calendar year.

Age-specific mortality rate is the number of diabetes related deaths in a defined age group (usually five-year interval) per 100 000 population of the corresponding age group.

Standardized incidence and mortality rates represent fictive values calculated by the direct method, using the population of Europe (ASR–E) and the population of the world as standard (ASR–W) (21).

Primary health care is provided by primary health care center, pharmacy and institute (the Institute for Students Health Care, the Institute for Workers Health Care, the Institute for Emergency Health Care, the Dental Institute, the Institute for Lung Diseases and Tuberculosis and the Institute for Skin and Venereal Diseases) (23, 24). These institutes also provide health care at the secondary health care level, if they do not have general hospital within their headquarters.

Secondary health care is provided by general and specialized hospital (23, 25).

Tertiary health care is provided by Clinic/Hospital Center, the Clinic, the Institute and the Clinical Center (23, 25).

IV Slike i tabele

IV Figures and tables

IVa Stanovništvo Srbije u 2010. godini

IVa Population of Serbia, 2010

Tabela 3. Broj stanovnika u okruzima Srbije prema polu, 2010.* godina

Table 3. Population of Serbia by administrative districts, by sex, 2010*


Teritorija Region/District	Muškarci Males	Žene Females	Ukupno Total
SRBIJA (Serbia)	3546374	3745062	7291436
VOJVODINA (Vojvodina)	952525	1005060	1957585
CENTRALNA SRBIJA (Central Serbia)	2593849	2740002	5333851
Severno-bački (North Backa)	92280	98639	190919
Srednje-banatski (Middle Banat)	93600	97431	191031
Severno-banatski (North Banat)	74388	77594	151982
Južno-banatski (South Banat)	146265	152135	298400
Zapadno-bački (West Backa)	94267	99064	193331
Južno-bački (South Backa)	292760	315965	608725
Sremski (Srem)	158965	164232	323197
Grad Beograd (City of Belgrade)	773010	866495	1639505
Mačvanski (Macva)	152664	155240	307904
Kolubarski (Kolubara)	88078	90386	178464
Podunavski (Danube)	99469	102439	201908
Braničevski (Branicevo)	90412	96929	187341
Šumadijski (Sumadija)	140746	147405	288151
Pomoravski (Morava)	103639	110621	214260
Borski (Bor)	63901	66656	130557
Zaječarski (Zajecar)	59574	63031	122605
Zlatiborski (Zlatibor)	145697	148703	294400
Moravički (Moravica)	105184	108755	213939
Raški (Raska)	147750	151939	299689
Rasinski (Rasina)	118525	123515	242040
Nišavski (Nisava)	183411	189259	372670
Toplički (Toplica)	47189	46324	93513
Pirotski (Pirot)	47938	46637	94575
Jablanički (Jablanica)	112500	112276	224776
Pčinjski (Pcinj)	114162	113392	227554

* Procena na dan 30. juna 2010, Republički zavod za statistiku, Beograd, 2011

*Estimate on June 30th, 2010, Republic Statistical Office, Belgrade, 2011

Slika 1. Broj stanovnika Srbije prema uzrastu i polu, 2010.* godina

Figure 1. Population of Serbia by age and sex, 2010*



*Procena na dan 30.06.2010, Republički zavod za statistiku, Beograd, 2011.


* Estimate on June 30th, 2010, Republic Statistical Office, Belgrade, 2011

IVb Prijavljivanje novodijagnostikovanih osoba sa dijabetesom prema nivoima zdravstvene delatnosti u Srbiji, 2010. godina

IVb Reporting of newly diagnosed cases of diabetes by levels of health care in Serbia, 2010


Slika 2. Prijavljivanje novodijagnostikovanih osoba sa tipom 1 dijabetesa prema nivoima zdravstvene delatnosti u Srbiji, 2010. godina

Figure 2. Reporting of newly diagnosed cases of type 1 diabetes by levels of health care in Serbia, 2010




Slika 3. Prijavljivanje novodijagnostikovanih osoba sa tipom 1 dijabetesa prema nivoima zdravstvene delatnosti i okruzima u Srbiji, 2010. godina

Figure 3. Reporting of newly diagnosed cases of type 1 diabetes by levels of health care and administrative districts, Serbia, 2010




Slika 4. Prijavljivanje novodijagnostikovanih osoba sa tipom 2 dijabetesa prema nivoima zdravstvene delatnosti u Srbiji, 2010. godina

Figure 4. Reporting of newly diagnosed cases of type 2 diabetes by levels of health care in Serbia, 2010



Slika 5. Prijavljivanje novodijagnostikovanih osoba sa tipom 2 dijabetesa prema nivoima zdravstvene delatnosti i okruzima u Srbiji, 2010. godina


Figure 5. Reporting of newly diagnosed cases of type 1 diabetes by levels of health care and administrative districts, Serbia, 2010



IVc Umiranje od dijabetesa u Srbiji, 1990, 2000, i 2010. godina


IVc Diabetes related death in Serbia, 1990, 2000 and 2010

Slika 6. Vodeći uzroci umiranja u Srbiji, 1990, 2000, 2010. godina
 Figure 6. The most common cause of death in Serbia, 1990, 2000 and 2010




Uzrok smrti (MKB-10) Cause of death (ICD-10)	godine / years		
	1990	2000	2010
Bolesti sistema krvotoka (I00-I99) / Cardiovascular diseases (I00-I99)	56.4%	55.8%	54.7%
Zloćudni tumori (C00-C97) / Carcinoma (C00-C97)	16.8%	17.4%	20.5%
Povrede i trovanja (S00-T98) / Injuries and poisoning (S00-T98)	5.4%	3.9%	3.3%
Opstruktivna bolest pluća (J40-J47) / Obstructive lung disease (J40-J47)	3.6%	2.4%	2.6%
Dijabetes melitus (E10-E14) / Diabetes mellitus (E10-E14)	2.1%	2.4%	3.1%
Ostalo / Other	15.7%	18.1%	15.8%

Slika 7. Standardizovane stope mortaliteta* od dijabetesa na 100.000 stanovnika, Srbija, 1990 - 2010. godina
 Figure 7. Age-standardized diabetes mortality rates* per 100.000 population, Serbia, 1990 - 2010



*prema populaciji sveta / *by World standard population

Slika 8. Standardizovane stope mortaliteta* od dijabetesa na 100.000 stanovnika, prema polu, Srbija, 1990 - 2010. godina
 Figure 8. Age-standardized diabetes mortality rates* per 100.000 population, by sex, Serbia 1990 - 2010




*prema populaciji sveta / *by World standard population

IVd Stope incidencije i mortaliteta od dijabetesa u Srbiji, 2010. godina

IVd Incidence and mortality rates of diabetes in Serbia, 2010


Slika 9. Standardizovane stope incidencije* od tipa 1 dijabetesa na 100.000 stanovnika za uzrast 0-14 godina, Srbija, 2010. godina

Figure 9. Age-standardized incidence rates* of type 1 diabetes per 100.000 population ages 0-14, Serbia, 2010




Slika 10. Uzrasno specifične stope incidencije od tipa 1 dijabetesa na 100.000 stanovnika za uzrast 0-14 godina, Srbija, 2010. godina


Figure 10. Age-specific incidence rates of type 1 diabetes per 100.000 population ages 0-14, Serbia, 2010




Slika 11. Standardizovane stope incidencije* od tipa 2 dijabetesa na 100.000 stanovnika, Srbija, 2010. godina
 Figure 11 . Age-standardized incidence rates* of type 2 diabetes per 100.000 population, Serbia, 2010



Slika 12. Uzrasno specifične stope incidencije od tipa 2 dijabetesa na 100.000 stanovnika, Srbija, 2010. godina
 Figure 12. Age-specific incidence rates of type 2 diabetes per 100.000 population, Serbia, 2010




Slika 13. Standardizovane stope mortaliteta* od svih tipova dijabetesa na 100.000 stanovnika, Srbija, 2010. godina
 Figure 13 . Age-standardized diabetes mortality rates* per 100.000 population, Serbia, 2010



*na populaciju sveta
 *by World standard population

Slika 14. Uzrasno specifične stope mortaliteta od svih tipova dijabetesa na 100.000 stanovnika, Srbija, 2010. godina
 Figure 14. Age-specific diabetes mortality rates per 100.000 population, Serbia, 2010



**IVe Broj novodijagnostikovanih osoba i incidencija od dijabetesa
u Srbiji, 2010. godina**

**IVe Number of newly diagnosed cases and incidence of diabetes
in Serbia, 2010**

Tabela 4. Broj novodijagnosticiranih osoba sa tipom 1 dijabetesa prema okruzima, uzrastu i polu, Srbija, 2010. godina

Table 4. Number of newly diagnosed cases of type 1 diabetes by region/administrative district, age and sex, Serbia, 2010

Okrug Region/District	Pol Sex	Uzrast Age						Ukupno Total			
		0-4	5-9	10-14	15-19	20-24	25-29	0-14	%	0-29	%
Srbija (Serbia)	M (Male)	16	32	33	40	19	27	81	49.7	167	54.0
	Ž (Female)	17	27	38	26	19	15	82	50.3	142	46.0
Vojvodina (Vojvodina)	M (Male)	3	11	8	10	3	6	22	45.8	41	50.6
	Ž (Female)	5	10	11	6	6	2	26	54.2	40	49.4
Centralna Srbija (Central Serbia)	M (Male)	13	21	25	30	16	21	59	51.3	126	55.3
	Ž (Female)	12	17	27	20	13	13	56	48.7	102	44.7
Severno-bački (North Backa)	M (Male)	0	2	0	3	1	0	2	25.0	6	35.3
	Ž (Female)	1	2	3	3	2	0	6	75.0	11	64.7
Srednje-banatski (Middle Banat)	M (Male)	1	3	2	0	0	0	6	75.0	6	75.0
	Ž (Female)	1	1	0	0	0	0	2	25.0	2	25.0
Severno-banatski (North Banat)	M (Male)	1	1	2	1	0	0	4	80.0	5	83.3
	Ž (Female)	0	0	1	0	0	0	1	20.0	1	16.7
Južno-banatski (South Banat)	M (Male)	0	2	0	2	2	1	2	33.3	7	58.3
	Ž (Female)	0	2	2	1	0	0	4	66.7	5	41.7
Zapadno-bački (West Backa)	M (Male)	0	0	1	0	0	1	1	25.0	2	33.3
	Ž (Female)	0	1	2	0	1	0	3	75.0	4	66.7
Južno-bački (South Backa)	M (Male)	0	1	3	2	0	2	4	33.3	8	42.1
	Ž (Female)	3	3	2	2	1	0	8	66.7	11	57.9
Sremski (Srem)	M (Male)	1	2	0	2	0	2	3	60.0	7	53.8
	Ž (Female)	0	1	1	0	2	2	2	40.0	6	46.2
Grad Beograd (City of Belgrade)	M (Male)	7	7	4	10	3	8	18	51.4	39	60.0
	Ž (Female)	3	8	6	3	2	4	17	48.6	26	40.0
Mačvanski (Macva)	M (Male)	1	1	5	8	1	0	7	70.0	16	51.6
	Ž (Female)	0	2	1	6	2	4	3	30.0	15	48.4
Kolubarski (Kolubara)	M (Male)	0	2	0	0	2	1	2	100.0	5	100.0
	Ž (Female)	0	0	0	0	0	0	0	0.0	0	0.0
Podunavski (Danube)	M (Male)	0	0	2	4	2	0	2	50.0	8	61.5
	Ž (Female)	0	1	1	2	1	0	2	50.0	5	38.5
Braničevski (Branicevo)	M (Male)	0	1	0	0	0	0	1	25.0	1	20.0
	Ž (Female)	1	2	0	0	1	0	3	75.0	4	80.0
Šumadijski (Sumadija)	M (Male)	0	1	5	0	1	2	6	85.7	9	69.2
	Ž (Female)	1	0	0	0	3	0	1	14.3	4	30.8
Pomoravski (Morava)	M (Male)	1	0	1	2	0	0	2	50.0	4	57.1
	Ž (Female)	0	0	2	1	0	0	2	50.0	3	42.9
Borski (Bor)	M (Male)	0	1	0	0	1	0	1	100.0	2	100.0
	Ž (Female)	0	0	0	0	0	0	0	0.0	0	0.0
Zaječarski (Zajecar)	M (Male)	0	0	3	0	2	0	3	50.0	5	50.0
	Ž (Female)	0	0	3	1	0	1	3	50.0	5	50.0
Zlatiborski (Zlatibor)	M (Male)	0	1	0	1	1	2	1	14.3	5	38.5
	Ž (Female)	3	1	2	0	1	1	6	85.7	8	61.5
Moravički (Moravica)	M (Male)	0	0	1	1	0	2	1	50.0	4	44.4
	Ž (Female)	0	0	1	1	1	2	1	50.0	5	55.6
Raški (Raska)	M (Male)	1	1	1	0	0	3	3	100.0	6	85.7
	Ž (Female)	0	0	0	0	1	0	0	0.0	1	14.3
Rasinski (Rasina)	M (Male)	1	2	0	1	2	1	3	60.0	7	58.3
	Ž (Female)	0	0	2	2	0	1	2	40.0	5	41.7
Nišavski (Nisava)	M (Male)	1	2	3	1	0	1	6	54.5	8	50.0
	Ž (Female)	3	1	1	2	1	0	5	45.5	8	50.0
Toplički (Toplica)	M (Male)	0	1	0	1	1	0	1	50.0	3	60.0
	Ž (Female)	0	0	1	1	0	0	1	50.0	2	40.0
Pirotski (Pirot)	M (Male)	0	0	0	0	0	1	0	0.0	1	33.3
	Ž (Female)	0	0	2	0	0	0	2	100.0	2	66.7
Jablanički (Jablanica)	M (Male)	1	0	0	0	0	0	1	20.0	1	16.7
	Ž (Female)	1	2	1	1	0	0	4	80.0	5	83.3
Pčinjski (Pcinj)	M (Male)	0	1	0	1	0	0	1	20.0	2	33.3
	Ž (Female)	0	0	4	0	0	0	4	80.0	4	66.7

Tabela 5. Broj novodijagnosticovanih osoba sa tipom 1 dijabetesa prema okruzima i uzrastu, Srbija, 2010. godina

Table 5. Number of newly diagnosed cases of type 1 diabetes by region/administrative district and age, Serbia, 2010

Okrug Region/District	Uzrast Age						Ukupno Total	
	0-4	5-9	10-14	15-19	20-24	25-29	0-14	0-29
Srbija (Serbia)	33	59	71	66	38	42	163	309
Vojvodina (Vojvodina)	8	21	19	16	9	8	48	81
Centralna Srbija (Central Serbia)	25	38	52	50	29	34	115	228
Severno-bački (North Backa)	1	4	3	6	3	0	8	17
Srednje-banatski (Middle Banat)	2	4	2	0	0	0	8	8
Severno-banatski (North Banat)	1	1	3	1	0	0	5	6
Južno-banatski (South Banat)	0	4	2	3	2	1	6	12
Zapadno-bački (West Backa)	0	1	3	0	1	1	4	6
Južno-bački (South Backa)	3	4	5	4	1	2	12	19
Sremski (Srem)	1	3	1	2	2	4	5	13
Grad Beograd (City of Belgrade)	10	15	10	13	5	12	35	65
Mačvanski (Macva)	1	3	6	14	3	4	10	31
Kolubarski (Kolubara)	0	2	0	0	2	1	2	5
Podunavski (Danube)	0	1	3	6	3	0	4	13
Braničevski (Branicevo)	1	3	0	0	1	0	4	5
Šumadijski (Sumadija)	1	1	5	0	4	2	7	13
Pomoravski (Morava)	1	0	3	3	0	0	4	7
Borski (Bor)	0	1	0	0	1	0	1	2
Zaječarski (Zajecar)	0	0	6	1	2	1	6	10
Zlatiborski (Zlatibor)	3	2	2	1	2	3	7	13
Moravički (Moravica)	0	0	2	2	1	4	2	9
Raški (Raska)	1	1	1	0	1	3	3	7
Rasinski (Rasina)	1	2	2	3	2	2	5	12
Nišavski (Nisava)	4	3	4	3	1	1	11	16
Toplički (Toplica)	0	1	1	2	1	0	2	5
Pirotski (Piroć)	0	0	2	0	0	1	2	3
Jablanički (Jablanica)	2	2	1	1	0	0	5	6
Pčinjski (Pcinj)	0	1	4	1	0	0	5	6

Tabela 6. Broj novodijagnosticiranih osoba sa tipom 2 dijabetesa prema okruzima, uzrastu i polu, Srbija, 2010. godina

Table 6. Number of newly diagnosed cases of type 2 diabetes by region/administrative district, age and sex, Serbia, 2010

Okrug Region/District	Pol Sex	Uzrast Age									
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
		Srbija (Serbia)	M (Male)	0	0	0	4	15	33	85	167
	Ž (Female)	0	1	2	6	4	28	57	98	249	473
Vojvodina (Vojvodina)	M (Male)	0	0	0	1	3	12	30	50	113	205
	Ž (Female)	0	1	1	0	1	8	15	30	83	134
Centralna Srbija (Central Serbia)	M (Male)	0	0	0	3	12	21	55	117	244	450
	Ž (Female)	0	0	1	6	3	20	42	68	166	339
Severno-bački (North Backa)	M (Male)	0	0	0	0	0	4	7	5	15	25
	Ž (Female)	0	0	0	0	0	0	3	3	15	21
Srednje-banatski (Middle Banat)	M (Male)	0	0	0	1	0	2	1	7	12	24
	Ž (Female)	0	0	0	0	0	2	2	6	16	22
Severno-banatski (North Banat)	M (Male)	0	0	0	0	0	2	1	2	9	17
	Ž (Female)	0	0	0	0	0	1	1	1	4	15
Južno-banatski (South Banat)	M (Male)	0	0	0	0	1	2	3	9	20	25
	Ž (Female)	0	0	0	0	0	2	1	6	11	17
Zapadno-bački (West Backa)	M (Male)	0	0	0	0	2	0	4	10	16	27
	Ž (Female)	0	0	0	0	0	1	3	3	5	6
Južno-bački (South Backa)	M (Male)	0	0	0	0	0	0	7	13	23	45
	Ž (Female)	0	1	0	0	0	1	3	9	18	35
Sremski (Srem)	M (Male)	0	0	0	0	0	2	7	4	18	42
	Ž (Female)	0	0	1	0	1	1	2	2	14	18
Grad Beograd (City of Belgrade)	M (Male)	0	0	0	1	5	7	14	26	76	127
	Ž (Female)	0	0	0	3	2	6	9	10	36	74
Mačvanski (Macva)	M (Male)	0	0	0	0	0	0	3	7	14	29
	Ž (Female)	0	0	0	0	0	0	6	4	18	38
Kolubarski (Kolubara)	M (Male)	0	0	0	1	0	2	1	7	6	20
	Ž (Female)	0	0	0	0	0	0	2	1	3	8
Podunavski (Danube)	M (Male)	0	0	0	0	1	0	2	3	4	14
	Ž (Female)	0	0	0	0	0	0	1	5	5	12
Braničevski (Branicevo)	M (Male)	0	0	0	0	0	0	1	4	10	17
	Ž (Female)	0	0	0	0	0	0	1	3	6	8
Šumadijski (Sumadija)	M (Male)	0	0	0	0	0	1	2	3	9	20
	Ž (Female)	0	0	0	0	0	1	3	5	8	15
Pomoravski (Morava)	M (Male)	0	0	0	0	0	1	1	8	4	12
	Ž (Female)	0	0	1	0	0	2	2	1	7	14
Borski (Bor)	M (Male)	0	0	0	0	0	2	1	1	9	24
	Ž (Female)	0	0	0	0	0	0	3	2	5	12
Zaječarski (Zajecar)	M (Male)	0	0	0	0	1	0	4	3	1	14
	Ž (Female)	0	0	0	1	0	1	3	2	2	15
Zlatiborski (Zlatibor)	M (Male)	0	0	0	0	1	2	4	5	18	19
	Ž (Female)	0	0	0	0	0	0	0	1	4	14
Moravički (Moravica)	M (Male)	0	0	0	0	0	0	1	6	9	13
	Ž (Female)	0	0	0	0	0	1	0	0	5	8
Raški (Raska)	M (Male)	0	0	0	0	1	0	2	5	14	16
	Ž (Female)	0	0	0	0	0	2	1	2	4	8
Rasinski (Rasina)	M (Male)	0	0	0	1	2	1	4	6	11	15
	Ž (Female)	0	0	0	2	0	1	2	5	10	21
Nišavski (Nisava)	M (Male)	0	0	0	0	0	2	3	9	11	32
	Ž (Female)	0	0	0	0	0	2	3	8	15	31
Toplički (Toplica)	M (Male)	0	0	0	0	0	0	0	2	3	10
	Ž (Female)	0	0	0	0	0	0	2	0	2	4
Pirotski (Pirot)	M (Male)	0	0	0	0	0	1	2	3	7	8
	Ž (Female)	0	0	0	0	0	1	1	2	2	7
Jablanički (Jablanica)	M (Male)	0	0	0	0	0	1	5	14	23	30
	Ž (Female)	0	0	0	0	0	2	2	8	18	27
Pčinjski (Pcinj)	M (Male)	0	0	0	0	1	1	5	5	15	30
	Ž (Female)	0	0	0	0	1	1	1	9	16	23

Tabela 6. (nastavak)

Table 6. (continued)

Uzrast Age						Ukupno Total					
50-54	55-59	60-64	65-69	70-74	75+	0-14	%	0-29	%	0-75+	%
963	1417	1443	957	943	923	0	0.0	52	55.9	7962	48.2
823	1388	1643	1222	1246	1327	3	100.0	41	44.1	8567	51.8
303	453	423	276	256	203	0	0.0	16	59.3	2328	49.9
281	396	466	316	310	297	2	100.0	11	40.7	2339	50.1
660	964	1020	681	687	720	0	0.0	36	54.5	5634	47.5
542	992	1177	906	936	1030	1	100.0	30	45.5	6228	52.5
38	44	60	31	24	17	0	0.0	4	100.0	270	50.0
35	49	40	40	32	32	0	0.0	0	0.0	270	50.0
44	59	37	32	40	28	0	0.0	3	60.0	287	48.0
29	49	63	39	42	41	0	0.0	2	40.0	311	52.0
27	42	40	30	24	15	0	0.0	2	66.7	209	52.1
30	33	29	27	17	34	0	0.0	1	33.3	192	47.9
38	70	66	41	36	34	0	0.0	3	60.0	345	50.1
43	63	68	45	46	42	0	0.0	2	40.0	344	49.9
28	48	37	22	22	15	0	0.0	2	66.7	231	56.3
24	31	38	19	30	19	0	0.0	1	33.3	179	43.7
61	120	112	68	67	49	0	0.0	0	0.0	565	47.2
66	105	143	87	83	80	1	100.0	2	100.0	631	52.8
67	70	71	52	43	45	0	0.0	2	40.0	421	50.5
54	66	85	59	60	49	1	100.0	3	60.0	412	49.5
181	283	283	210	201	243	0	0.0	13	54.2	1657	50.2
143	276	323	226	255	282	0	0.0	11	45.8	1645	49.8
37	80	77	41	59	24	0	0.0	0	0.0	371	44.7
45	74	95	57	59	63	0	0.0	0	0.0	459	55.3
22	30	33	22	24	21	0	0.0	3	100.0	189	50.3
19	26	23	36	26	43	0	0.0	0	0.0	187	49.7
21	33	25	14	11	16	0	0.0	1	100.0	144	48.3
13	25	36	22	17	18	0	0.0	0	0.0	154	51.7
21	30	24	20	22	17	0	0.0	0	0.0	166	49.7
19	22	28	19	30	32	0	0.0	0	0.0	168	50.3
29	43	37	24	23	26	0	0.0	1	50.0	217	47.4
19	37	36	33	33	51	0	0.0	1	50.0	241	52.6
29	40	36	33	22	25	0	0.0	1	25.0	211	46.4
15	39	45	38	39	41	1	100.0	3	75.0	244	53.6
28	25	37	15	19	18	0	0.0	2	100.0	179	47.0
26	31	33	39	28	23	0	0.0	0	0.0	202	53.0
20	32	49	22	22	22	0	0.0	1	33.3	190	45.8
23	36	34	39	35	34	0	0.0	2	66.7	225	54.2
44	55	62	38	44	51	0	0.0	3	100.0	343	49.3
21	50	59	49	71	84	0	0.0	0	0.0	353	50.7
19	31	42	27	36	54	0	0.0	0	0.0	238	48.3
18	36	28	35	45	79	0	0.0	1	100.0	255	51.7
28	48	35	24	29	30	0	0.0	1	33.3	232	52.5
19	33	45	34	32	30	0	0.0	2	66.7	210	47.5
25	36	50	28	31	34	0	0.0	4	57.1	244	45.9
25	45	50	48	34	45	0	0.0	3	42.9	288	54.1
44	52	70	46	62	41	0	0.0	2	50.0	372	43.6
41	85	99	66	62	69	0	0.0	2	50.0	481	56.4
17	14	10	18	7	11	0	0.0	0	0.0	92	48.7
7	8	25	16	15	18	0	0.0	0	0.0	97	51.3
16	23	25	19	12	18	0	0.0	1	50.0	134	46.7
14	21	34	24	25	22	0	0.0	1	50.0	153	53.3
41	65	83	53	45	54	0	0.0	1	33.3	414	42.4
45	100	114	83	98	65	0	0.0	2	66.7	562	57.6
38	44	42	27	18	15	0	0.0	2	50.0	241	44.2
30	48	70	42	32	31	0	0.0	2	50.0	304	55.8

Tabela 7. Broj novodijagnosticovanih osoba sa tipom 2 dijabetesa prema okruzima i uzrastu, Srbija, 2010. godina

Table 7. Number of newly diagnosed cases of type 2 diabetes by region/administrative district and age, Serbia, 2010

Okrug Region/District	Uzrast Age									
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija (Serbia)	0	1	2	10	19	61	142	265	606	1128
Vojvodina (Vojvodina)	0	1	1	1	4	20	45	80	196	339
Centralna Srbija (Central Serbia)	0	0	1	9	15	41	97	185	410	789
Severno-bački (North Backa)	0	0	0	0	0	4	10	8	30	46
Srednje-banatski (Middle Banat)	0	0	0	1	0	4	3	13	28	46
Severno-banatski (North Banat)	0	0	0	0	0	3	2	3	13	32
Južno-banatski (South Banat)	0	0	0	0	1	4	4	15	31	42
Zapadno-bački (West Backa)	0	0	0	0	2	1	7	13	21	33
Južno-bački (South Backa)	0	1	0	0	0	1	10	22	41	80
Sremski (Srem)	0	0	1	0	1	3	9	6	32	60
Grad Beograd (City of Belgrade)	0	0	0	4	7	13	23	36	112	201
Mačvanski (Macva)	0	0	0	0	0	0	9	11	32	67
Kolubarski (Kolubara)	0	0	0	1	0	2	3	8	9	28
Podunavski (Danube)	0	0	0	0	1	0	3	8	9	26
Braničevski (Branicevo)	0	0	0	0	0	0	2	7	16	25
Šumadijski (Sumadija)	0	0	0	0	0	2	5	8	17	35
Pomoravski (Morava)	0	0	1	0	0	3	3	9	11	26
Borski (Bor)	0	0	0	0	0	2	4	3	14	36
Zaječarski (Zajecar)	0	0	0	1	1	1	7	5	3	29
Zlatiborski (Zlatibor)	0	0	0	0	1	2	4	6	22	33
Moravički (Moravica)	0	0	0	0	0	1	1	6	14	21
Raški (Raska)	0	0	0	0	1	2	3	7	18	24
Rasinski (Rasina)	0	0	0	3	2	2	6	11	21	36
Nišavski (Nisava)	0	0	0	0	0	4	6	17	26	63
Toplički (Toplica)	0	0	0	0	0	0	2	2	5	14
Pirotski (Piot)	0	0	0	0	0	2	3	5	9	15
Jablanički (Jablanica)	0	0	0	0	0	3	7	22	41	57
Pčinjski (Pcinj)	0	0	0	0	2	2	6	14	31	53

Tabela 7. (nastavak)

Table 7. (continued)

Uzrast Age						Ukupno Total		
50-54	55-59	60-64	65-69	70-74	75+	0-14	0-29	0-75+
1786	2805	3086	2179	2189	2250	3	93	16529
584	849	889	592	566	500	2	27	4667
1202	1956	2197	1587	1623	1750	1	66	11862
73	93	100	71	56	49	0	4	540
73	108	100	71	82	69	0	5	598
57	75	69	57	41	49	0	3	401
81	133	134	86	82	76	0	5	689
52	79	75	41	52	34	0	3	410
127	225	255	155	150	129	1	2	1196
121	136	156	111	103	94	1	5	833
324	559	606	436	456	525	0	24	3302
82	154	172	98	118	87	0	0	830
41	56	56	58	50	64	0	3	376
34	58	61	36	28	34	0	1	298
40	52	52	39	52	49	0	0	334
48	80	73	57	56	77	0	2	458
44	79	81	71	61	66	1	4	455
54	56	70	54	47	41	0	2	381
43	68	83	61	57	56	0	3	415
65	105	121	87	115	135	0	3	696
37	67	70	62	81	133	0	1	493
47	81	80	58	61	60	0	3	442
50	81	100	76	65	79	0	7	532
85	137	169	112	124	110	0	4	853
24	22	35	34	22	29	0	0	189
30	44	59	43	37	40	0	2	287
86	165	197	136	143	119	0	3	976
68	92	112	69	50	46	0	4	545

Tabela 8. Stope incidencije od tipa 1 dijabetesa na 100.000 stanovnika prema okruzima, uzrastu i polu, Srbija, 2010. godina

Table 8. Incidence rates of type 1 diabetes per 100.000 population by region/administrative district, age and sex, Serbia, 2010

Okrug Region/District	Pol Sex	Uzrast Age						Incidencija (Incidence)					
		0-4	5-9	10-14	15-19	20-24	25-29	Sirova stopa Crude rate		Standardizovana stopa ASR-E ASR-W			
								0-14	0-29	0-14	0-29	0-14	0-29
Srbija (Serbia)	M (Male)	8.9	16.3	17.3	18.4	7.9	10.4	14.3	13.0	13.9	13.1	13.7	13.2
	Ž (Female)	10.1	14.5	20.9	12.6	8.3	6.0	15.3	11.6	15.0	12.0	14.7	12.2
Vojvodina (Vojvodina)	M (Male)	6.3	21.2	15.3	16.7	4.5	8.4	14.5	11.7	13.9	11.9	13.7	12.1
	Ž (Female)	11.2	20.3	22.1	10.5	9.5	3.0	18.1	12.1	17.6	12.7	17.3	13.0
Centralna Srbija (Central Serbia)	M (Male)	9.9	14.5	18.0	19.1	9.3	11.2	14.2	13.5	14.0	13.6	13.8	13.6
	Ž (Female)	9.8	12.4	20.4	13.4	7.9	7.1	14.3	11.5	14.0	11.8	13.7	11.9
Severno-bački (North Backa)	M (Male)	0.0	40.8	0.0	54.1	15.6	0.0	13.9	18.0	13.0	18.0	13.2	18.2
	Ž (Female)	23.9	42.9	62.4	55.9	32.9	0.0	43.9	34.8	42.2	36.0	41.2	36.5
Srednje-banatski (Middle Banat)	M (Male)	22.8	61.2	40.3	0.0	0.0	0.0	42.1	18.0	40.6	20.8	40.3	22.3
	Ž (Female)	24.6	21.4	0.0	0.0	0.0	0.0	14.7	6.5	15.8	8.1	16.4	9.1
Severno-banatski (North Banat)	M (Male)	29.7	25.9	50.5	21.6	0.0	0.0	35.7	18.9	35.1	21.5	34.5	22.6
	Ž (Female)	0.0	0.0	26.4	0.0	0.0	0.0	9.3	4.1	8.4	4.3	7.7	4.2
Južno-banatski (South Banat)	M (Male)	0.0	24.1	0.0	21.1	19.3	9.4	8.4	12.9	7.7	12.0	7.8	11.8
	Ž (Female)	0.0	25.5	25.3	11.3	0.0	0.0	17.6	9.8	16.2	10.1	15.6	10.4
Zapadno-bački (West Backa)	M (Male)	0.0	0.0	20.3	0.0	0.0	14.6	7.3	6.1	6.5	5.7	5.9	5.4
	Ž (Female)	0.0	22.1	44.3	0.0	16.7	0.0	23.3	13.2	21.1	13.5	20.0	13.5
Južno-bački (South Backa)	M (Male)	0.0	6.0	18.9	11.3	0.0	8.5	8.1	7.2	7.9	7.3	7.4	7.1
	Ž (Female)	19.0	19.3	13.4	11.8	5.1	0.0	17.3	10.3	17.3	11.6	17.5	12.3
Sremski (Srem)	M (Male)	13.9	23.0	0.0	18.4	0.0	17.1	11.9	11.7	12.4	12.1	12.8	12.5
	Ž (Female)	0.0	12.0	11.2	0.0	17.9	19.7	8.4	10.8	7.4	9.9	7.1	9.3
Grad Beograd (City of Belgrade)	M (Male)	16.2	17.1	10.5	23.5	6.1	12.6	14.7	14.0	14.7	14.4	14.8	14.7
	Ž (Female)	7.3	20.5	16.7	7.4	4.0	5.9	14.7	9.5	14.5	10.2	14.3	10.5
Mačvanski (Macva)	M (Male)	13.9	11.8	58.6	82.1	9.6	0.0	28.9	29.2	27.5	29.0	26.2	29.1
	Ž (Female)	0.0	24.8	12.4	65.6	21.3	43.0	13.1	29.6	11.8	27.2	11.6	26.1
Kolubarski (Kolubara)	M (Male)	0.0	45.5	0.0	0.0	34.0	17.1	15.7	16.9	14.5	15.7	14.7	15.4
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Podunavski (Danube)	M (Male)	0.0	0.0	35.6	61.0	28.8	0.0	12.6	21.9	11.3	20.4	10.3	19.6
	Ž (Female)	0.0	18.8	18.8	32.8	15.3	0.0	13.4	14.7	12.0	14.0	11.5	13.8
Braničevski (Branicevo)	M (Male)	0.0	17.8	0.0	0.0	0.0	0.0	6.7	3.1	5.7	2.9	5.7	3.2
	Ž (Female)	27.1	38.8	0.0	0.0	17.6	0.0	21.4	12.9	22.2	14.2	23.0	15.2
Šumadijski (Sumadija)	M (Male)	0.0	13.2	71.8	0.0	10.7	18.8	28.2	18.2	27.1	18.7	25.1	18.1
	Ž (Female)	15.6	0.0	0.0	0.0	32.7	0.0	4.9	8.4	5.7	8.2	6.0	8.0
Pomoravski (Morava)	M (Male)	21.0	0.0	18.2	31.2	0.0	0.0	12.4	11.1	13.4	11.9	13.4	12.4
	Ž (Female)	0.0	0.0	36.6	16.5	0.0	0.0	12.9	8.6	11.6	8.6	10.6	8.5
Borski (Bor)	M (Male)	0.0	29.3	0.0	0.0	24.1	0.0	10.6	9.2	9.3	8.7	9.4	8.7
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zaječarski (Zajecar)	M (Male)	0.0	0.0	107.0	0.0	59.9	0.0	38.2	27.8	34.0	27.2	31.1	25.8
	Ž (Female)	0.0	0.0	110.9	33.5	0.0	31.7	41.1	30.0	35.3	28.7	32.2	27.7
Zlatiborski (Zlatibor)	M (Male)	0.0	12.5	0.0	10.8	9.6	20.3	4.4	9.5	4.0	8.7	4.0	8.2
	Ž (Female)	46.0	13.0	25.8	0.0	10.3	11.5	27.3	16.3	29.1	18.4	29.5	19.4
Moravički (Moravica)	M (Male)	0.0	0.0	19.0	16.3	0.0	27.7	6.5	11.1	6.1	10.3	5.5	9.6
	Ž (Female)	0.0	0.0	19.9	17.0	14.9	30.8	6.8	14.8	6.3	13.4	5.8	12.5
Raški (Raska)	M (Male)	9.8	9.2	10.5	0.0	0.0	27.5	9.8	9.6	9.8	9.5	9.8	9.4
	Ž (Female)	0.0	0.0	0.0	0.0	9.7	0.0	0.0	1.7	0.0	1.6	0.0	1.4
Rasinski (Rasina)	M (Male)	19.0	31.5	0.0	14.7	26.5	13.0	16.8	17.5	16.9	17.5	17.5	17.7
	Ž (Female)	0.0	0.0	32.9	30.3	0.0	13.9	11.7	13.1	10.5	12.5	9.5	12.1
Nišavski (Nisava)	M (Male)	11.3	21.8	32.9	9.6	0.0	7.7	22.1	12.9	21.5	13.8	21.0	14.2
	Ž (Female)	36.4	11.5	11.5	19.7	8.9	0.0	19.5	13.3	20.6	15.2	21.1	16.1
Toplički (Toplica)	M (Male)	0.0	37.4	0.0	32.5	32.5	0.0	13.1	18.2	11.9	16.7	12.1	16.5
	Ž (Female)	0.0	0.0	39.6	35.6	0.0	0.0	14.3	13.4	12.6	12.2	11.5	12.1
Pirotski (Pirot)	M (Male)	0.0	0.0	0.0	0.0	0.0	35.4	0.0	6.9	0.0	5.8	0.0	5.1
	Ž (Female)	0.0	0.0	91.5	0.0	0.0	0.0	34.7	14.9	29.1	14.9	26.6	14.7
Jablanički (Jablanica)	M (Male)	19.7	0.0	0.0	0.0	0.0	0.0	5.5	2.5	7.2	3.7	7.6	4.2
	Ž (Female)	20.4	33.2	16.5	15.0	0.0	0.0	23.6	13.4	23.3	14.3	23.4	15.4
Pčinjski (Pcinj)	M (Male)	0.0	11.4	0.0	10.9	0.0	0.0	4.2	4.0	3.6	3.6	3.7	3.8
	Ž (Female)	0.0	0.0	51.6	0.0	0.0	0.0	18.2	8.6	16.4	8.4	15.0	8.3

Tabela 9. Stope incidencije od tipa 1 dijabetesa na 100.000 stanovnika prema okruzima i uzrastu, Srbija, 2010. godina

Table 9. Incidence rates of type 1 diabetes per 100.000 population by region/administrative district and age, Serbia, 2010

Okrug Region/District	Uzrast Age						Incidencija (Incidence)					
							Sirova stopa Crude rate		Standardizovana stopa ASR-E ASR-W			
							0-14	0-29	0-14	0-29	0-14	0-29
Srbija (Serbia)	9.5	15.4	19.0	15.6	8.1	8.2	14.8	12.3	14.4	12.6	14.2	12.7
Vojvodina (Vojvodina)	8.7	20.7	18.6	13.7	6.9	5.8	16.2	11.9	15.7	12.3	15.4	12.6
Centralna Srbija (Central Serbia)	9.8	13.5	19.2	16.3	8.6	9.2	14.3	12.5	14.0	12.7	13.7	12.8
Severno-bački (North Backa)	11.7	41.8	30.4	55.0	24.0	0.0	28.6	26.2	27.2	26.8	26.8	27.1
Srednje-banatski (Middle Banat)	23.7	41.8	20.4	0.0	0.0	0.0	28.7	12.4	28.4	14.5	28.6	15.8
Severno-banatski (North Banat)	15.2	13.2	38.7	11.1	0.0	0.0	22.8	11.7	22.0	13.1	21.4	13.6
Južno-banatski (South Banat)	0.0	24.8	12.4	16.3	10.0	4.9	12.9	11.4	11.8	11.1	11.6	11.2
Zapadno-bački (West Backa)	0.0	10.8	31.8	0.0	8.0	7.9	15.0	9.5	13.6	9.5	12.7	9.3
Južno-bački (South Backa)	9.1	12.4	16.3	11.6	2.5	4.2	12.5	8.7	12.4	9.3	12.2	9.6
Sremski (Srem)	7.2	17.6	5.5	9.5	8.6	18.3	10.2	11.3	10.0	11.0	10.1	10.9
Grad Beograd (City of Belgrade)	11.9	18.8	13.5	15.6	5.1	9.1	14.7	11.8	14.6	12.3	14.6	12.6
Mačvanski (Macva)	7.2	18.1	36.1	74.1	15.2	20.3	21.2	29.4	19.9	28.0	19.1	27.5
Kolubarski (Kolubara)	0.0	23.2	0.0	0.0	17.8	9.0	8.0	8.7	7.4	8.1	7.5	8.0
Podunavski (Danube)	0.0	9.1	27.4	47.4	22.3	0.0	13.0	18.5	11.6	17.3	10.9	16.8
Braničevski (Branicevo)	13.1	27.9	0.0	0.0	8.7	0.0	13.8	7.9	13.6	8.4	14.1	9.0
Šumadijski (Sumadija)	7.6	6.7	36.8	0.0	21.6	9.7	16.8	13.4	16.6	13.6	15.8	13.2
Pomoravski (Morava)	10.8	0.0	27.3	24.0	0.0	0.0	12.6	9.9	12.6	10.4	12.1	10.6
Borski (Bor)	0.0	15.0	0.0	0.0	12.6	0.0	5.4	4.8	4.8	4.5	4.8	4.5
Zaječarski (Zajecar)	0.0	0.0	108.9	16.2	30.5	14.7	39.6	28.8	34.7	27.7	31.6	26.6
Zlatiborski (Zlatibor)	22.3	12.7	12.8	5.5	9.9	16.2	15.6	12.8	16.2	13.4	16.4	13.7
Moravički (Moravica)	0.0	0.0	19.5	16.6	7.2	29.1	6.6	12.9	6.2	11.8	5.6	11.0
Raški (Raska)	5.1	4.7	5.4	0.0	4.7	13.9	5.1	5.7	5.1	5.6	5.1	5.5
Rasinski (Rasina)	9.8	16.1	16.2	22.4	13.5	13.4	14.3	15.4	13.9	15.1	13.7	15.0
Nišavski (Nisava)	23.4	16.8	22.5	14.6	4.4	3.9	20.8	13.1	21.0	14.5	21.0	15.1
Toplički (Toplica)	0.0	19.5	19.0	34.0	17.1	0.0	13.7	15.9	12.2	14.6	11.8	14.4
Pirotski (Pilot)	0.0	0.0	45.1	0.0	0.0	18.7	16.9	10.8	14.4	10.4	13.1	9.9
Jablanički (Jablanica)	20.1	16.0	8.0	7.2	0.0	0.0	14.3	7.8	14.9	8.8	15.2	9.6
Pčinjski (Pcini)	0.0	5.9	25.0	5.6	0.0	0.0	10.9	6.2	9.8	5.9	9.2	6.0

Tabela 10. Stope incidencije od tipa 2 dijabetesa na 100.000 stanovnika prema okruzima, uzrastu i polu, Srbija, 2010. godina

Table 10. Incidence rates of type 2 diabetes per 100.000 population by region/administrative district, age and sex, Serbia, 2010

Okrug Region/District	Pol Sex	Uzrast Age									
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
		Srbija (Serbia)	M (Male)	0.0	0.0	0.0	1.8	6.3	12.7	32.5	67.8
	Ž (Female)	0.0	0.5	1.1	2.9	1.8	11.2	22.4	39.9	103.9	188.0
Vojvodina (Vojvodina)	M (Male)	0.0	0.0	0.0	1.7	4.5	16.7	41.8	75.3	174.0	297.3
	Ž (Female)	0.0	2.0	2.0	0.0	1.6	11.9	22.4	46.8	127.9	190.3
Centralna Srbija (Central Serbia)	M (Male)	0.0	0.0	0.0	1.9	7.0	11.2	29.0	65.0	143.9	259.2
	Ž (Female)	0.0	0.0	0.8	4.0	1.8	10.9	22.3	37.4	94.9	187.1
Severno-bački (North Backa)	M (Male)	0.0	0.0	0.0	0.0	0.0	56.8	95.1	77.2	242.4	370.8
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	44.0	49.4	236.3	300.8
Srednje-banatski (Middle Banat)	M (Male)	0.0	0.0	0.0	16.7	0.0	30.3	14.9	111.0	181.3	338.4
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	34.9	34.4	103.5	249.3	317.0
Severno-banatski (North Banat)	M (Male)	0.0	0.0	0.0	0.0	0.0	37.1	18.9	39.9	179.5	297.6
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	21.2	21.0	21.4	82.6	264.3
Južno-banatski (South Banat)	M (Male)	0.0	0.0	0.0	0.0	9.7	18.7	28.2	88.9	207.7	243.5
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	20.3	10.2	62.0	116.7	164.1
Zapadno-bački (West Backa)	M (Male)	0.0	0.0	0.0	0.0	30.3	0.0	60.1	157.3	244.6	381.5
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	17.1	50.4	50.1	76.5	84.0
Južno-bački (South Backa)	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	29.3	60.2	112.4	219.8
	Ž (Female)	0.0	6.4	0.0	0.0	0.0	4.1	12.6	41.3	87.3	163.3
Sremski (Srem)	M (Male)	0.0	0.0	0.0	0.0	0.0	17.1	62.7	37.9	171.5	362.3
	Ž (Female)	0.0	0.0	11.2	0.0	8.9	9.9	19.9	19.8	131.3	151.7
Grad Beograd (City of Belgrade)	M (Male)	0.0	0.0	0.0	2.4	10.1	11.0	21.4	45.0	148.4	252.7
	Ž (Female)	0.0	0.0	0.0	7.4	4.0	8.8	12.9	16.2	64.9	130.7
Mačvanski (Macva)	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	28.4	68.2	136.8	259.4
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	61.1	39.9	174.4	336.3
Kolubarski (Kolubara)	M (Male)	0.0	0.0	0.0	19.2	0.0	34.2	17.6	122.7	103.1	299.5
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	36.3	18.0	50.5	121.3
Podunavski (Danube)	M (Male)	0.0	0.0	0.0	0.0	14.4	0.0	28.2	43.4	62.8	217.0
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	15.4	75.7	78.4	178.4
Braničevski (Branicevo)	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	16.3	61.7	166.2	304.1
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	16.4	46.3	100.4	143.4
Šumadijski (Sumadija)	M (Male)	0.0	0.0	0.0	0.0	0.0	9.4	19.0	31.8	103.9	216.3
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	10.0	30.2	53.9	87.8	152.0
Pomoravski (Morava)	M (Male)	0.0	0.0	0.0	0.0	0.0	14.6	14.2	116.8	62.5	178.1
	Ž (Female)	0.0	0.0	18.3	0.0	0.0	30.6	29.6	14.4	104.5	203.5
Borski (Bor)	M (Male)	0.0	0.0	0.0	0.0	0.0	48.9	23.6	22.9	218.0	552.2
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	79.4	47.0	117.9	267.9
Zaječarski (Zajecar)	M (Male)	0.0	0.0	0.0	0.0	30.0	0.0	108.2	76.4	27.7	361.9
	Ž (Female)	0.0	0.0	0.0	33.5	0.0	31.7	89.7	55.9	54.5	385.8
Zlatiborski (Zlatibor)	M (Male)	0.0	0.0	0.0	0.0	9.6	20.3	42.6	53.0	187.8	177.0
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9	41.0	128.5
Moravički (Moravica)	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	13.8	86.8	135.3	177.9
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	15.4	0.0	0.0	73.2	104.6
Raški (Raska)	M (Male)	0.0	0.0	0.0	0.0	9.2	0.0	18.9	51.0	149.9	173.0
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	18.6	9.4	19.4	41.3	82.7
Rasinski (Rasina)	M (Male)	0.0	0.0	0.0	14.7	26.5	13.0	49.1	74.2	145.6	198.8
	Ž (Female)	0.0	0.0	0.0	30.3	0.0	13.9	25.8	63.1	132.2	268.7
Nišavski (Nisava)	M (Male)	0.0	0.0	0.0	0.0	0.0	15.4	22.4	71.9	92.0	266.4
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	15.5	22.9	64.6	124.1	251.6
Toplički (Toplica)	M (Male)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65.1	96.3	313.9
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	0.0	77.3	0.0	67.3	135.6
Pirotski (Piot)	M (Male)	0.0	0.0	0.0	0.0	0.0	35.4	69.6	98.7	219.0	230.8
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	39.5	39.1	70.4	68.2	226.1
Jablanički (Jablanica)	M (Male)	0.0	0.0	0.0	0.0	0.0	13.8	67.6	180.9	301.7	367.8
	Ž (Female)	0.0	0.0	0.0	0.0	0.0	29.4	28.8	107.9	245.8	353.3
Pčinjski (Pcini)	M (Male)	0.0	0.0	0.0	0.0	11.1	12.3	65.3	64.7	185.6	394.0
	Ž (Female)	0.0	0.0	0.0	0.0	11.7	13.3	13.7	118.7	202.4	316.5

Tabela 10. (nastavak)

Table 10. (continued)

Uzrast Age						Incidenција (Incidence)								
						Siroma stopa Crude rate			Standardizovana stopa					
									ASR-E			ASR-W		
50-54	55-59	60-64	65-69	70-74	75+	0-14	0-29	0-75+	0-14	0-29	0-75+	0-14	0-29	0-75+
371.7	502.2	659.5	640.8	620.9	423.1	0.0	4.1	224.5	0.0	3.4	188.3	0.0	3.0	138.2
303.3	464.2	664.1	666.7	623.5	401.0	0.6	3.4	228.8	0.5	2.8	169.7	0.5	2.6	123.5
416.8	608.1	721.3	728.4	680.5	422.7	0.0	4.6	244.4	0.0	3.7	211.0	0.0	3.3	155.1
375.2	505.0	691.1	640.5	574.2	356.7	1.4	3.3	232.7	1.3	2.9	176.6	1.2	2.6	129.1
354.1	464.2	636.9	611.0	601.3	423.3	0.0	3.9	217.2	0.0	3.3	180.1	0.0	2.9	132.0
275.8	449.7	653.9	676.4	641.7	415.9	0.3	3.4	227.3	0.2	2.8	167.1	0.2	2.6	121.3
527.9	607.5	1079.3	735.6	700.1	375.6	0.0	12.0	292.6	0.0	9.2	251.8	0.0	8.1	189.1
466.8	634.1	627.4	710.7	630.3	377.9	0.0	0.0	273.7	0.0	0.0	208.7	0.0	0.0	153.1
608.0	764.1	611.1	864.2	1036.8	572.5	0.0	9.0	306.6	0.0	7.7	256.0	0.0	7.0	186.2
399.4	623.6	888.5	773.8	744.8	472.5	0.0	6.5	319.2	0.0	5.7	233.7	0.0	5.0	173.1
446.7	728.9	831.3	882.9	818.3	380.1	0.0	7.6	281.0	0.0	6.0	231.8	0.0	5.3	170.3
504.9	539.3	549.5	604.3	401.4	486.9	0.0	4.1	247.4	0.0	3.5	179.6	0.0	3.0	129.7
333.7	592.4	721.6	696.8	643.5	448.4	0.0	5.5	235.9	0.0	4.6	201.9	0.0	4.1	148.4
378.7	524.0	663.2	602.5	573.9	331.5	0.0	3.9	226.1	0.0	3.3	171.8	0.0	2.9	125.4
386.7	622.6	579.3	543.7	539.6	284.2	0.0	6.1	245.0	0.0	4.9	203.9	0.0	4.3	153.2
329.2	393.2	532.3	368.6	490.7	197.9	0.0	3.3	180.7	0.0	2.8	130.1	0.0	2.4	95.3
291.3	547.2	650.3	628.6	595.5	365.6	0.0	0.0	193.0	0.0	0.0	172.9	0.0	0.0	125.8
287.2	433.1	693.6	611.9	524.2	346.9	2.2	1.9	199.7	2.0	1.7	156.9	2.1	1.7	114.4
529.4	568.6	750.3	892.2	663.9	535.6	0.0	3.3	264.8	0.0	2.8	231.3	0.0	2.4	169.4
429.7	525.6	796.4	801.4	661.2	355.3	4.2	5.4	250.9	3.6	4.9	192.2	3.3	4.5	140.6
340.4	467.5	580.5	676.1	619.9	541.6	0.0	4.7	214.4	0.0	3.8	182.6	0.0	3.4	132.4
229.7	382.0	525.7	568.6	584.9	407.4	0.0	4.0	189.8	0.0	3.3	139.0	0.0	3.0	99.9
304.9	627.2	851.5	653.0	937.1	262.2	0.0	0.0	243.0	0.0	0.0	200.8	0.0	0.0	147.5
368.7	585.3	998.1	793.9	726.3	470.2	0.0	0.0	295.7	0.0	0.0	226.0	0.0	0.0	166.2
314.3	408.2	638.5	564.4	572.8	303.6	0.0	10.1	214.6	0.0	8.7	172.1	0.0	8.0	129.1
270.7	365.6	418.0	790.5	494.2	453.4	0.0	0.0	206.9	0.0	0.0	142.2	0.0	0.0	101.1
282.0	386.2	403.5	356.8	285.0	257.5	0.0	2.7	144.8	0.0	2.3	121.8	0.0	2.1	89.5
168.9	291.2	545.5	452.2	334.1	189.3	0.0	0.0	150.3	0.0	0.0	116.6	0.0	0.0	86.8
366.0	433.2	431.7	512.0	583.1	216.1	0.0	0.0	183.6	0.0	0.0	158.2	0.0	0.0	117.1
328.6	309.6	443.2	378.0	578.3	258.2	0.0	0.0	173.3	0.0	0.0	128.0	0.0	0.0	93.0
260.9	342.4	420.4	410.0	376.7	293.3	0.0	2.0	154.2	0.0	1.5	125.9	0.0	1.3	92.3
160.2	285.6	374.5	482.1	443.2	393.0	0.0	2.1	163.5	0.0	1.6	118.8	0.0	1.4	85.8
376.9	462.6	560.0	713.5	456.2	304.2	0.0	2.8	203.6	0.0	2.4	163.6	0.0	2.1	119.8
190.2	447.5	639.0	666.9	596.0	321.1	6.4	8.6	220.6	5.8	8.0	157.6	5.3	7.3	116.5
565.4	479.0	862.1	473.8	697.5	380.1	0.0	9.2	280.1	0.0	8.0	227.1	0.0	7.0	170.6
525.9	556.7	710.1	960.8	752.1	333.9	0.0	0.0	303.0	0.0	0.0	215.9	0.0	0.0	158.2
462.0	624.3	1074.6	612.3	700.2	385.0	0.0	5.6	318.9	0.0	4.9	226.7	0.0	4.3	168.0
521.9	639.1	692.5	915.7	858.5	396.2	0.0	12.0	357.0	0.0	10.6	233.3	0.0	9.9	172.6
390.3	462.0	713.4	578.6	665.9	560.5	0.0	5.7	235.4	0.0	4.9	190.6	0.0	4.3	138.4
186.8	414.6	641.3	658.6	862.7	664.4	0.0	0.0	237.4	0.0	0.0	161.4	0.0	0.0	112.7
233.2	331.9	658.8	626.5	687.3	704.5	0.0	0.0	226.3	0.0	0.0	172.0	0.0	0.0	122.7
210.7	380.3	410.6	656.2	702.0	761.0	0.0	3.0	234.5	0.0	2.5	149.4	0.0	2.2	103.0
291.7	469.6	471.4	454.5	503.7	382.9	0.0	1.6	157.0	0.0	1.5	148.9	0.0	1.3	107.9
184.8	306.7	554.1	535.3	465.7	302.8	0.0	3.4	138.2	0.0	3.0	118.5	0.0	2.7	85.8
281.7	339.8	620.3	522.7	550.6	387.4	0.0	10.0	205.9	0.0	8.8	160.6	0.0	8.0	119.5
277.4	425.2	596.1	764.0	490.6	341.8	0.0	7.9	233.2	0.0	7.2	171.1	0.0	6.9	127.5
345.2	353.9	569.9	504.4	678.9	308.0	0.0	3.2	202.8	0.0	2.5	159.5	0.0	2.2	117.5
321.3	566.0	764.5	651.4	581.2	386.1	0.0	3.3	254.1	0.0	2.5	187.1	0.0	2.2	137.2
522.0	394.8	331.5	749.4	281.5	292.2	0.0	0.0	195.0	0.0	0.0	160.2	0.0	0.0	117.6
240.7	245.2	865.1	583.5	490.8	345.7	0.0	0.0	209.4	0.0	0.0	146.3	0.0	0.0	107.5
437.2	578.5	765.9	711.3	432.4	395.3	0.0	6.9	279.5	0.0	5.8	206.6	0.0	5.1	153.4
423.6	563.3	1043.3	891.5	827.0	379.9	0.0	7.5	328.1	0.0	6.4	222.3	0.0	5.6	163.7
521.0	744.4	1198.2	1012.4	825.4	729.6	0.0	2.5	368.0	0.0	2.2	300.7	0.0	2.0	221.4
617.0	1195.9	1616.3	1396.8	1448.0	639.2	0.0	5.4	500.6	0.0	4.8	374.2	0.0	4.2	273.5
515.6	629.3	790.8	641.0	469.1	291.5	0.0	4.0	211.1	0.0	3.8	216.1	0.0	3.3	161.5
423.2	708.8	1222.3	874.1	658.6	424.1	0.0	4.3	268.1	0.0	4.1	252.3	0.0	3.6	187.4

Tabela 11. Stope incidencije od tipa 2 dijabetesa na 100.000 stanovnika prema okruzima i uzrastu, Srbija, 2010. godina

Table 11. Incidence rates of type 2 diabetes per 100.000 population by region/administrative district and age, Serbia, 2010

Okrug Region/District	Uzrast Age									
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija (Serbia)	0.0	0.3	0.5	2.4	4.1	12.0	27.5	53.8	127.8	228.2
Vojvodina (Vojvodina)	0.0	1.0	1.0	0.9	3.1	14.4	32.4	61.3	151.0	243.3
Centralna Srbija (Central Serbia)	0.0	0.0	0.4	2.9	4.4	11.1	25.7	51.2	119.0	222.3
Severno-bački (North Backa)	0.0	0.0	0.0	0.0	0.0	29.4	70.5	63.8	239.3	335.2
Srednje-banatski (Middle Banat)	0.0	0.0	0.0	8.6	0.0	32.5	23.9	107.4	214.8	327.8
Severno-banatski (North Banat)	0.0	0.0	0.0	0.0	0.0	29.7	19.9	31.0	131.9	281.0
Južno-banatski (South Banat)	0.0	0.0	0.0	0.0	5.0	19.5	19.6	75.8	162.7	203.6
Zapadno-bački (West Backa)	0.0	0.0	0.0	0.0	15.9	7.9	55.5	105.3	160.5	232.1
Južno-bački (South Backa)	0.0	3.1	0.0	0.0	0.0	2.1	20.9	50.7	99.8	190.9
Sremski (Srem)	0.0	0.0	5.5	0.0	4.3	13.7	42.4	29.0	151.2	255.8
Grad Beograd (City of Belgrade)	0.0	0.0	0.0	4.8	7.1	9.9	17.0	30.2	105.0	188.1
Mačvanski (Macva)	0.0	0.0	0.0	0.0	0.0	0.0	44.2	54.2	155.6	298.1
Kolubarski (Kolubara)	0.0	0.0	0.0	9.7	0.0	18.0	26.8	71.0	76.5	210.9
Podunavski (Danube)	0.0	0.0	0.0	0.0	7.4	0.0	22.1	59.2	70.6	197.3
Braničevski (Branicevo)	0.0	0.0	0.0	0.0	0.0	0.0	16.4	54.0	133.4	223.8
Šumadijski (Sumadija)	0.0	0.0	0.0	0.0	0.0	9.7	24.5	42.7	95.7	183.1
Pomoravski (Morava)	0.0	0.0	9.1	0.0	0.0	22.4	21.7	65.3	84.0	190.9
Borski (Bor)	0.0	0.0	0.0	0.0	0.0	25.7	49.9	34.8	167.3	407.9
Zaječarski (Zajecar)	0.0	0.0	0.0	16.2	15.2	14.7	99.4	66.6	41.2	373.9
Zlatiborski (Zlatibor)	0.0	0.0	0.0	0.0	5.0	10.8	21.9	32.3	113.7	152.6
Moravički (Moravica)	0.0	0.0	0.0	0.0	0.0	7.3	7.2	43.3	103.8	140.4
Raški (Raska)	0.0	0.0	0.0	0.0	4.7	9.2	14.1	34.8	94.7	126.8
Rasinski (Rasina)	0.0	0.0	0.0	22.4	13.5	13.4	37.8	68.7	138.9	234.4
Nišavski (Nisava)	0.0	0.0	0.0	0.0	0.0	15.4	22.6	68.3	108.1	258.9
Toplički (Toplica)	0.0	0.0	0.0	0.0	0.0	0.0	36.7	34.0	82.1	228.2
Pirotski (Pirot)	0.0	0.0	0.0	0.0	0.0	37.3	55.2	85.0	146.9	228.6
Jablanički (Jablanica)	0.0	0.0	0.0	0.0	0.0	21.3	48.8	145.2	274.3	360.8
Pčinjski (Pcini)	0.0	0.0	0.0	0.0	11.4	12.8	40.1	91.5	193.9	356.1

Tabela 11. (nastavak)

Table 11. (continued)

Uzrast Age						Incidenција (Incidence)								
						Sirova stopa Crude rate			Standardizovana stopa					
						0-14	0-29	0-75+	ASR-E			ASR-W		
0-14	0-29	0-75+	0-14	0-29	0-75+									
50-54	55-59	60-64	65-69	70-74	75+	0-14	0-29	0-75+	0-14	0-29	0-75+	0-14	0-29	0-75+
336.7	482.7	661.9	655.1	622.4	409.8	0.3	3.7	226.7	0.3	3.1	178.8	0.2	2.8	130.7
395.7	555.2	705.2	678.7	617.9	380.9	0.7	4.0	238.4	0.6	3.3	192.8	0.6	3.0	141.5
314.0	456.7	645.9	646.7	624.0	418.9	0.1	3.6	222.4	0.1	3.1	173.6	0.1	2.7	126.7
496.7	621.2	837.9	721.4	658.4	377.1	0.0	6.2	282.8	0.0	4.8	229.3	0.0	4.2	170.4
503.5	693.2	760.7	812.1	863.4	508.5	0.0	7.8	313.0	0.0	6.7	243.6	0.0	6.0	178.9
475.6	631.3	683.8	724.6	572.0	448.3	0.0	5.9	263.8	0.0	4.8	204.0	0.0	4.2	148.7
356.2	557.9	690.7	644.1	602.5	375.3	0.0	4.7	230.9	0.0	4.0	185.8	0.0	3.5	136.3
357.9	506.6	554.5	445.7	510.3	228.5	0.0	4.7	212.1	0.0	3.9	165.9	0.0	3.4	123.6
289.2	487.3	673.9	619.1	553.8	353.8	1.0	0.9	196.5	1.0	0.8	164.4	1.0	0.9	119.8
479.7	546.9	774.7	841.5	662.3	423.5	2.0	4.3	257.7	1.7	3.8	210.7	1.6	3.4	154.5
280.7	421.0	550.0	615.8	599.8	460.2	0.0	4.3	201.4	0.0	3.5	158.8	0.0	3.2	114.7
336.9	606.3	926.7	728.1	818.4	385.7	0.0	0.0	269.6	0.0	0.0	214.1	0.0	0.0	157.2
292.5	387.3	524.8	686.2	529.0	390.2	0.0	5.2	210.7	0.0	4.5	157.8	0.0	4.1	115.5
224.5	338.6	476.7	409.6	312.9	216.3	0.0	1.4	147.6	0.0	1.2	119.3	0.0	1.1	88.3
347.3	370.6	437.9	436.6	580.3	241.8	0.0	0.0	178.3	0.0	0.0	142.9	0.0	0.0	104.9
208.9	313.5	396.4	448.9	413.3	352.6	0.0	2.1	158.9	0.0	1.6	122.6	0.0	1.4	89.2
282.4	455.0	601.3	687.8	536.7	314.5	3.1	5.6	212.4	2.9	5.1	160.9	2.6	4.7	118.4
545.7	519.1	783.1	747.4	729.0	352.7	0.0	4.8	291.8	0.0	4.2	222.4	0.0	3.7	165.1
492.2	632.0	876.5	776.9	789.6	391.7	0.0	8.6	338.5	0.0	7.5	230.5	0.0	6.9	170.6
288.7	438.1	676.3	621.1	775.0	620.9	0.0	3.0	236.4	0.0	2.6	176.8	0.0	2.2	126.1
221.6	356.3	530.5	642.9	695.4	737.0	0.0	1.4	230.4	0.0	1.2	160.6	0.0	1.0	112.8
236.4	386.1	514.6	498.7	483.0	338.2	0.0	2.5	147.5	0.0	2.3	133.3	0.0	2.0	96.6
279.5	382.4	607.9	652.9	517.5	360.1	0.0	9.0	219.8	0.0	8.0	166.0	0.0	7.4	123.7
333.3	461.1	669.8	581.8	626.3	352.7	0.0	3.3	228.9	0.0	2.5	173.8	0.0	2.2	127.6
389.3	323.1	592.5	661.0	396.9	323.3	0.0	0.0	202.1	0.0	0.0	154.2	0.0	0.0	113.2
430.7	571.1	904.5	801.8	638.2	386.7	0.0	7.2	303.5	0.0	6.1	215.0	0.0	5.3	159.0
567.2	965.3	1409.2	1216.8	1170.2	677.3	0.0	3.9	434.2	0.0	3.5	338.5	0.0	3.0	248.2
470.3	668.4	1014.7	765.2	575.0	369.4	0.0	4.1	239.5	0.0	3.9	235.8	0.0	3.5	175.5

IVf Broj umrlih i mortalitet od dijabetesa u Srbiji, 2010. godina

IVf Number of deaths and mortality of diabetes in Serbia, 2010

Tabela 12. (nastavak)

Table 12. (continued)

Uzrast									
Age									
50-54	55-59	60-64	65-69	70-74	75+	0-29	%	0-75+	%
24	28	34	47	76	97	1	33.3	323	44.4
6	15	31	44	79	218	2	66.7	404	55.6
10	8	20	15	38	42	0	0.0	140	47.1
2	7	18	18	29	82	0	0.0	157	52.9
14	20	14	32	38	55	1	33.3	183	42.6
4	8	13	26	50	136	2	66.7	247	57.4
3	0	3	1	5	3	0	0.0	15	44.1
0	0	1	3	6	9	0	0.0	19	55.9
1	1	2	1	2	3	0	0.0	12	34.3
0	0	4	6	6	7	0	0.0	23	65.7
1	2	1	1	4	3	0	0.0	14	56.0
0	2	3	0	0	6	0	0.0	11	44.0
0	1	3	3	3	8	0	0.0	18	54.5
0	1	2	1	2	9	0	0.0	15	45.5
0	1	0	0	2	0	0	0.0	3	37.5
0	1	0	1	0	3	0	0.0	5	62.5
2	3	6	6	9	14	0	0.0	40	47.1
2	2	3	2	8	28	0	0.0	45	52.9
3	0	5	3	13	11	0	0.0	38	49.4
0	1	5	5	7	20	0	0.0	39	50.6
4	4	4	7	7	10	0	0.0	39	47.6
1	2	1	4	9	22	1	100.0	43	52.4
0	1	0	3	3	7	0	0.0	15	40.5
0	1	3	2	4	12	0	0.0	22	59.5
0	0	1	0	0	0	0	0.0	2	20.0
0	1	0	1	1	4	0	0.0	8	80.0
1	0	0	1	0	0	0	0.0	3	37.5
0	0	0	0	0	5	0	0.0	5	62.5
4	1	1	4	4	11	0	0.0	25	43.1
0	0	1	1	8	21	0	0.0	33	56.9
1	0	0	0	2	0	0	0.0	3	60.0
1	0	1	0	0	0	0	0.0	2	40.0
0	1	0	1	4	4	0	0.0	10	50.0
0	0	0	1	1	8	0	0.0	10	50.0
0	0	2	3	3	5	0	0.0	13	37.1
1	0	1	2	5	12	1	100.0	22	62.9
1	0	0	3	3	3	0	0.0	10	43.5
1	0	0	3	2	7	0	0.0	13	56.5
0	0	0	0	0	0	0	0.0	2	18.2
0	2	0	2	3	2	0	0.0	9	81.8
1	2	0	0	1	2	0	0.0	6	40.0
0	0	0	1	1	6	0	0.0	9	60.0
0	5	1	2	7	8	0	0.0	23	43.4
0	0	2	4	6	17	0	0.0	30	56.6
1	1	0	0	0	0	0	0.0	2	66.7
0	0	0	1	0	0	0	0.0	1	33.3
0	1	0	2	1	3	1	100.0	9	33.3
0	2	1	3	2	10	0	0.0	18	66.7
0	3	1	1	1	1	0	0.0	7	38.9
0	0	1	1	3	6	0	0.0	11	61.1
0	1	1	2	1	1	0	0.0	6	66.7
0	0	1	0	1	1	0	0.0	3	33.3
0	0	1	2	1	0	0	0.0	4	57.1
0	0	0	0	2	1	0	0.0	3	42.9
1	0	2	1	0	0	0	0.0	4	44.4
0	0	1	0	2	2	0	0.0	5	55.6

Tabela 13. (nastavak)

Table 13. (continued)

Uzrast Age						Ukupno Total	
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+
30	43	65	91	155	315	3	727
12	15	38	33	67	124	0	297
18	28	27	58	88	191	3	430
3	0	4	4	11	12	0	34
1	1	6	7	8	10	0	35
1	4	4	1	4	9	0	25
0	2	5	4	5	17	0	33
0	2	0	1	2	3	0	8
4	5	9	8	17	42	0	85
3	1	10	8	20	31	0	77
5	6	5	11	16	32	1	82
0	2	3	5	7	19	0	37
0	1	1	1	1	4	0	10
1	0	0	1	0	5	0	8
4	1	2	5	12	32	0	58
2	0	1	0	2	0	0	5
0	1	0	2	5	12	0	20
1	0	3	5	8	17	1	35
2	0	0	6	5	10	0	23
0	2	0	2	3	2	0	11
1	2	0	1	2	8	0	15
0	5	3	6	13	25	0	53
1	1	0	1	0	0	0	3
0	3	1	5	3	13	1	27
0	3	2	2	4	7	0	18
0	1	2	2	2	2	0	9
0	0	1	2	3	1	0	7
1	0	3	1	2	2	0	9

Tabela 14. (nastavak)

Table 14. (continued)

Uzrast Age						Ukupno Total			
50-54	55-59	60-64	65-69	70-74	75+	0-29	%	0-75+	%
26	30	72	97	128	317	1	100.0	675	43.2
8	28	54	73	168	548	0	0.0	887	56.8
8	9	20	26	37	76	0	0.0	178	42.5
2	9	15	20	42	151	0	0.0	241	57.5
18	21	52	71	91	241	1	100.0	497	43.5
6	19	39	53	126	397	0	0.0	646	56.5
1	2	3	2	3	6	0	0.0	17	45.9
0	1	2	1	5	10	0	0.0	20	54.1
0	1	1	0	2	6	0	0.0	10	41.7
0	0	0	0	4	10	0	0.0	14	58.3
1	2	2	5	7	16	0	0.0	34	46.6
0	2	1	3	6	27	0	0.0	39	53.4
2	1	5	9	10	12	0	0.0	40	44.0
0	3	5	7	10	25	0	0.0	51	56.0
0	0	0	0	0	1	0	0.0	1	16.7
1	0	0	0	1	3	0	0.0	5	83.3
1	1	5	5	3	20	0	0.0	35	37.2
0	1	3	7	8	40	0	0.0	59	62.8
3	2	4	5	12	15	0	0.0	41	43.6
1	2	4	2	8	36	0	0.0	53	56.4
5	8	16	26	26	72	0	0.0	154	48.9
2	8	11	13	20	105	0	0.0	161	51.1
2	1	4	4	8	18	0	0.0	37	37.4
0	1	8	9	15	29	0	0.0	62	62.6
0	0	4	3	0	9	0	0.0	16	45.7
0	0	0	2	5	12	0	0.0	19	54.3
0	0	2	0	1	2	0	0.0	6	35.3
0	0	0	1	2	8	0	0.0	11	64.7
0	1	4	8	2	19	0	0.0	34	41.0
0	1	3	5	9	31	0	0.0	49	59.0
3	1	5	2	2	10	0	0.0	23	34.8
0	2	2	1	15	23	0	0.0	43	65.2
0	0	3	2	8	18	0	0.0	31	47.0
2	0	1	3	5	22	0	0.0	35	53.0
1	0	3	5	0	9	0	0.0	18	36.0
1	1	2	1	8	19	0	0.0	32	64.0
2	3	4	2	5	12	0	0.0	28	45.9
0	0	1	0	7	25	0	0.0	33	54.1
1	2	1	4	5	12	0	0.0	25	41.0
0	2	2	7	6	18	0	0.0	36	59.0
3	1	1	2	14	14	0	0.0	35	60.3
0	1	2	1	3	15	0	0.0	23	39.7
0	1	3	3	4	9	0	0.0	20	45.5
0	2	0	2	4	16	0	0.0	24	54.5
0	0	0	4	2	4	0	0.0	10	29.4
0	0	0	1	7	16	0	0.0	24	70.6
0	2	0	3	5	15	0	0.0	25	41.7
0	1	4	3	6	21	0	0.0	35	58.3
0	0	0	0	2	2	0	0.0	4	19.0
1	0	0	1	5	10	0	0.0	17	81.0
0	0	0	2	1	10	0	0.0	13	50.0
0	0	0	1	2	10	0	0.0	13	50.0
1	0	1	1	2	2	0	0.0	7	33.3
0	0	1	1	3	9	0	0.0	14	66.7
0	1	1	0	4	4	1	100.0	11	42.3
0	0	2	1	4	8	0	0.0	15	57.7

Tabela 15. Broj umrlih od tipa 2 dijabetesa prema okruzima i uzrastu, Srbija, 2010. godina

Table 15. Number of deaths caused by type 2 diabetes by region/administrative district and age, Serbia, 2010

Okrug Region/District	Uzrast Age									
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija (Serbia)	0	0	0	0	0	1	1	0	4	7
Vojvodina (Vojvodina)	0	0	0	0	0	0	0	0	0	4
Centralna Srbija (Central Serbia)	0	0	0	0	0	1	1	0	4	3
Severno-bački (North Backa)	0	0	0	0	0	0	0	0	0	1
Srednje-banatski (Middle Banat)	0	0	0	0	0	0	0	0	0	0
Severno-banatski (North Banat)	0	0	0	0	0	0	0	0	0	1
Južno-banatski (South Banat)	0	0	0	0	0	0	0	0	0	2
Zapadno-bački (West Backa)	0	0	0	0	0	0	0	0	0	0
Južno-bački (South Backa)	0	0	0	0	0	0	0	0	0	0
Sremski (Srem)	0	0	0	0	0	0	0	0	0	0
Grad Beograd (City of Belgrade)	0	0	0	0	0	0	0	0	3	0
Mačvanski (Macva)	0	0	0	0	0	0	0	0	0	0
Kolubarski (Kolubara)	0	0	0	0	0	0	0	0	0	0
Podunavski (Danube)	0	0	0	0	0	0	0	0	0	1
Braničevski (Branicevo)	0	0	0	0	0	0	0	0	0	0
Šumadijski (Sumadija)	0	0	0	0	0	0	0	0	0	0
Pomoravski (Morava)	0	0	0	0	0	0	0	0	1	1
Borski (Bor)	0	0	0	0	0	0	0	0	0	0
Zaječarski (Zajecar)	0	0	0	0	0	0	0	0	0	0
Zlatiborski (Zlatibor)	0	0	0	0	0	0	1	0	0	0
Moravički (Moravica)	0	0	0	0	0	0	0	0	0	1
Raški (Raska)	0	0	0	0	0	0	0	0	0	0
Rasinski (Rasina)	0	0	0	0	0	0	0	0	0	0
Nišavski (Nisava)	0	0	0	0	0	0	0	0	0	0
Toplički (Toplica)	0	0	0	0	0	0	0	0	0	0
Pirotski (Piot)	0	0	0	0	0	0	0	0	0	0
Jablanički (Jablanica)	0	0	0	0	0	0	0	0	0	0
Pčinjski (Pcinj)	0	0	0	0	0	1	0	0	0	0

Tabela 15. (nastavak)

Table 15. (continued)

Uzrast Age						Ukupno Total	
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+
34	58	126	170	296	865	1	1562
10	18	35	46	79	227	0	419
24	40	91	124	217	638	1	1143
1	3	5	3	8	16	0	37
0	1	1	0	6	16	0	24
1	4	3	8	13	43	0	73
2	4	10	16	20	37	0	91
1	0	0	0	1	4	0	6
1	2	8	12	11	60	0	94
4	4	8	7	20	51	0	94
7	16	27	39	46	177	0	315
2	2	12	13	23	47	0	99
0	0	4	5	5	21	0	35
0	0	2	1	3	10	0	17
0	2	7	13	11	50	0	83
3	3	7	3	17	33	0	66
2	0	4	5	13	40	0	66
2	1	5	6	8	28	0	50
2	3	5	2	12	37	0	61
1	4	3	11	11	30	0	61
3	2	3	3	17	29	0	58
0	3	3	5	8	25	0	44
0	0	0	5	9	20	0	34
0	3	4	6	11	36	0	60
1	0	0	1	7	12	0	21
0	0	0	3	3	20	0	26
1	0	2	2	5	11	0	21
0	1	3	1	8	12	1	26

Tabela 16. (nastavak)

Table 16. (continued)

Uzrast Age						Ukupno Total			
50-54	55-59	60-64	65-69	70-74	75+	0-29	%	0-75+	%
68	81	153	188	274	570	2	50.0	1364	42.7
19	58	112	168	333	1116	2	50.0	1831	57.3
22	19	48	49	90	148	0	0.0	386	43.3
5	19	36	51	89	302	0	0.0	506	56.7
46	62	105	139	184	422	2	50.0	978	42.5
14	39	76	117	244	814	2	50.0	1325	57.5
4	2	7	7	12	10	0	0.0	42	42.0
0	2	3	5	14	33	0	0.0	58	58.0
4	4	7	1	6	15	0	0.0	39	37.1
0	0	7	10	17	32	0	0.0	66	62.9
2	4	3	6	11	21	0	0.0	50	49.0
0	4	4	5	6	33	0	0.0	52	51.0
2	2	8	12	13	21	0	0.0	59	47.2
0	4	7	8	12	34	0	0.0	66	52.8
1	1	0	1	3	3	0	0.0	9	37.5
1	1	0	1	2	9	0	0.0	15	62.5
3	4	14	14	19	50	0	0.0	105	40.7
3	5	6	15	22	102	0	0.0	153	59.3
6	2	9	8	26	28	0	0.0	82	46.1
1	3	9	7	16	59	0	0.0	96	53.9
10	16	27	39	43	97	0	0.0	237	47.2
3	12	18	22	34	168	1	100.0	265	52.8
2	6	9	11	17	37	0	0.0	83	41.5
0	3	12	14	26	62	0	0.0	117	58.5
1	0	8	5	0	12	0	0.0	27	32.9
0	1	1	5	10	37	0	0.0	55	67.1
2	0	2	1	1	2	0	0.0	10	38.5
0	0	0	1	2	13	0	0.0	16	61.5
5	2	6	13	7	36	0	0.0	70	42.4
0	1	4	7	18	63	0	0.0	95	57.6
4	2	5	2	6	13	0	0.0	32	33.7
2	2	3	2	21	33	0	0.0	63	66.3
0	1	4	4	13	26	0	0.0	49	47.6
2	0	1	4	9	36	0	0.0	54	52.4
2	0	5	9	3	16	0	0.0	35	36.1
3	2	3	3	13	36	1	100.0	62	63.9
4	4	4	9	12	29	0	0.0	63	42.9
1	0	4	5	14	60	0	0.0	84	57.1
1	3	1	5	6	12	0	0.0	31	38.8
0	4	3	9	10	22	0	0.0	49	61.3
8	5	7	5	19	27	0	0.0	71	57.3
0	2	4	6	8	31	0	0.0	53	42.7
0	6	6	5	13	24	0	0.0	54	44.3
0	2	2	7	14	42	0	0.0	68	55.7
5	4	5	9	14	25	0	0.0	63	37.5
1	5	2	11	20	64	0	0.0	105	62.5
0	5	3	9	10	30	1	100.0	60	37.3
0	4	9	12	13	63	0	0.0	101	62.7
0	3	1	1	3	6	0	0.0	14	28.0
1	1	2	2	10	20	0	0.0	36	72.0
0	1	2	6	2	17	0	0.0	28	48.3
1	0	2	3	4	20	0	0.0	30	51.7
1	2	5	5	10	8	0	0.0	31	40.8
0	0	2	3	11	29	0	0.0	45	59.2
1	2	5	1	5	5	1	100.0	20	42.6
0	0	4	1	7	15	0	0.0	27	57.4

Tabela 17. Broj umrlih od svih tipova dijabetesa prema okruzima i uzrastu, Srbija, 2010. godina

Table 17. Number of deaths caused by diabetes by region/administrative district and age, Serbia, 2010

Okrug Region/District	Uzrast Age									
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija (Serbia)	0	1	0	0	1	2	3	8	13	27
Vojvodina (Vojvodina)	0	0	0	0	0	0	0	2	3	9
Centralna Srbija (Central Serbia)	0	1	0	0	1	2	3	6	10	18
Severno-bački (North Backa)	0	0	0	0	0	0	0	0	0	1
Srednje-banatski (Middle Banat)	0	0	0	0	0	0	0	0	1	1
Severno-banatski (North Banat)	0	0	0	0	0	0	0	0	0	3
Južno-banatski (South Banat)	0	0	0	0	0	0	0	0	0	2
Zapadno-bački (West Backa)	0	0	0	0	0	0	0	0	0	1
Južno-bački (South Backa)	0	0	0	0	0	0	0	0	0	1
Sremski (Srem)	0	0	0	0	0	0	0	2	2	0
Grad Beograd (City of Belgrade)	0	0	0	0	1	0	2	1	4	5
Mačvanski (Macva)	0	0	0	0	0	0	0	0	0	1
Kolubarski (Kolubara)	0	0	0	0	0	0	0	1	0	1
Podunavski (Danube)	0	0	0	0	0	0	0	0	0	2
Braničevski (Branicevo)	0	0	0	0	0	0	0	0	1	2
Šumadijski (Sumadija)	0	0	0	0	0	0	0	0	0	0
Pomoravski (Morava)	0	0	0	0	0	0	0	0	1	2
Borski (Bor)	0	0	0	0	0	1	0	0	0	1
Zaječarski (Zajecar)	0	0	0	0	0	0	0	0	0	1
Zlatiborski (Zlatibor)	0	0	0	0	0	0	1	1	1	1
Moravički (Moravica)	0	0	0	0	0	0	0	1	0	1
Raški (Raska)	0	0	0	0	0	0	0	1	0	0
Rasinski (Rasina)	0	0	0	0	0	0	0	1	2	0
Nišavski (Nisava)	0	1	0	0	0	0	0	0	1	1
Toplički (Toplica)	0	0	0	0	0	0	0	0	0	0
Pirotski (Piot)	0	0	0	0	0	0	0	0	0	0
Jablanički (Jablanica)	0	0	0	0	0	0	0	0	0	0
Pčinjski (Pcinj)	0	0	0	0	0	1	0	0	0	0

Tabela 17. (nastavak)

Table 17. (continued)

Uzrast Age						Ukupno Total	
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+
87	139	265	356	607	1686	4	3195
27	38	84	100	179	450	0	892
60	101	181	256	428	1236	4	2303
4	4	10	12	26	43	0	100
4	4	14	11	23	47	0	105
2	8	7	11	17	54	0	102
2	6	15	20	25	55	0	125
2	2	0	2	5	12	0	24
6	9	20	29	41	152	0	258
7	5	18	15	42	87	0	178
13	28	45	61	77	265	1	502
2	9	21	25	43	99	0	200
1	1	9	10	10	49	0	82
2	0	2	2	3	15	0	26
5	3	10	20	25	99	0	165
6	4	8	4	27	46	0	95
2	1	5	8	22	62	0	103
5	2	8	12	16	52	1	97
5	4	8	14	26	89	0	147
1	7	4	14	16	34	0	80
8	7	11	11	27	58	0	124
0	8	8	12	27	66	0	122
6	9	7	20	34	89	0	168
0	9	12	21	23	93	1	161
1	4	3	3	13	26	0	50
1	1	4	9	6	37	0	58
1	2	7	8	21	37	0	76
1	2	9	2	12	20	1	47

Tabela 18. (nastavak)

Table 18. (continued)

Uzrast Age						Mortalitet (Mortality)					
						Siroma stopa Crude rate		Standardizovana stopa ASR-E ASR-W			
						0-29	0-75+	0-29	0-75+	0-29	0-75+
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+	0-29	0-75+	0-29	0-75+
9.3	9.9	15.5	31.5	50.0	44.5	0.1	9.1	0.1	7.1	0.1	4.8
2.2	5.0	12.5	24.0	39.5	65.9	0.2	10.8	0.1	6.2	0.1	3.9
13.8	10.7	34.1	39.6	101.0	87.5	0.0	14.7	0.0	12.2	0.0	8.1
2.7	8.9	26.7	36.5	53.7	98.5	0.0	15.6	0.0	9.2	0.0	5.8
7.5	9.6	8.7	28.7	33.3	32.3	0.1	7.1	0.1	5.4	0.1	3.7
2.0	3.6	7.2	19.4	34.3	54.9	0.2	9.0	0.2	5.1	0.2	3.3
41.7	0.0	54.0	23.7	145.9	66.3	0.0	16.3	0.0	13.6	0.0	9.2
0.0	0.0	15.7	53.3	118.2	106.3	0.0	19.3	0.0	10.7	0.0	6.7
13.8	13.0	33.0	27.0	51.8	61.3	0.0	12.8	0.0	10.5	0.0	7.4
0.0	0.0	56.4	119.0	106.4	80.7	0.0	23.6	0.0	14.0	0.0	9.6
16.5	34.7	20.8	29.4	136.4	76.0	0.0	18.8	0.0	15.0	0.0	10.3
0.0	32.7	56.8	0.0	0.0	85.9	0.0	14.2	0.0	8.2	0.0	5.3
0.0	8.5	32.8	51.0	53.6	105.5	0.0	12.3	0.0	10.0	0.0	6.4
0.0	8.3	19.5	13.4	25.0	71.0	0.0	9.9	0.0	5.6	0.0	3.4
0.0	13.0	0.0	0.0	49.1	0.0	0.0	3.2	0.0	2.2	0.0	1.5
0.0	12.7	0.0	19.4	0.0	31.2	0.0	5.0	0.0	2.8	0.0	1.7
9.6	13.7	34.8	55.5	80.0	104.5	0.0	13.7	0.0	12.0	0.0	7.8
8.7	8.2	14.6	14.1	50.5	121.4	0.0	14.2	0.0	8.8	0.0	5.2
23.7	0.0	52.8	51.5	200.7	130.9	0.0	23.9	0.0	19.6	0.0	13.2
0.0	8.0	46.8	67.9	77.1	145.0	0.0	23.7	0.0	14.3	0.0	9.3
7.5	6.6	8.2	22.5	21.6	22.3	0.0	5.0	0.0	4.1	0.0	2.8
1.6	2.8	1.6	10.1	20.6	31.8	0.4	5.0	0.3	3.1	0.3	2.1
0.0	7.8	0.0	47.8	47.6	76.5	0.0	9.8	0.0	7.5	0.0	4.8
0.0	7.9	31.5	27.9	49.2	89.6	0.0	14.2	0.0	8.2	0.0	5.2
0.0	0.0	19.3	0.0	0.0	0.0	0.0	2.3	0.0	2.0	0.0	1.7
0.0	14.1	0.0	22.0	19.0	42.2	0.0	8.9	0.0	5.2	0.0	3.5
13.4	0.0	0.0	25.5	0.0	0.0	0.0	3.0	0.0	3.0	0.0	2.4
0.0	0.0	0.0	0.0	0.0	52.6	0.0	4.9	0.0	2.1	0.0	1.1
69.7	14.4	18.0	102.4	106.0	139.8	0.0	27.7	0.0	19.5	0.0	12.8
0.0	0.0	15.8	19.9	154.2	169.4	0.0	34.0	0.0	15.5	0.0	9.9
9.0	0.0	0.0	0.0	32.8	0.0	0.0	2.1	0.0	1.6	0.0	1.1
8.4	0.0	10.4	0.0	0.0	0.0	0.0	1.4	0.0	1.1	0.0	0.8
0.0	11.6	0.0	21.6	83.0	48.7	0.0	9.6	0.0	6.0	0.0	3.7
0.0	0.0	0.0	17.6	15.3	62.7	0.0	9.0	0.0	3.7	0.0	2.1
0.0	0.0	46.6	94.8	110.1	105.6	0.0	20.3	0.0	13.6	0.0	9.0
20.2	0.0	21.5	49.3	134.3	174.2	5.0	33.0	4.4	17.4	3.9	11.7
23.1	0.0	0.0	83.5	95.5	52.5	0.0	16.8	0.0	9.9	0.0	6.6
22.7	0.0	0.0	70.4	49.1	81.6	0.0	20.6	0.0	9.1	0.0	5.9
0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.4	0.0	1.2
0.0	16.6	0.0	26.9	36.5	15.8	0.0	6.1	0.0	3.8	0.0	2.5
12.3	21.4	0.0	0.0	19.1	26.1	0.0	5.7	0.0	3.8	0.0	2.4
0.0	0.0	0.0	18.7	15.6	57.8	0.0	8.3	0.0	4.5	0.0	2.9
0.0	48.9	13.5	37.9	121.6	102.1	0.0	15.6	0.0	12.9	0.0	8.1
0.0	0.0	24.6	63.0	87.3	171.6	0.0	19.7	0.0	13.9	0.0	8.6
11.3	9.4	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.4	0.0	0.9
0.0	0.0	0.0	15.9	0.0	0.0	0.0	0.8	0.0	0.6	0.0	0.5
0.0	6.8	0.0	21.9	11.0	22.5	1.6	4.9	1.8	3.9	1.9	3.2
0.0	13.3	7.7	29.6	18.7	56.0	0.0	9.5	0.0	5.2	0.0	3.2
0.0	84.6	33.1	41.6	40.2	26.6	0.0	14.8	0.0	10.7	0.0	7.3
0.0	0.0	34.6	36.5	98.2	115.2	0.0	23.7	0.0	10.7	0.0	6.7
0.0	25.2	30.6	74.9	36.0	22.0	0.0	12.5	0.0	8.0	0.0	5.6
0.0	0.0	30.7	0.0	33.1	17.3	0.0	6.4	0.0	3.2	0.0	2.2
0.0	0.0	14.4	38.2	18.3	0.0	0.0	3.6	0.0	2.8	0.0	2.1
0.0	0.0	0.0	0.0	29.6	9.8	0.0	2.7	0.0	1.3	0.0	0.8
13.6	0.0	37.7	23.7	0.0	0.0	0.0	3.5	0.0	3.8	0.0	2.9
0.0	0.0	17.5	0.0	41.2	27.4	0.0	4.4	0.0	3.2	0.0	2.1

Tabela 19. (nastavak)

Table 19. (continued)

Uzrast Age						Mortalitet (Mortality)							
						Siroma stopa Crude rate		Standardizovana stopa ASR-E				ASR-W	
						0-29	0-75+	0-29	0-75+	0-29	0-75+		
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+	0-29	0-75+	0-29	0-75+		
5.7	7.4	13.9	27.4	44.1	57.4	0.1	10.0	0.1	6.7	0.1	4.4		
8.1	9.8	30.1	37.8	73.1	94.5	0.0	15.2	0.0	10.6	0.0	6.9		
4.7	6.5	7.9	23.6	33.8	45.7	0.2	8.1	0.2	5.3	0.1	3.5		
20.4	0.0	33.5	40.6	129.3	92.4	0.0	17.8	0.0	12.3	0.0	8.0		
6.9	6.4	45.6	80.1	84.2	73.7	0.0	18.3	0.0	12.9	0.0	8.9		
8.3	33.7	39.6	12.7	55.8	82.3	0.0	16.4	0.0	11.3	0.0	7.5		
0.0	8.4	25.8	30.0	36.7	83.9	0.0	11.1	0.0	7.4	0.0	4.7		
0.0	12.8	0.0	10.9	19.6	20.2	0.0	4.1	0.0	2.6	0.0	1.6		
9.1	10.8	23.8	32.0	62.8	115.2	0.0	14.0	0.0	10.2	0.0	6.4		
11.9	4.0	49.7	60.7	128.6	139.7	0.0	23.8	0.0	16.8	0.0	11.1		
4.3	4.5	4.5	15.5	21.0	28.0	0.2	5.0	0.2	3.6	0.1	2.4		
0.0	7.9	16.2	37.1	48.5	84.2	0.0	12.0	0.0	7.9	0.0	5.0		
0.0	6.9	9.4	11.8	10.6	24.4	0.0	5.6	0.0	3.8	0.0	2.7		
6.6	0.0	0.0	11.4	0.0	31.8	0.0	4.0	0.0	2.7	0.0	1.8		
34.7	7.1	16.8	56.0	133.9	157.9	0.0	31.0	0.0	17.5	0.0	11.3		
8.7	0.0	5.4	0.0	14.8	0.0	0.0	1.7	0.0	1.3	0.0	0.9		
0.0	5.8	0.0	19.4	44.0	57.2	0.0	9.3	0.0	4.7	0.0	2.8		
10.1	0.0	33.6	69.2	124.1	146.2	2.4	26.8	2.1	15.6	1.8	10.4		
22.9	0.0	0.0	76.4	69.3	69.9	0.0	18.8	0.0	9.5	0.0	6.2		
0.0	8.3	0.0	14.3	20.2	9.2	0.0	3.7	0.0	2.7	0.0	2.0		
6.0	10.6	0.0	10.4	17.2	44.3	0.0	7.0	0.0	4.3	0.0	2.7		
0.0	23.8	19.3	51.6	102.9	140.9	0.0	17.7	0.0	13.5	0.0	8.4		
5.6	4.7	0.0	8.6	0.0	0.0	0.0	1.2	0.0	1.0	0.0	0.7		
0.0	10.1	4.0	26.0	15.2	41.7	0.8	7.2	0.9	4.6	1.0	3.3		
0.0	44.1	33.9	38.9	72.2	78.0	0.0	19.2	0.0	11.2	0.0	7.3		
0.0	13.0	30.7	37.3	34.5	19.3	0.0	9.5	0.0	5.6	0.0	3.9		
0.0	0.0	7.2	17.9	24.5	5.7	0.0	3.1	0.0	2.0	0.0	1.4		
6.9	0.0	27.2	11.1	23.0	16.1	0.0	4.0	0.0	3.6	0.0	2.5		

Tabela 20. (nastavak)

Table 20. (continued)

Uzrast Age						Mortalitet (Mortality)					
						Siroma stopa Crude rate		Standardizovana stopa ASR-E ASR-W			
						0-29	0-75+	0-29	0-75+	0-29	0-75+
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+	0-29	0-75+	0-29	0-75+
10.0	10.6	32.9	64.9	84.3	145.3	0.1	19.0	0.1	14.1	0.1	8.9
2.9	9.4	21.8	39.8	84.1	165.6	0.0	23.7	0.0	12.8	0.0	7.8
11.0	12.1	34.1	68.6	98.4	158.2	0.0	18.7	0.0	15.4	0.0	9.8
2.7	11.5	22.2	40.5	77.8	181.4	0.0	24.0	0.0	13.4	0.0	8.1
9.7	10.1	32.5	63.7	79.6	141.7	0.1	19.2	0.1	13.6	0.1	8.6
3.1	8.6	21.7	39.6	86.4	160.3	0.0	23.6	0.0	12.6	0.0	7.7
13.9	27.6	54.0	47.5	87.5	132.6	0.0	18.4	0.0	15.2	0.0	9.8
0.0	12.9	31.4	17.8	98.5	118.1	0.0	20.3	0.0	11.7	0.0	7.5
0.0	13.0	16.5	0.0	51.8	122.7	0.0	10.7	0.0	8.1	0.0	4.7
0.0	0.0	0.0	0.0	70.9	115.2	0.0	14.4	0.0	6.7	0.0	3.7
16.5	34.7	41.6	147.1	238.7	405.5	0.0	45.7	0.0	35.8	0.0	22.2
0.0	32.7	18.9	67.1	141.7	386.7	0.0	50.3	0.0	25.3	0.0	14.6
17.6	8.5	54.7	153.0	178.8	158.3	0.0	27.3	0.0	23.0	0.0	15.3
0.0	25.0	48.8	93.7	124.8	197.3	0.0	33.5	0.0	20.0	0.0	12.8
0.0	0.0	0.0	0.0	0.0	18.9	0.0	1.1	0.0	0.8	0.0	0.4
13.7	0.0	0.0	0.0	16.4	31.2	0.0	5.0	0.0	2.7	0.0	1.6
4.8	4.6	29.0	46.2	26.7	149.2	0.0	12.0	0.0	10.7	0.0	6.5
0.0	4.1	14.6	49.2	50.5	173.5	0.0	18.7	0.0	11.4	0.0	6.7
23.7	16.2	42.3	85.8	185.3	178.5	0.0	25.8	0.0	20.9	0.0	13.4
8.0	15.9	37.5	27.2	88.2	261.0	0.0	32.3	0.0	17.6	0.0	10.3
9.4	13.2	32.8	83.7	80.2	160.5	0.0	19.9	0.0	15.4	0.0	9.8
3.2	11.1	17.9	32.7	45.9	151.7	0.0	18.6	0.0	10.8	0.0	6.5
16.5	7.8	44.2	63.7	127.1	196.6	0.0	24.2	0.0	18.1	0.0	11.3
0.0	7.9	84.1	125.3	184.7	216.4	0.0	39.9	0.0	23.9	0.0	15.5
0.0	0.0	77.4	77.0	0.0	130.1	0.0	18.2	0.0	12.2	0.0	8.0
0.0	0.0	0.0	43.9	95.0	126.5	0.0	21.0	0.0	9.7	0.0	5.7
0.0	0.0	32.3	0.0	25.9	32.2	0.0	6.0	0.0	4.8	0.0	3.4
0.0	0.0	0.0	20.6	39.3	84.1	0.0	10.7	0.0	5.4	0.0	3.1
0.0	14.4	72.0	204.8	53.0	241.5	0.0	37.6	0.0	23.9	0.0	15.5
0.0	14.1	47.5	99.5	173.5	250.1	0.0	50.6	0.0	22.4	0.0	13.9
27.0	8.0	56.8	34.2	32.8	112.8	0.0	16.3	0.0	12.1	0.0	7.9
0.0	15.4	20.8	14.6	201.5	177.3	0.0	29.2	0.0	15.7	0.0	9.5
0.0	0.0	46.7	43.2	165.9	219.0	0.0	29.9	0.0	17.8	0.0	10.9
25.4	0.0	14.2	52.7	76.4	172.3	0.0	31.6	0.0	15.8	0.0	10.2
20.2	0.0	69.9	157.9	0.0	190.0	0.0	28.2	0.0	18.8	0.0	12.3
20.2	18.0	43.0	24.6	214.9	275.8	0.0	48.0	0.0	23.1	0.0	14.0
46.2	58.5	87.7	55.7	159.1	210.0	0.0	47.0	0.0	26.5	0.0	17.2
0.0	0.0	20.4	0.0	171.7	291.3	0.0	52.4	0.0	17.8	0.0	10.1
8.9	16.8	11.5	60.9	75.7	131.9	0.0	17.2	0.0	12.2	0.0	7.6
0.0	16.6	21.7	94.1	72.9	142.4	0.0	24.2	0.0	14.5	0.0	9.3
36.8	10.7	15.7	46.4	267.3	182.6	0.0	33.3	0.0	21.2	0.0	13.3
0.0	10.6	29.3	18.7	46.8	144.5	0.0	21.1	0.0	10.9	0.0	6.8
0.0	9.8	40.4	56.8	69.5	114.9	0.0	13.5	0.0	11.6	0.0	7.4
0.0	18.6	0.0	31.5	58.2	161.5	0.0	15.8	0.0	10.6	0.0	6.1
0.0	0.0	0.0	74.7	35.5	45.6	0.0	8.4	0.0	5.9	0.0	3.9
0.0	0.0	0.0	15.9	101.0	121.5	0.0	19.4	0.0	8.5	0.0	4.9
0.0	13.6	0.0	32.9	54.8	112.7	0.0	13.6	0.0	8.3	0.0	4.9
0.0	6.7	30.9	29.6	56.2	117.5	0.0	18.5	0.0	9.5	0.0	5.9
0.0	0.0	0.0	0.0	80.4	53.1	0.0	8.5	0.0	4.5	0.0	2.7
34.4	0.0	0.0	36.5	163.6	192.0	0.0	36.7	0.0	16.5	0.0	9.9
0.0	0.0	0.0	74.9	36.0	219.6	0.0	27.1	0.0	12.9	0.0	7.4
0.0	0.0	0.0	37.1	66.2	172.7	0.0	27.9	0.0	10.4	0.0	5.9
12.7	0.0	14.4	19.1	36.7	27.0	0.0	6.2	0.0	4.6	0.0	3.1
0.0	0.0	14.2	16.8	44.3	88.5	0.0	12.5	0.0	6.3	0.0	3.7
0.0	14.3	18.8	0.0	104.2	77.7	2.0	9.6	2.0	8.9	1.8	6.0
0.0	0.0	34.9	20.8	82.3	109.5	0.0	13.2	0.0	9.4	0.0	5.9

Tabela 21. Stope mortaliteta od tipa 2 dijabetesa na 100.000 stanovnika prema okruzima i uzrastu, Srbija, 2010. godina

Table 21. Mortality rates of type 2 diabetes per 100.000 population by region/administrative district and age, Serbia, 2010

Okrug Region/District	Uzrast Age									
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija (Serbia)	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.8	1.4
Vojvodina (Vojvodina)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9
Centralna Srbija (Central Serbia)	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	1.2	0.8
Severno-bački (North Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3
Srednje-banatski (Middle Banat)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Severno-banatski (North Banat)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8
Južno-banatski (South Banat)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7
Zapadno-bački (West Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Južno-bački (South Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sremski (Srem)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grad Beograd (City of Belgrade)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0
Mačvanski (Macva)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kolubarski (Kolubara)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Podunavski (Danube)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6
Braničevski (Branicevo)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Šumadijski (Sumadija)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pomoravski (Morava)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	7.3
Borski (Bor)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zaječarski (Zajecar)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zlatiborski (Zlatibor)	0.0	0.0	0.0	0.0	0.0	0.0	5.5	0.0	0.0	0.0
Moravički (Moravica)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7
Raški (Raska)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rasinski (Rasina)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nišavski (Nisava)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Toplički (Toplica)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pirotski (Piot)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Jablanički (Jablanica)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pčinjski (Pcini)	0.0	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	0.0

Tabela 21. (nastavak)

Table 21. (continued)

Uzrast Age						Mortalitet (Mortality)					
						Siroma stopa Crude rate		Standardizovana stopa ASR-E ASR-W			
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+	0-29	0-75+	0-29	0-75+
6.4	10.0	27.0	51.1	84.2	157.5	0.0	21.4	0.0	13.5	0.0	8.3
6.8	11.8	27.8	52.7	86.2	172.9	0.0	21.4	0.0	14.4	0.0	8.9
6.3	9.3	26.8	50.5	83.4	152.7	0.1	21.4	0.0	13.1	0.0	8.2
6.8	20.0	41.9	30.5	94.1	123.1	0.0	19.4	0.0	13.3	0.0	8.5
0.0	6.4	7.6	0.0	63.2	117.9	0.0	12.6	0.0	7.4	0.0	4.2
8.3	33.7	29.7	101.7	181.4	393.4	0.0	48.0	0.0	30.0	0.0	18.0
8.8	16.8	51.5	119.8	147.0	182.7	0.0	30.5	0.0	21.4	0.0	13.9
6.9	0.0	0.0	0.0	9.8	26.9	0.0	3.1	0.0	1.9	0.0	1.1
2.3	4.3	21.1	47.9	40.6	164.6	0.0	15.4	0.0	11.2	0.0	6.7
15.9	16.1	39.7	53.1	128.6	229.8	0.0	29.1	0.0	19.2	0.0	11.8
6.1	12.0	24.5	55.1	60.5	155.1	0.0	19.2	0.0	12.8	0.0	7.9
8.2	7.9	64.7	96.6	159.5	208.4	0.0	32.2	0.0	21.3	0.0	13.6
0.0	0.0	37.5	59.2	52.9	128.0	0.0	19.6	0.0	10.9	0.0	6.9
0.0	0.0	15.6	11.4	33.5	63.6	0.0	8.4	0.0	5.3	0.0	3.4
0.0	14.3	58.9	145.5	122.8	246.8	0.0	44.3	0.0	23.2	0.0	14.7
13.1	11.8	38.0	23.6	125.5	151.1	0.0	22.9	0.0	14.3	0.0	8.9
12.8	0.0	29.7	48.4	114.4	190.6	0.0	30.8	0.0	16.4	0.0	10.3
20.2	9.3	55.9	83.0	124.1	240.9	0.0	38.3	0.0	21.4	0.0	13.4
22.9	27.9	52.8	25.5	166.2	258.8	0.0	49.8	0.0	22.3	0.0	13.6
4.4	16.7	16.8	78.5	74.1	138.0	0.0	20.7	0.0	13.4	0.0	8.5
18.0	10.6	22.7	31.1	145.9	160.7	0.0	27.1	0.0	15.6	0.0	9.7
0.0	14.3	19.3	43.0	63.3	140.9	0.0	14.7	0.0	11.1	0.0	6.7
0.0	0.0	0.0	43.0	71.7	91.2	0.0	14.0	0.0	7.5	0.0	4.5
0.0	10.1	15.9	31.2	55.6	115.4	0.0	16.1	0.0	8.9	0.0	5.4
16.2	0.0	0.0	19.4	126.3	133.8	0.0	22.5	0.0	11.1	0.0	6.6
0.0	0.0	0.0	55.9	51.7	193.3	0.0	27.5	0.0	11.5	0.0	6.6
6.6	0.0	14.3	17.9	40.9	62.6	0.0	9.3	0.0	5.6	0.0	3.5
0.0	7.3	27.2	11.1	92.0	96.4	1.0	11.4	1.0	9.3	0.9	6.0

Tabela 22. (nastavak)

Table 22. (continued)

Uzrast Age						Mortalitet (Mortality)					
						Siroma stopa Crude rate		Standardizovana stopa ASR-E ASR-W			
						0-29	0-75+	0-29	0-75+	0-29	0-75+
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+	0-29	0-75+	0-29	0-75+
26.2	28.7	69.9	125.9	180.4	261.3	0.2	38.5	0.1	28.8	0.1	18.6
7.0	19.4	45.3	91.7	166.6	337.2	0.2	48.9	0.1	26.8	0.1	16.4
30.3	25.5	81.8	129.3	239.2	308.2	0.0	40.5	0.0	33.5	0.0	21.5
6.7	24.2	53.4	103.4	164.9	362.7	0.0	50.3	0.0	28.6	0.0	17.4
24.7	29.9	65.6	124.7	161.0	248.1	0.2	37.7	0.2	27.4	0.2	17.7
7.1	17.7	42.2	87.3	167.3	328.7	0.2	48.4	0.2	26.1	0.2	16.0
55.6	27.6	125.9	166.1	350.1	220.9	0.0	45.5	0.0	37.8	0.0	25.3
0.0	25.9	47.1	88.8	275.8	389.7	0.0	58.8	0.0	32.3	0.0	19.8
55.3	51.8	115.6	27.0	155.5	306.7	0.0	41.7	0.0	32.8	0.0	21.3
0.0	0.0	98.7	198.4	301.5	368.7	0.0	67.7	0.0	36.7	0.0	23.3
33.1	69.4	62.3	176.6	375.0	532.2	0.0	67.2	0.0	52.9	0.0	33.5
0.0	65.4	75.8	111.9	141.7	472.6	0.0	67.0	0.0	35.3	0.0	21.3
17.6	16.9	87.5	203.9	232.4	277.0	0.0	40.3	0.0	33.5	0.0	21.9
0.0	33.3	68.3	107.1	149.7	268.3	0.0	43.4	0.0	25.6	0.0	16.2
13.8	13.0	0.0	24.7	73.6	56.8	0.0	9.5	0.0	7.2	0.0	4.6
13.7	12.7	0.0	19.4	32.7	93.7	0.0	15.1	0.0	8.2	0.0	5.1
14.3	18.2	81.3	129.4	168.9	373.1	0.0	35.9	0.0	31.7	0.0	19.7
13.1	20.6	29.1	105.5	139.0	442.3	0.0	48.4	0.0	29.7	0.0	17.4
47.4	16.2	95.1	137.3	401.4	333.3	0.0	51.6	0.0	41.9	0.0	27.3
8.0	23.9	84.3	95.1	176.3	427.8	0.0	58.5	0.0	33.1	0.0	20.3
18.8	26.4	55.4	125.6	132.6	216.2	0.0	30.7	0.0	24.0	0.0	15.5
4.8	16.6	29.3	55.4	78.0	242.7	0.4	30.6	0.3	18.1	0.3	11.0
16.5	47.0	99.5	175.2	270.0	404.2	0.0	54.4	0.0	40.9	0.0	26.0
0.0	23.7	126.1	195.0	320.1	462.7	0.0	75.4	0.0	43.6	0.0	27.5
14.3	0.0	154.8	128.3	0.0	173.5	0.0	30.7	0.0	21.9	0.0	15.1
0.0	14.1	18.2	109.8	190.1	390.1	0.0	60.9	0.0	28.7	0.0	17.3
26.9	0.0	32.3	25.5	25.9	32.2	0.0	10.1	0.0	8.7	0.0	6.4
0.0	0.0	0.0	20.6	39.3	136.7	0.0	15.6	0.0	7.5	0.0	4.1
87.2	28.9	107.9	332.8	185.5	457.5	0.0	77.4	0.0	51.6	0.0	33.7
0.0	14.1	63.3	139.2	347.0	508.3	0.0	98.0	0.0	42.8	0.0	26.5
36.0	15.9	56.8	34.2	98.3	146.7	0.0	22.7	0.0	16.5	0.0	10.6
16.9	15.4	31.2	29.2	282.0	254.3	0.0	42.7	0.0	23.5	0.0	14.3
0.0	11.6	62.2	86.5	269.6	316.4	0.0	47.3	0.0	29.0	0.0	18.2
25.4	0.0	14.2	70.2	137.5	281.9	0.0	48.8	0.0	22.8	0.0	14.1
40.4	0.0	116.5	284.3	110.1	337.8	0.0	54.8	0.0	36.8	0.0	24.2
60.7	35.9	64.6	73.9	349.2	522.6	5.0	93.0	4.4	47.4	3.9	30.2
92.4	78.0	87.7	250.5	381.9	507.5	0.0	105.8	0.0	59.1	0.0	38.1
22.7	0.0	81.5	117.4	343.4	699.1	0.0	133.3	0.0	48.6	0.0	28.8
8.9	25.2	11.5	76.1	90.8	131.9	0.0	21.3	0.0	15.9	0.0	10.5
0.0	33.2	32.6	121.0	121.5	174.0	0.0	33.0	0.0	19.9	0.0	12.8
98.2	53.5	109.8	116.0	362.7	352.3	0.0	67.5	0.0	45.2	0.0	29.2
0.0	21.1	58.7	112.5	124.8	298.6	0.0	48.7	0.0	26.3	0.0	16.7
0.0	58.7	80.8	94.7	225.8	306.3	0.0	36.5	0.0	30.4	0.0	19.1
0.0	18.6	24.6	110.2	203.7	423.9	0.0	44.8	0.0	30.5	0.0	18.2
56.3	37.8	62.0	168.0	248.7	284.9	0.0	53.2	0.0	35.8	0.0	23.3
11.1	47.2	23.8	175.1	288.6	486.1	0.0	85.0	0.0	41.7	0.0	25.7
0.0	34.0	24.4	98.7	109.5	225.3	1.6	32.7	1.8	21.4	1.9	14.1
0.0	26.6	69.5	118.4	121.9	352.5	0.0	53.4	0.0	27.6	0.0	16.9
0.0	84.6	33.1	41.6	120.6	159.4	0.0	29.7	0.0	18.4	0.0	11.6
34.4	30.7	69.2	72.9	327.2	384.1	0.0	77.7	0.0	35.8	0.0	22.1
0.0	25.2	61.3	224.6	72.1	373.4	0.0	58.4	0.0	30.7	0.0	19.1
30.3	0.0	61.4	111.4	132.3	345.4	0.0	64.3	0.0	27.4	0.0	16.9
12.7	22.9	72.2	95.5	183.4	108.1	0.0	27.6	0.0	19.5	0.0	13.1
0.0	0.0	28.4	50.5	162.5	285.2	0.0	40.1	0.0	19.7	0.0	11.6
13.6	28.6	94.1	23.7	130.3	97.2	2.0	17.5	2.0	17.0	1.8	11.8
0.0	0.0	69.8	20.8	144.1	205.2	0.0	23.8	0.0	16.9	0.0	10.4

Tabela 23. Stope mortaliteta od svih tipova dijabetesa na 100.000 stanovnika prema okruzima i uzrastu, Srbija, 2010. godina

Table 23. Mortality rates of diabetes (all types) per 100.000 population by region/administrative district and age, Serbia, 2010

Okrug Region/District	Uzrast Age									
	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Srbija (Serbia)	0.0	0.3	0.0	0.0	0.2	0.4	0.6	1.6	2.7	5.5
Vojvodina (Vojvodina)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.3	6.5
Centralna Srbija (Central Serbia)	0.0	0.4	0.0	0.0	0.3	0.5	0.8	1.7	2.9	5.1
Severno-bački (North Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3
Srednje-banatski (Middle Banat)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	7.1
Severno-banatski (North Banat)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.3
Južno-banatski (South Banat)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7
Zapadno-bački (West Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0
Južno-bački (South Backa)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
Sremski (Srem)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	9.5	0.0
Grad Beograd (City of Belgrade)	0.0	0.0	0.0	0.0	1.0	0.0	1.5	0.8	3.7	4.7
Mačvanski (Macva)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4
Kolubarski (Kolubara)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.9	0.0	7.5
Podunavski (Danube)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.2
Braničevski (Branicevo)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	17.9
Šumadijski (Sumadija)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pomoravski (Morava)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	14.7
Borski (Bor)	0.0	0.0	0.0	0.0	0.0	12.8	0.0	0.0	0.0	11.3
Zaječarski (Zajecar)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.9
Zlatiborski (Zlatibor)	0.0	0.0	0.0	0.0	0.0	0.0	5.5	5.4	5.2	4.6
Moravički (Moravica)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2	0.0	6.7
Raški (Raska)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0
Rasinski (Rasina)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	13.2	0.0
Nišavski (Nisava)	0.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	4.2	4.1
Toplički (Toplica)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pirotski (Piot)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Jablanički (Jablanica)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pčinjski (Pcinj)	0.0	0.0	0.0	0.0	0.0	6.4	0.0	0.0	0.0	0.0

Tabela 23. (nastavak)

Table 23. (continued)

Uzrast Age						Mortalitet (Mortality)					
						Siroma stopa Crude rate		Standardizovana stopa ASR-E ASR-W			
						0-29	0-75+	0-29	0-75+	0-29	0-75+
50-54	55-59	60-64	65-69	70-74	75+	0-29	0-75+	0-29	0-75+	0-29	0-75+
16.4	23.9	56.8	107.0	172.6	307.1	0.2	43.8	0.1	28.0	0.1	17.6
18.3	24.9	66.6	114.6	195.4	342.8	0.0	45.6	0.0	31.0	0.0	19.4
15.7	23.6	53.2	104.3	164.5	295.9	0.2	43.2	0.2	26.9	0.2	16.9
27.2	26.7	83.8	121.9	305.7	330.9	0.0	52.4	0.0	35.5	0.0	22.6
27.6	25.7	106.5	125.8	242.2	346.4	0.0	55.0	0.0	36.0	0.0	23.1
16.7	67.3	69.4	139.8	237.2	494.1	0.0	67.1	0.0	43.0	0.0	26.7
8.8	25.2	77.3	149.8	183.7	271.6	0.0	41.9	0.0	29.0	0.0	18.7
13.8	12.8	0.0	21.7	49.1	80.6	0.0	12.4	0.0	7.8	0.0	4.9
13.7	19.5	52.9	115.8	151.4	416.9	0.0	42.4	0.0	30.8	0.0	18.6
27.8	20.1	89.4	113.7	270.1	392.0	0.0	55.1	0.0	37.3	0.0	23.6
11.3	21.1	40.8	86.2	101.3	232.3	0.2	30.6	0.2	20.7	0.1	13.0
8.2	35.4	113.1	185.7	298.2	438.9	0.0	65.0	0.0	42.6	0.0	26.9
7.1	6.9	84.3	118.3	105.8	298.7	0.0	45.9	0.0	26.1	0.0	16.6
13.2	0.0	15.6	22.8	33.5	95.4	0.0	12.9	0.0	8.5	0.0	5.5
43.4	21.4	84.2	223.9	279.0	488.6	0.0	88.1	0.0	47.2	0.0	30.0
26.1	15.7	43.4	31.5	199.2	210.6	0.0	33.0	0.0	20.6	0.0	12.8
12.8	5.8	37.1	77.5	193.6	295.4	0.0	48.1	0.0	25.4	0.0	15.8
50.5	18.5	89.5	166.1	248.2	447.3	2.4	74.3	2.1	42.8	1.8	27.4
57.2	37.2	84.5	178.3	360.2	622.6	0.0	119.9	0.0	54.2	0.0	33.5
4.4	29.2	22.4	99.9	107.8	156.4	0.0	27.2	0.0	18.1	0.0	11.8
47.9	37.2	83.4	114.1	231.8	321.4	0.0	58.0	0.0	35.1	0.0	22.5
0.0	38.1	51.5	103.2	213.8	372.0	0.0	40.7	0.0	30.6	0.0	18.7
33.5	42.5	42.6	171.8	270.7	405.6	0.0	69.4	0.0	39.6	0.0	24.9
0.0	30.3	47.6	109.1	116.2	298.2	0.8	43.2	0.9	24.9	1.0	15.7
16.2	58.8	50.8	58.3	234.5	289.8	0.0	53.5	0.0	28.2	0.0	17.4
14.4	13.0	61.3	167.8	103.5	357.7	0.0	61.3	0.0	29.0	0.0	17.9
6.6	11.7	50.1	71.6	171.8	210.6	0.0	33.8	0.0	20.1	0.0	12.6
6.9	14.5	81.5	22.2	138.0	160.6	1.0	20.7	1.0	17.3	0.9	11.3

**IVg Faktori rizika i komplikacije kod novodijagnostikovanih osoba
sa tipom 2 dijabetesa uzrasta 20 i više godina u Srbiji, 2010. godina**

**IVg Risk factors and complications in newly diagnosed type 2 diabetes
patients aged 20 years and over in Serbia, 2010**

Tabela 24. Faktori rizika kod novodijagnostikovanih osoba sa tipom 2 dijabetesa uzrasta 20 i više godina, prema okruzima i polu, Srbija, 2010. godina

Table 24. Risk factors in newly diagnosed type 2 diabetes patients aged 20 years and over, by administrative district and sex, Serbia, 2010

Okrug District	Pol Sex	Faktori rizika Risk factors							
		Dijabetes u porodici Positive family history		Prekomerna telesna masa Overweight (BMI \geq 25 kg/m ²)		Centralni tip gojaznosti Central obesity		Pušenje Smoking	
		n	%	n	%	n	%	n	%
Ukupno* (Total)	M (Male)	1084	32.2	2340	69.5	1218	36.2	935	27.8
	Ž (Female)	1243	34.5	2355	65.4	1535	42.6	548	15.2
Srednje-banatski (Middle Banat)	M (Male)	111	38.8	208	72.7	107	37.4	60	21.0
	Ž (Female)	132	42.4	228	73.3	130	41.8	49	15.8
Južno-banatski (South Banat)	M (Male)	136	39.4	245	71.0	106	30.7	94	27.2
	Ž (Female)	149	43.3	226	65.7	150	43.6	51	14.8
Južno-bački (South Backa)	M (Male)	200	35.4	483	85.5	284	50.3	155	27.4
	Ž (Female)	251	39.8	550	87.3	410	65.1	117	18.6
Sremski (Srem)	M (Male)	163	38.7	289	68.6	166	39.4	90	21.4
	Ž (Female)	145	35.3	267	65.0	177	43.1	62	15.1
Kolubarski (Kolubara)	M (Male)	35	18.6	111	59.0	52	27.7	32	17.0
	Ž (Female)	37	19.8	80	42.8	65	34.8	19	10.2
Podunavski (Danube)	M (Male)	44	30.6	108	75.0	39	27.1	36	25.0
	Ž (Female)	57	37.0	109	70.8	52	33.8	19	12.3
Braničevski (Branicevo)	M (Male)	59	35.5	136	81.9	115	69.3	36	21.7
	Ž (Female)	49	29.2	133	79.2	125	74.4	21	12.5
Šumadijski (Sumadija)	M (Male)	62	28.6	143	65.9	55	25.3	68	31.3
	Ž (Female)	84	34.9	147	61.0	61	25.3	54	22.4
Pomoravski (Morava)	M (Male)	76	36.0	47	22.3	39	18.5	40	19.0
	Ž (Female)	89	36.6	73	30.0	74	30.5	20	8.2
Zlatiborski (Zlatibor)	M (Male)	88	25.7	223	65.0	95	27.7	156	45.5
	Ž (Female)	104	29.5	198	56.1	72	20.4	71	20.1
Moravički (Moravica)	M (Male)	47	19.7	163	68.5	25	10.5	129	54.2
	Ž (Female)	44	17.3	120	47.1	27	10.6	28	11.0
Pčinjski (Pcinj)	M (Male)	63	26.1	184	76.3	135	56.0	39	16.2
	Ž (Female)	102	33.6	224	73.7	192	63.2	37	12.2

* Podaci se odnose na 12 okruga prikazanih u tabeli

Tabela 24. (nastavak)

Table 24. (continued)

Faktori rizika Risk factors									
Povišen kreatinin High creatinine		Povišen ukupan holesterol High total cholesterol		Snižen HDL-holesterol Low HDL-cholesterol		Povišen LDL-holesterol High LDL-cholesterol		Povišeni trigliceridi High tryglicerides	
n	%	n	%	n	%	n	%	n	%
93	2.8	2409	71.6	340	10.1	818	24.3	1951	58.0
163	4.5	2785	77.3	625	17.4	948	26.3	2187	60.7
6	2.1	167	58.4	15	5.2	24	8.4	116	40.6
8	2.6	223	71.7	11	3.5	25	8.0	167	53.7
18	5.2	220	63.8	28	8.1	53	15.4	173	50.1
17	4.9	260	75.6	34	9.9	84	24.4	180	52.3
12	2.1	427	75.6	154	27.3	275	48.7	360	63.7
15	2.4	505	80.2	214	34.0	339	53.8	403	64.0
6	1.4	221	52.5	17	4.0	54	12.8	171	40.6
9	2.2	251	61.1	39	9.5	77	18.7	188	45.7
6	3.2	126	67.0	25	13.3	46	24.5	103	54.8
7	3.7	137	73.3	38	20.3	65	34.8	94	50.3
1	0.7	106	73.6	2	1.4	15	10.4	65	45.1
3	1.9	119	77.3	4	2.6	9	5.8	79	51.3
7	4.2	127	76.5	1	0.6	2	1.2	94	56.6
5	3.0	140	83.3	0	0.0	1	0.6	101	60.1
14	6.5	167	77.0	55	25.3	93	42.9	123	56.7
15	6.2	185	76.8	66	27.4	83	34.4	135	56.0
8	3.8	137	64.9	4	1.9	11	5.2	111	52.6
17	7.0	173	71.2	8	3.3	30	12.3	121	49.8
7	2.0	293	85.4	16	4.7	207	60.3	266	77.6
55	15.6	299	84.7	175	49.6	203	57.5	271	76.8
1	0.4	218	91.6	7	2.9	15	6.3	199	83.6
4	1.6	240	94.1	13	5.1	14	5.5	231	90.6
7	2.9	200	83.0	16	6.6	23	9.5	170	70.5
8	2.6	253	83.2	23	7.6	18	5.9	217	71.4

Tabela 25. Faktori rizika kod novodijagnostikovanih osoba sa tipom 2 dijabetesa uzrasta 20 i više godina, prema okruzima, Srbija, 2010. godina

Table 25. Risk factors in newly diagnosed type 2 diabetes patients aged 20 years and over, by administrative district, Serbia, 2010

Okrug District	Faktori rizika Risk factors							
	Dijabetes u porodici Positive family history		Prekomerna telesna masa Overweight (BMI \geq 25 kg/m ²)		Centralni tip gojaznosti Central obesity		Pušenje Smoking	
	n	%	n	%	n	%	n	%
Ukupno* (Total)	2327	33.4	4695	67.4	2753	39.5	1483	21.3
Srednje-banatski (Middle Banat)	243	40.7	436	73.0	237	39.7	109	18.3
Južno-banatski (South Banat)	285	41.4	471	68.4	256	37.2	145	21.0
Južno-bački (South Backa)	451	37.7	1033	86.4	694	58.1	272	22.8
Sremski (Srem)	308	37.0	556	66.8	343	41.2	152	18.3
Kolubarski (Kolubara)	72	19.2	191	50.9	117	31.2	51	13.6
Podunavski (Danube)	101	33.9	217	72.8	91	30.5	55	18.5
Braničevski (Branicevo)	108	32.3	269	80.5	240	71.9	57	17.1
Šumadijski (Sumadija)	146	31.9	290	63.3	116	25.3	122	26.6
Pomoravski (Morava)	165	36.3	120	26.4	113	24.9	60	13.2
Zlatiborski (Zlatibor)	192	27.6	421	60.5	167	24.0	227	32.6
Moravički (Moravica)	91	18.5	283	57.4	52	10.5	157	31.8
Pčinjski (Pcinj)	165	30.3	408	74.9	327	60.0	76	13.9

* Podaci se odnose na 12 okruga prikazanih u tabeli

Tabela 25. (nastavak)

Table 25. (continued)

Faktori rizika Risk factors									
Povišen kreatinin High creatinine		Povišen ukupan holesterol High total cholesterol		Snižen HDL-holesterol Low HDL-cholesterol		Povišen LDL-holesterol High LDL-cholesterol		Povišeni trigliceridi High tryglicerides	
n	%	n	%	n	%	n	%	n	%
256	3.7	5194	74.6	965	13.9	1766	25.4	4138	59.4
14	2.3	390	65.3	26	4.4	49	8.2	283	47.4
35	5.1	480	69.7	62	9.0	137	19.9	353	51.2
27	2.3	932	78.0	368	30.8	614	51.4	763	63.8
15	1.8	472	56.7	56	6.7	131	15.7	359	43.1
13	3.5	263	70.1	63	16.8	111	29.6	197	52.5
4	1.3	225	75.5	6	2.0	24	8.1	144	48.3
12	3.6	267	79.9	1	0.3	3	0.9	195	58.4
29	6.3	352	76.9	121	26.4	176	38.4	258	56.3
25	5.5	310	68.3	12	2.6	41	9.0	232	51.1
62	8.9	592	85.1	191	27.4	410	58.9	537	77.2
5	1.0	458	92.9	20	4.1	29	5.9	430	87.2
15	2.8	453	83.1	39	7.2	41	7.5	387	71.0

Table 26. Macrovascular and microvascular complications in newly diagnosed type 2 diabetes patients aged 20 years and over, by administrative district and sex, Serbia, 2010

Okrug District	Pol Sex	Komplikacije Complications							
		Hipertenzija Hypertension		Angina pektoris Angina		Akutni infarkt miokarda Acute myocardial infarction		Hr. srčana insuficijencija Congestive heart failure	
		n	%	n	%	n	%	n	%
Ukupno* (Total)	M (Male)	2141	63.6	426	12.7	203	6.0	267	7.9
	Ž (Female)	2729	75.8	506	14.1	106	2.9	288	8.0
Srednje-banatski (Middle Banat)	M (Male)	177	61.9	29	10.1	12	4.2	12	4.2
	Ž (Female)	229	73.6	32	10.3	7	2.3	25	8.0
Južno-banatski (South Banat)	M (Male)	217	62.9	29	8.4	28	8.1	18	5.2
	Ž (Female)	263	76.5	48	14.0	7	2.0	24	7.0
Južno-bački (South Backa)	M (Male)	386	68.3	78	13.8	30	5.3	44	7.8
	Ž (Female)	487	77.3	95	15.1	27	4.3	39	6.2
Sremski (Srem)	M (Male)	250	59.4	27	6.4	18	4.3	21	5.0
	Ž (Female)	330	80.3	62	15.1	15	3.6	34	8.3
Kolubarski (Kolubara)	M (Male)	108	57.4	21	11.2	10	5.3	17	9.0
	Ž (Female)	146	78.1	18	9.6	4	2.1	16	8.6
Podunavski (Danube)	M (Male)	105	72.9	22	15.3	15	10.4	8	5.6
	Ž (Female)	128	83.1	18	11.7	4	2.6	14	9.1
Braničevski (Branicevo)	M (Male)	106	63.9	18	10.8	5	3.0	7	4.2
	Ž (Female)	123	73.2	22	13.1	3	1.8	11	6.5
Šumadijski (Sumadija)	M (Male)	149	68.7	16	7.4	10	4.6	6	2.8
	Ž (Female)	187	77.6	21	8.7	4	1.7	19	7.9
Pomoravski (Morava)	M (Male)	125	59.2	28	13.3	23	10.9	33	15.6
	Ž (Female)	179	73.7	17	7.0	7	2.9	23	9.5
Zlatiborski (Zlatibor)	M (Male)	157	45.8	101	29.4	21	6.1	25	7.3
	Ž (Female)	215	60.9	121	34.3	14	4.0	20	5.7
Moravički (Moravica)	M (Male)	207	87.0	37	15.5	17	7.1	68	28.6
	Ž (Female)	222	87.1	38	14.9	10	3.9	57	22.4
Pčinjski (Pcinj)	M (Male)	154	63.9	20	8.3	14	5.8	8	3.3
	Ž (Female)	220	72.4	14	4.6	4	1.3	6	2.0

* Podaci se odnose na 12 okruga prikazanih u tabeli

Table 26. (continued)

Komplikacije Complications									
Moždani udar Stroke		Dijabetesno stopalo Diabetic foot		Retinopatija Retinopathy		Nefropatija Nephropathy		Neuropatija Neuropathy	
n	%	n	%	n	%	n	%	n	%
126	3.7	44	1.3	159	4.7	101	3.0	206	6.1
91	2.5	29	0.8	177	4.9	82	2.3	184	5.1
8	2.8	2	0.7	2	0.7	2	0.7	8	2.8
3	1.0	2	0.6	2	0.6	4	1.3	14	4.5
19	5.5	5	1.4	11	3.2	19	5.5	26	7.5
6	1.7	5	1.5	15	4.4	10	2.9	17	4.9
25	4.4	14	2.5	34	6.0	26	4.6	26	4.6
20	3.2	5	0.8	41	6.5	20	3.2	19	3.0
21	5.0	4	1.0	23	5.5	7	1.7	17	4.0
20	4.9	4	1.0	31	7.5	10	2.4	13	3.2
10	5.3	1	0.5	6	3.2	7	3.7	13	6.9
2	1.1	2	1.1	11	5.9	7	3.7	1	0.5
4	2.8	2	1.4	8	5.6	4	2.8	6	4.2
3	1.9	2	1.3	5	3.2	4	2.6	5	3.2
4	2.4	0	0.0	5	3.0	2	1.2	9	5.4
1	0.6	0	0.0	7	4.2	3	1.8	3	1.8
6	2.8	2	0.9	12	5.5	8	3.7	7	3.2
7	2.9	1	0.4	3	1.2	5	2.1	15	6.2
11	5.2	5	2.4	9	4.3	5	2.4	6	2.8
11	4.5	3	1.2	7	2.9	7	2.9	6	2.5
8	2.3	3	0.9	40	11.7	7	2.0	56	16.3
5	1.4	1	0.3	50	14.2	5	1.4	72	20.4
7	2.9	4	1.7	4	1.7	10	4.2	29	12.2
11	4.3	4	1.6	0	0.0	6	2.4	19	7.5
3	1.2	2	0.8	5	2.1	4	1.7	3	1.2
2	0.7	0	0.0	5	1.6	1	0.3	0	0.0

Table 27. Macrovascular and microvascula complications in newly diagnosed type 2 diabetes patients aged 20 years and over, by administrative district, Serbia, 2010

Okrug District	Komplikacije Complications							
	Hipertenzija Hypertension		Angina pectoris Angina		Akutni infarkt miokarda Acute myocardial infarction		Hr. srčana insuficijencija Congestive heart failure	
	n	%	n	%	n	%	n	%
Ukupno* (Total)	4870	69.9	932	13.4	309	4.4	555	8.0
Srednje-banatski (Middle Banat)	406	68.0	61	10.2	19	3.2	37	6.2
Južno-banatski (South Banat)	480	69.7	77	11.2	35	5.1	42	6.1
Južno-bački (South Backa)	873	73.1	173	14.5	57	4.8	83	6.9
Sremski (Srem)	580	69.7	89	10.7	33	4.0	55	6.6
Kolubarski (Kolubara)	254	67.7	39	10.4	14	3.7	33	8.8
Podunavski (Danube)	233	78.2	40	13.4	19	6.4	22	7.4
Braničevski (Branicevo)	229	68.6	40	12.0	8	2.4	18	5.4
Šumadijski (Sumadija)	336	73.4	37	8.1	14	3.1	25	5.5
Pomoravski (Morava)	304	67.0	45	9.9	30	6.6	56	12.3
Zlatiborski (Zlatibor)	372	53.4	222	31.9	35	5.0	45	6.5
Moravički (Moravica)	429	87.0	75	15.2	27	5.5	125	25.4
Pčinjski (Pcinj)	374	68.6	34	6.2	18	3.3	14	2.6

* Podaci se odnose na 12 okruga prikazanih u tabeli

Table 27. (continued)

Komplikacije Complications									
Moždani udar Stroke		Dijabetesno stopalo Diabetic foot		Retinopatija Retinopathy		Nefropatija Nephropathy		Neuropatija Neuropathy	
n	%	n	%	n	%	n	%	n	%
217	3.1	73	1.0	336	4.8	183	2.6	408	5.9
11	1.8	4	0.7	4	0.7	6	1.0	22	3.7
25	3.6	10	1.5	26	3.8	29	4.2	43	6.2
45	3.8	19	1.6	75	6.3	46	3.8	45	3.8
41	4.9	8	1.0	54	6.5	17	2.0	30	3.6
12	3.2	3	0.8	17	4.5	14	3.7	32	8.5
7	2.3	4	1.3	13	4.4	8	2.7	11	3.7
5	1.5	0	0.0	12	3.6	5	1.5	12	3.6
13	2.8	3	0.7	15	3.3	13	2.8	22	4.8
22	4.8	8	1.8	16	3.5	12	2.6	12	2.6
13	1.9	4	0.6	90	12.9	12	1.7	128	18.4
18	3.7	8	1.6	4	0.8	16	3.2	48	9.7
5	0.9	2	0.4	10	1.8	5	0.9	3	0.6

V Literatura
V References

1. Sicree R, Shaw JE, Zimmet PZ. The Global Burden of diabetes. In: Gan D, ed. Diabetes Atlas. 4th ed. Brussels: International Diabetes Federation.
2. Yliharsila H, Lindstrom J, Eriksson JG et al. Prevalence of Diabetes and impaired glucose regulation in 45- to 64-year-old individuals in three areas of Finland. *Diabet Med* 2005; 22:88-91.
3. Ford ES. Risks for all-cause mortality, cardiovascular disease, and diabetes associated with the metabolic syndrome: a summary of the evidence. *Diabetes Care* 2005; 28:1769–1778.
4. McEwan P, Williams JE, Griffiths A et al. Evaluating the performance of the Framingham risk equations in a population with diabetes. *Diabet Med* 2004; 21:318–323.
5. Harris MI, Goldstein DE, Flegal KM et al. Prevalence of diabetes, impaired fasting glucose, and impaired glucose tolerance in U.S. adults: the Third National Health and Nutritional Survey, 1988-1994. *Diabetes Care* 1998, 21:518-524.
6. Zdravstveno-statistički godišnjak Republike Srbije, 2006. Beograd: Institut za javno zdravlje Srbije, 2007, u štampi.
7. Atanasković-Marković Z, Bjegović V, Janković S i dr. The Burden of Disease and Injury in Serbia. Belgrade: Ministry of Health of the Republic of Serbia, 2003.
8. Atlas of health in Europe. World Health Organization. Regional Office for Europe: Copenhagen, Denmark, 2003.
9. Fuller JH, Elford J, Goldblatt P, Andelstein AM. Diabetes mortality: new light on an underestimated public health problem. *Diabetologia* 1983; 24: 336-341.
10. Morrish NJ, Wang SL, Stevens LK et al. Mortality and causes of death in the WHO Multinational Study of Vascular Disease in Diabetes. *Diabetologia* 2001; 44 (Suppl 2): S14-S21.
11. Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care* 2002; 25: S5-S20.
12. Bennett P, Knowler W. Definition, Diagnosis, and Classification of Diabetes Mellitus and Glucose Homeostasis. In: Kahn R, Weir G, King G, Jacobson A, Moses A, Smith R, eds. *Joslin's Diabetes Mellitus selected Chapters*. 14th ed. Boston: Lippincott Williams and Wilkins, 2005.p.105-113.
13. Republička stručna komisija za izradu i implementaciju vodiča u kliničkoj praksi, Ministarstvo zdravlja Republike Srbije, Srpsko lekarsko društvo. *Prevenција tipa 2 dijabetesa - Nacionalni vodič za lekare u primarnoj zdravstvenoj zaštiti*. EAR, Beograd: Srpsko lekarsko društvo, 2005.
14. Savezni zavod za zdravstvenu zaštitu. *Međunarodna klasifikacija bolesti, povreda i uzroka smrti, IX revizija*. Niš: Institut za dokumentaciju zaštite na radu, 1978.
15. Savezni zavod za zaštitu i unapređenje zdravlja. *Međunarodna klasifikacija bolesti, X revizija*. Beograd: Savremena administracija, 1996.
16. LaPorte RE, McCarty D, Bruno C et al. Counting diabetes in the next millennium. Application of capture-recapture technology. *Diabetes Care* 1993; 16:528-534.
17. Savezni zavod za zaštitu i unapređenje zdravlja. *Pravilnik o sredstvima za vođenje evidencija u oblasti zdravstva*. Obrazac br. DI-08/2, Beograd, 2000.
18. Alberti KG, Zimmet P, Shaw J. The metabolic syndrome – a new world-wide definition. *Lancet* 2005;366:1059-1062.
19. De Backer G, Ambroisioni E, Borch-Johnsen K et al. European guidelines on cardiovascular disease prevention in clinical practice. Third Joint Task Force of European and Other Societies on

- Cardiovascular Disease Prevention in Clinical practise. Executive Summary. Eur Heart J 2003;24:1601-1610.
20. Rothman KJ, Greenland S. Modern epidemiology. Philadelphia: Lippincott Raven, 1996.
 21. Ahmad O, Boschi-Pinto, Lopez A, Murray C et al. Age Standardization of rates: A New WHO Standard. Geneva: World Health Organization, 2000.
 22. Zoran Radovanović i sar. Epidemiologija, Medicinski fakultet univerziteta u Nišu, DIGP "PROSVETA" - NIŠ, Niš, 2005.
 23. Zakon o zdravstvenoj zaštiti. Službeni glasnik RS, br. 107/05, član 47.
 24. Uredba o Planu mreže zdravstvenih ustanova, Službeni glasnik RS, br. 42/06, 119/07 i 84/08, stav 2 član 4.
 25. Uredba o Planu mreže zdravstvenih ustanova, Službeni glasnik RS, br. 42/06, 119/07 i 84/08, stav 3 član 18.

Štampanje ove publikacije je podržano od strane
Publishing of this report were supported by

Novo Nordisk Pharma d.o.o.
Beograd
Novo Nordisk Pharma d.o.o.,

Belgrade



i
and

Merck Sharp&Dohme IDEA Inc., AG
(filijala Merck&Co., Inc, Whitehouse Station, NJ, SAD)
Predstavništvo Beograd
Omladinskih brigada 90A/1400, 11070 Novi Beograd
Merck Sharp&Dohme IDEA Inc., AG
(affiliate of Merck&Co., Inc, Whitehouse Station, NJ, USA)
Representative office Belgrade
Omladinskih brigada 90A/1400, 11070 Novi Beograd



CIP – Katalogizacija u publikaciji
Narodna biblioteka Srbije, Beograd

314:616.379–008.64(497.11)“2006”(083.41)
314.14:616.379–008.64(497.11)“2006”(083.41)

INCIDENCIJA i mortalitet od dijabetesa u Srbiji 2010. / [Uređivački odbor Ivana Rakočević, Dragan Miljuš] = Incidence and Mortality of Diabetes in Serbia 2010./Ivana Rakočević, Dragan Miljuš]. –Beograd: Institut za javno zdravlje Srbije “Dr Milan Jovanović batut” = Institute of Public Health of Serbia “Dr Milan Jovanovic Batut”, 2010 (Beograd:Publikum). – **47 str.: tabele; 29 cm.** – (Registar za dijabetes u Srbiji, Izveštaj br. 5 = Serbian Diabetes Register; report No. 5)


Delimično uporedo srp. Tekst i engl. Prevod. – Tiraž 500.

ISBN 978–86–7358–040–1

1. Yp stv. nasl.

a) Dijabetes melitus – Srbija – 2010 – statistika b) Dijabetes melitus – Mortalitet – Srbija – 2010 – Statistika

COBISS.SR-ID 144480268



ISBN 978-86-7358-040-1



9 788673 580401 >